神奈川県水産試験場研究報告

第 14 号

目 次

相模湾及び周辺海域における15定地水温の変動特性・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	木幡	孜	1
相模湾内における水平方向の海況変動とこれらの変動による1975~1980年の時間区分 ・・・・・・・	木幡	孜	7
ニューラルネットによる伊豆諸島周辺海域のマサバ終漁期の予測・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	三谷	勇	17
東京湾における低酸素水域の分布と小型底びき網の漁獲量の関係 ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	小林良	則	27
三崎魚市場におけるキンメダイ (Beryx splendens LOWE) の年齢組成 -			
体長組成の解析・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	井田伸	_	41
三崎魚市場におけるキンメダイ(Beryx splendens LOWE)の年齢組成 -			
経年変化 戸井田伸一・	杉浦曉	裕	47
神奈川県水産試験場地先における灯火採集で得られた仔稚魚 ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	岡部	久	53
東京湾川崎沖底層での溶存酸素量の連続測定結果について			
・・・・・・・・・・・・・・・・・・・・・・ 岩田静夫・池田文雄・清水詢道・小泉喜嗣・	松山優	治	61
東シナ海 , 1992年漁期ケンサキイカの資源状態と漁況の変動要因について ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	荻野隆	太	65
水産物の販売促進 - 2			
組織間流通の拡大条件・・・・・・・・・・・・・・・・・・・・・・ 江川公明・	岩田静	夫	71
相摸湾におけるマアジ漁獲量の変動と体長組成について ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	石崎博	美	79

本 報 告 略 号 神 水 試 研 報

Abbreviation of this bulletin - Bull. Kanagawa Pref. Fish. Exp. Stn -

編集委員会

委 員 長 木幡 孜 委 員 石戸谷博範,今井 利為,石井 洋 荻野 隆太,久保 昭史,柴田 勇夫 清水顕太郎,清水 詢道,田村 和男 中村 良成,沼田 武,樋口 智明 前川 千尋,三谷 勇

> 平成5年12月10日 印 刷 平成5年12月10日 発 行

発行所 神奈川県水産試験場

神奈川県三浦市三崎町城ケ島養老子 電話 (0468)82-2311(代) FAX. (0468)81-7903

郵便番号 238-02

発行者 小 林 良 雄

印刷所 朝日オフセット印刷株式会社

BULLETIN OF THE KANAGAWA PREFECTURAL FISHERIES EXPERIMENTAL STATION

No.14

CONTENT

KOBATA T.:Characteristics of Variation of Fixed Surface Water Temperature at 15 Temperature- Measurements in and around Sagami Bay
KOBATA T.:Horizontal Variation of Oceanic Condition in Sagami Bay and Division of Term according to these Variation during 1975-1980.
MITANI I.:Neuro-computing for Forecasting the Last Fishing Season of Chub Mackerel off Izu Island. 17
KOBAYASHI Y.:Relationship between Distribution of the Anoxia Water Mass in Tokyo Bay aud Catch by Small Beam Trawlers. 27
Sugiura A.and Toida S.:Age Composition of Alfonsin(Beryx splendens LOWE.)at Misaki Fisherly Market-I. Fork Length and Age. 41
Toida S.and Susiura A.: Age Composition of Alfonsin(Beryx splendens LOWE.) at Misaki Fisherly. Market-II. Yearly Fluctuation 47
OKABE K: Larvae and Juvenile Fishes collected by Light-sampling at the Shore of Kanagawa Prefectural Fisheries Experimental Station. 53
IWATA S., IKEDA F., SHIMIZU T., KOIZUMI Y. and MATSUYAMA M.:Results of Time Series Dissolved Measurements at the Lower off Kawasaki in Tokyo Bay. 61
Ogino R.:The Relationship between Frequency Composition of Mantle Length by Developmental Stage Loligo eduris, in the Eastern China Sea, 1992. 65
EGAWA K. and IWATA S.:On the Sales Promotion of Marine Products-II Extencive Condition for the Marketing among the Constitutions. 71
ISHIZAKI H.:On the Body Length aud Variations of Catch of Trachurus Japonicus in Sagami Bay.