

平成14年度空間放射線測定結果

		データ取得年	平成14年度(H14.4.1~H15.3.31)														
		測定項目・検出器	空間線量率・2" x 2"NaI(Tl)シンチレーション検出器														
測定局	集計項目	単位	平成14年										平成15年			平成14年度 年間値	平成13年度 年間値(参考)
			4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月			
千島局	1時間最大値	nGy/h	43.6	39.9	46.3	42.9	61.4	39.8	47.7	43.1	56.4	58.7	59.2	54.3	61.4	73.0	
	1時間最小値	nGy/h	28.8	28.9	29.1	28.8	29.3	29.2	29.6	30.0	28.9	28.8	28.6	28.5	28.5	28.6	
	月平均値	nGy/h	30.6	30.6	30.9	30.1	30.7	30.9	31.2	31.7	31.9	30.7	30.5	30.3	30.8	31.2	
	積算値	nGy/m	21,992.4	22,665.4	22,174.6	22,421.5	22,569.2	22,184.5	23,124.1	22,799.4	22,315.7	22,863.7	20,416.5	22,418.8	267,945.9	225,775.9	
	調整時間	時間	1	3	2	0	8	2	4	0	44	0	2	4	70	51	
浮島局	1時間最大値	nGy/h	49.6	72.4	72.9	48.1	68.3	68.1	53.2	50.9	52.7	56.8	43.3	53.0	72.9	69.8	
	1時間最小値	nGy/h	34.8	33.9	35.0	34.5	35.6	36.3	36.6	37.3	33.9	33.7	33.7	33.4	33.4	31.7	
	月平均値	nGy/h	36.4	36.6	36.9	36.0	37.1	38.4	38.9	39.5	38.4	35.6	35.1	35.4	37.0	36.8	
	積算値	nGy/m	26,151.6	27,100.2	26,539.5	26,699.1	27,483.9	27,591.1	28,887.4	28,367.0	27,696.7	26,436.8	23,576.7	26,271.9	322,802.0	266,745.7	
	調整時間	時間	2	3	1	2	4	1	1	1	23	1	1	2	42	46	
殿町局	1時間最大値	nGy/h	36.2	34.2	36.8	59.7	46.2	35.1	38.4	35.8	353.7	44.7	33.7	39.2	353.7	165.8	
	1時間最小値	nGy/h	27.5	27.5	27.5	27.3	27.4	27.6	28.0	28.2	28.3	26.8	26.7	26.7	26.7	26.2	
	月平均値	nGy/h	28.6	28.5	28.5	28.3	28.5	28.7	29.1	29.4	30.4	28.5	27.7	27.9	28.7	28.4	
	積算値	nGy/m	20,537.6	21,117.3	20,204.0	20,796.7	21,033.4	20,646.7	21,586.7	21,142.9	22,532.4	20,720.6	18,578.5	20,670.2	249,567.1	204,495.6	
	調整時間	時間	1	4	12	8	6	1	3	0	3	18	2	3	61	82	
塩浜局	1時間最大値	nGy/h	51.2	51.0	51.4	49.6	58.8	49.0	52.8	53.3	59.2	56.7	46.4	53.8	59.2	62.9	
	1時間最小値	nGy/h	39.7	37.6	39.7	39.0	39.1	39.7	40.3	40.7	38.4	38.3	38.0	36.1	36.1	36.0	
	月平均値	nGy/h	41.2	41.2	41.2	40.7	40.8	41.7	42.0	42.5	41.2	40.0	39.8	40.2	41.0	41.2	
	積算値	nGy/m	29,603.0	30,575.2	29,648.5	30,254.3	30,132.9	29,974.7	31,086.5	30,572.6	29,726.5	29,790.8	26,647.0	29,814.1	357,826.1	298,483.1	
	調整時間	時間	2	2	1	0	6	1	4	0	23	0	2	2	43	55	
大島局	1時間最大値	nGy/h	47.9	44.7	48.1	46.1	56.4	47.0	51.8	48.0	61.5	57.9	44.7	52.6	61.5	59.2	
	1時間最小値	nGy/h	35.2	35.2	35.2	35.3	35.4	35.2	36.5	36.9	36.7	33.9	34.3	34.4	33.9	32.9	
	月平均値	nGy/h	37.3	37.4	37.6	37.0	37.4	38.4	38.9	39.1	39.9	37.9	36.6	36.8	37.9	36.9	
	積算値	nGy/m	26,841.9	27,753.1	27,059.3	27,507.8	27,708.7	27,567.5	28,865.5	28,185.1	29,614.5	27,544.4	24,510.4	27,219.5	330,377.7	266,997.7	
	調整時間	時間	1	2	1	0	4	2	2	0	2	18	3	4	39	68	

平成14年度空間放射線測定結果

		データ取得年	平成14年度(H14.4.1~H15.3.31)														
		測定項目・検出器	空間線量率・2" x 2"NaI(Tl)シンチレーション検出器														
測定局	集計項目	単位	平成14年										平成15年			平成14年度年間値	平成13年度年間値(参考)
			4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月			
久里浜局	1時間最大値	n Gy / h	30.3	30.4	31.7	37.7	35.6	34.8	38.5	30.7	51.5	44.7	33.8	40.7	51.5	58.6	
	1時間最小値	n Gy / h	18.2	18.1	18.1	18.0	18.2	18.1	18.7	19.0	18.9	18.3	18.2	18.1	18.0	17.5	
	月平均値	n Gy / h	19.6	19.4	19.8	19.0	19.3	19.8	20.2	20.5	21.4	20.4	19.7	20.2	19.9	19.8	
	積算値	n Gy / m	14,098.8	14,419.8	14,187.1	14,104.8	14,219.1	14,247.8	14,951.4	14,726.0	15,860.6	14,829.9	13,145.6	14,942.9	173,733.8	142,662.0	
	調整時間	時間	1	2	2	0	6	2	3	0	3	18	3	3	43	93	
舟倉局	1時間最大値	n Gy / h	42.1	38.9	43.5	46.1	45.5	45.1	48.2	41.1	55.6	53.8	42.6	50.5	55.6	69.7	
	1時間最小値	n Gy / h	29.6	29.8	29.3	28.1	28.8	28.8	29.4	30.0	29.5	28.6	27.8	27.5	27.5	29.1	
	月平均値	n Gy / h	31.7	31.7	32.0	30.5	30.7	31.4	31.8	32.0	32.5	32.2	30.5	30.6	31.5	32.8	
	積算値	n Gy / m	22,787.1	23,521.5	22,985.5	22,667.5	22,728.8	22,593.0	23,537.9	23,022.3	24,074.7	23,431.0	20,151.9	22,645.6	274,146.7	237,046.3	
	調整時間	時間	1	2	1	0	4	1	3	0	3	16	11	4	46	77	
佐原局	1時間最大値	n Gy / h	38.1	36.1	38.9	41.6	42.9	42.9	45.1	37.7	57.2	53.6	39.1	46.3	57.2	61.7	
	1時間最小値	n Gy / h	25.5	25.5	25.5	25.4	26.0	26.0	26.3	26.7	26.1	25.4	24.6	24.7	24.6	24.8	
	月平均値	n Gy / h	27.0	26.8	27.3	26.5	27.4	27.6	27.9	28.1	28.7	27.9	26.0	26.4	27.3	27.1	
	積算値	n Gy / m	19,391.6	19,888.9	19,621.7	19,740.5	20,276.3	19,857.1	20,673.8	20,232.1	21,267.1	20,279.9	17,429.7	19,552.3	238,210.9	196,427.8	
	調整時間	時間	1	2	1	0	4	1	2	0	3	18	2	2	36	57	
浦賀局	1時間最大値	n Gy / h	34.7	32.3	35.1	38.1	39.4	38.5	41.1	35.5	48.9	45.7	35.4	43.0	48.9	51.1	
	1時間最小値	n Gy / h	25.0	25.1	25.2	25.0	25.2	25.3	25.5	25.7	26.0	25.3	24.9	24.7	24.7	24.7	
	月平均値	n Gy / h	26.2	26.1	26.4	25.7	25.9	26.5	26.8	26.9	27.7	27.2	25.9	26.2	26.5	26.2	
	積算値	n Gy / m	18,841.3	19,367.3	18,949.5	19,137.1	19,067.8	19,076.2	19,854.2	19,336.2	20,538.6	20,016.8	17,166.4	19,451.1	230,802.6	189,404.8	
	調整時間	時間	1	2	1	0	9	1	2	0	3	9	10	2	40	70	
ハイランド局	1時間最大値	n Gy / h	37.9	37.3	38.9	44.3	42.9	41.6	46.0	38.8	55.7	55.9	39.4	48.5	55.9	68.1	
	1時間最小値	n Gy / h	23.9	24.0	23.9	23.9	24.5	24.4	24.6	25.4	25.0	24.8	23.6	23.6	23.6	23.6	
	月平均値	n Gy / h	25.6	25.5	26.0	25.3	26.2	26.2	26.3	26.8	27.5	26.9	25.9	25.5	26.1	25.9	
	積算値	n Gy / m	18,186.3	18,655.2	18,673.8	18,833.5	19,424.6	18,822.9	19,481.6	19,287.0	20,424.8	20,033.3	16,883.9	18,930.9	227,637.6	187,753.7	
	調整時間	時間	10	12	1	0	3	2	2	0	2	0	20	2	54	54	
日の出町局	1時間最大値	n Gy / h	36.4	33.5	41.3	43.2	44.4	41.8	38.2	39.5	38.5	41.6	33.3	45.4	45.4	65.5	
	1時間最小値	n Gy / h	30.0	30.1	30.2	30.3	30.2	30.6	31.2	31.5	31.8	31.7	29.4	29.3	29.3	29.1	
	月平均値	n Gy / h	30.9	30.9	31.2	31.0	31.2	31.8	32.1	32.4	32.8	32.8	30.7	30.5	31.5	30.8	
	積算値	n Gy / m	22,202.2	22,929.3	22,190.6	23,047.0	23,115.2	22,874.0	23,807.3	23,297.3	24,320.8	24,343.5	19,981.8	22,583.8	274,692.7	222,611.3	
	調整時間	時間	1	2	9	0	3	1	3	0	3	1	21	3	47	70	
西逸見局	1時間最大値	n Gy / h	35.7	32.9	39.0	39.1	48.4	40.1	40.8	41.4	46.0	46.7	36.8	47.0	48.4	55.2	
	1時間最小値	n Gy / h	26.4	26.3	26.5	26.3	26.5	26.6	27.0	27.3	27.3	27.3	25.8	26.0	25.8	25.6	
	月平均値	n Gy / h	27.6	27.4	27.8	27.2	27.5	27.9	28.2	28.5	29.1	28.8	27.6	27.3	27.9	27.9	
	積算値	n Gy / m	19,876.0	20,307.4	19,982.9	20,181.4	20,359.7	20,036.4	20,922.4	20,489.0	21,598.0	21,441.2	18,091.8	20,283.2	243,569.3	201,273.3	
	調整時間	時間	0	3	0	1	4	1	1	2	2	0	17	1	32	72	
長沢局	1時間最大値	n Gy / h	42.8	40.0	42.3	46.1	46.9	45.4	48.3	45.3	59.1	56.4	44.5	51.7	59.1	54.6	
	1時間最小値	n Gy / h	33.1	33.1	33.0	32.7	33.0	33.1	33.4	34.4	34.2	34.4	33.0	33.0	32.7	31.1	
	月平均値	n Gy / h	34.3	34.2	34.4	33.7	34.4	34.5	34.7	35.5	36.1	35.7	34.4	34.4	34.7	34.6	
	積算値	n Gy / m	24,694.2	25,360.6	24,718.8	25,074.5	25,440.1	24,771.4	25,804.9	25,506.3	26,723.5	26,586.3	22,460.1	25,289.5	302,430.2	249,609.7	
	調整時間	時間	1	2	1	1	4	1	1	1	3	0	19	8	42	75	

平成14年度空間放射線測定結果

		データ取得年	平成14年度(H14.4.1~H15.3.31)														
		測定項目・検出器	空間線量率・2" × 2"NaI(Tl)シンチレーション検出器														
測定局	集計項目	単位	平成14年										平成15年			平成14年度年間値	平成13年度年間値(参考)
			4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月			
長坂局	1時間最大値	nGy/h	40.1	37.7	42.3	44.9	56.4	47.3	44.5	43.8	58.9	60.2	38.5	46.7	60.2	62.0	
	1時間最小値	nGy/h	29.5	29.6	29.8	29.5	30.1	30.0	30.8	31.9	32.1	28.9	28.9	28.5	28.5	28.4	
	月平均値	nGy/h	31.0	31.0	31.3	30.7	31.3	32.0	32.6	33.7	34.3	33.1	30.2	30.5	31.8	31.5	
	積算値	nGy/m	22,335.1	22,933.9	22,561.2	22,742.0	23,077.2	22,943.6	24,204.8	24,102.0	25,438.6	23,598.2	20,198.8	22,357.6	276,493.1	226,976.1	
	調整時間	時間	0	3	0	2	6	2	2	4	3	31	4	12	69	81	
芦名局	1時間最大値	nGy/h	30.5	26.1	31.3	35.0	42.1	42.1	38.7	38.4	50.5	52.8	35.5	35.8	52.8	44.9	
	1時間最小値	nGy/h	20.3	20.3	20.4	20.1	20.2	24.5	24.9	25.2	25.2	25.0	19.9	19.9	19.9	19.4	
	月平均値	nGy/h	21.3	21.1	21.4	20.8	22.2	25.7	26.1	26.3	27.1	26.7	24.4	21.2	23.7	21.3	
	積算値	nGy/m	15,358.9	15,655.6	15,397.4	15,336.1	16,442.6	18,490.9	19,366.3	18,900.0	20,070.9	19,873.6	15,876.8	15,747.5	206,516.7	154,285.7	
	調整時間	時間	0	3	0	8	4	1	1	1	3	0	21	1	43	70	
武局	1時間最大値	nGy/h	44.1	42.3	43.2	46.8	62.2	49.5	47.6	44.8	63.7	59.7	44.3	50.5	63.7	62.0	
	1時間最小値	nGy/h	28.5	29.8	29.6	29.3	30.5	29.8	30.1	30.9	30.8	31.4	30.0	29.4	28.5	29.0	
	月平均値	nGy/h	32.2	32.0	32.4	31.6	32.6	32.4	32.4	33.3	34.0	33.6	32.7	31.9	32.6	32.6	
	積算値	nGy/m	23,216.6	23,747.2	23,340.1	23,146.5	24,147.5	23,258.5	24,076.9	23,674.2	25,241.8	25,024.7	21,296.1	23,668.5	283,838.5	235,990.4	
	調整時間	時間	0	3	0	12	3	2	2	10	2	0	20	2	56	63	
長井局	1時間最大値	nGy/h	28.7	26.4	32.4	33.9	48.9	37.9	36.3	30.6	52.0	48.9	29.2	39.4	52.0	51.4	
	1時間最小値	nGy/h	15.1	15.0	15.1	14.9	15.0	15.1	15.5	16.0	15.8	15.8	15.0	15.0	14.9	14.8	
	月平均値	nGy/h	16.5	16.4	16.8	15.9	16.3	16.7	17.0	17.4	18.3	17.7	17.2	16.7	16.9	16.8	
	積算値	nGy/m	11,905.2	12,100.4	12,114.3	11,797.8	12,105.3	11,987.1	12,637.9	12,478.5	13,552.8	13,134.5	11,075.4	12,308.0	147,197.3	121,491.7	
	調整時間	時間	0	4	0	1	3	1	1	1	2	0	27	6	46	70	
湘南国際村局	1時間最大値	nGy/h	44.4	40.6	45.6	47.3	60.4	46.0	50.4	48.4	58.9	59.2	45.4	57.4	60.4	57.5	
	1時間最小値	nGy/h	31.8	32.5	32.7	31.8	32.2	32.4	32.6	33.8	32.4	34.1	33.1	32.3	31.8	31.2	
	月平均値	nGy/h	34.6	34.5	34.8	33.9	34.3	34.7	35.0	35.9	36.3	36.0	35.5	34.5	35.0	34.6	
	積算値	nGy/m	24,254.0	25,535.9	25,065.4	25,179.5	25,439.0	24,913.3	26,033.9	25,759.9	26,916.8	26,800.9	23,241.3	25,634.1	304,774.0	250,669.3	
	調整時間	時間	18	3	0	1	3	1	1	2	3	0	18	1	51	63	