

平成16年度空間放射線測定結果

| | |
|----------|--------------------------------|
| データ取得年 | 平成16年度(H16. 4. 1~H17. 3. 31) |
| 測定項目・検出器 | 空間線量率・2"φ×2"Nal(Tl)シンチレーション検出器 |

| | 測定局 | 集計項目 | 単位 | 平成16年 | | | | | | | | | | | | 平成17年 | | | 平成16年度年間値 | 平成14~15年度年間値(参考) |
|---|-----|--------|-------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------------|--|-----------|------------------|
| | | | | 4月 | 5月 | 6月 | 7月 | 8月 | 9月 | 10月 | 11月 | 12月 | 1月 | 2月 | 3月 | | | | | |
| 川 | 千島局 | 1時間最大値 | nGy/h | 47.4 | 49.2 | 49.0 | 45.4 | 49.7 | 43.8 | 42.1 | 50.7 | 48.3 | 45.6 | 44.9 | 57.3 | 57.3 | 38.0~74.7 | | | |
| | | 1時間最小値 | nGy/h | 28.4 | 28.0 | 27.8 | 28.3 | 28.4 | 28.0 | 28.3 | 27.8 | 29.0 | 28.7 | 28.6 | 28.4 | 27.8 | 27.1~29.6 | | | |
| | | 月平均値 | nGy/h | 30.0 | 29.9 | 29.9 | 30.1 | 30.2 | 29.8 | 30.6 | 30.4 | 30.6 | 30.3 | 30.1 | 30.2 | 30.2 | 29.4~31.9 | | | |
| | | 積算値 | nGy/m | 21,530.6 | 22,194.9 | 21,486.9 | 22,362.0 | 22,404.9 | 21,379.9 | 22,585.6 | 21,838.1 | 22,720.2 | 21,681.9 | 20,243.9 | 22,419.7 | 0.26mGy/y | 0.26~0.27mGy/y | | | |
| | | 調整時間 | 時間 | 2 | 1 | 1 | 1 | 2 | 2 | 6 | 2 | 1 | 29 | 0 | 2 | 49 | 70~71 h/y | | | |
| 市 | 浮島局 | 1時間最大値 | nGy/h | 129.1 | 47.9 | 53.4 | 48.9 | 50.0 | 46.2 | 43.4 | 50.8 | 49.5 | 108.4 | 115.2 | 58.3 | 129.1 | 40.9~210.4 | | | |
| | | 1時間最小値 | nGy/h | 31.9 | 31.6 | 31.5 | 31.7 | 31.9 | 31.8 | 31.8 | 31.7 | 32.4 | 32.0 | 32.3 | 32.4 | 31.5 | 31.9~37.3 | | | |
| | | 月平均値 | nGy/h | 34.0 | 33.3 | 33.4 | 33.4 | 33.7 | 33.5 | 34.0 | 33.9 | 33.9 | 33.8 | 34.1 | 34.0 | 33.7 | 33.8~39.5 | | | |
| | | 積算値 | nGy/m | 24,418.1 | 24,767.7 | 23,980.3 | 24,771.9 | 24,901.9 | 24,081.3 | 25,217.6 | 24,390.4 | 25,147.9 | 25,090.4 | 22,312.9 | 25,308.0 | 0.29mGy/y | 0.30~0.32mGy/y | | | |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 2 | 4 | 1 | 2 | 1 | 2 | 1 | 17 | 0 | 33 | 40~42 h/y | | | |
| ▼ | 殿町局 | 1時間最大値 | nGy/h | 40.8 | 41.6 | 160.3 | 36.3 | 41.0 | 35.8 | 35.7 | 79.1 | 38.4 | 60.3 | 37.6 | 45.4 | 160.3 | 31.7~353.7 | | | |
| | | 1時間最小値 | nGy/h | 27.0 | 26.6 | 26.6 | 26.6 | 26.6 | 26.3 | 26.7 | 26.7 | 27.1 | 27.1 | 26.7 | 26.8 | 26.3 | 26.1~28.3 | | | |
| | | 月平均値 | nGy/h | 27.9 | 27.9 | 28.4 | 27.7 | 27.6 | 27.6 | 28.3 | 30.0 | 28.2 | 28.4 | 28.1 | 28.0 | 28.2 | 27.3~30.4 | | | |
| | | 積算値 | nGy/m | 20,095.2 | 20,710.1 | 20,410.9 | 20,557.2 | 20,535.5 | 19,830.9 | 20,989.9 | 21,536.4 | 20,980.5 | 21,087.4 | 18,414.2 | 20,865.2 | 0.25mGy/y | 0.24~0.25mGy/y | | | |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 1 | 1 | 1 | 16 | 0 | 29 | 36~61 h/y | | | |
| 東 | 塩浜局 | 1時間最大値 | nGy/h | 51.3 | 51.6 | 55.2 | 51.5 | 51.3 | 49.5 | 48.3 | 54.4 | 53.7 | 51.8 | 53.1 | 61.2 | 61.2 | 45.2~68.5 | | | |
| | | 1時間最小値 | nGy/h | 35.0 | 35.2 | 36.9 | 37.1 | 36.7 | 35.7 | 34.1 | 36.0 | 37.1 | 38.1 | 38.0 | 39.0 | 34.1 | 35.2~40.7 | | | |
| | | 月平均値 | nGy/h | 39.0 | 39.5 | 39.5 | 39.0 | 39.8 | 39.1 | 40.1 | 40.3 | 41.3 | 42.0 | 42.0 | 42.3 | 40.3 | 39.1~42.5 | | | |
| | | 積算値 | nGy/m | 28,021.0 | 29,346.2 | 28,432.4 | 28,966.6 | 29,553.7 | 28,132.0 | 29,715.0 | 28,964.2 | 30,706.3 | 31,192.3 | 27,532.9 | 31,448.3 | 0.35mGy/y | 0.35~0.36mGy/y | | | |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 2 | 1 | 1 | 3 | 1 | 1 | 1 | 16 | 0 | 29 | 40~43 h/y | | | |
| 芝 | 大島局 | 1時間最大値 | nGy/h | 52.6 | 54.6 | 54.1 | 48.9 | 53.2 | 44.8 | 47.5 | 51.7 | 53.7 | 49.2 | 49.4 | 56.8 | 56.8 | 42.7~65.8 | | | |
| | | 1時間最小値 | nGy/h | 34.0 | 33.7 | 33.7 | 33.9 | 34.1 | 33.0 | 34.3 | 34.9 | 34.6 | 34.5 | 34.8 | 34.4 | 33.0 | 33.5~36.9 | | | |
| | | 月平均値 | nGy/h | 36.2 | 36.0 | 35.9 | 35.5 | 35.8 | 35.6 | 37.4 | 37.1 | 37.0 | 37.2 | 37.0 | 37.2 | 36.5 | 36.2~39.9 | | | |
| | | 積算値 | nGy/m | 26,034.6 | 26,719.7 | 25,793.7 | 26,412.7 | 26,606.4 | 25,596.9 | 27,721.1 | 26,698.7 | 27,515.3 | 27,602.1 | 24,297.5 | 27,692.7 | 0.32mGy/y | 0.32~0.33mGy/y | | | |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 16 | 0 | 28 | 39~45 h/y | | | |
| 対 | 象 | 1時間最大値 | nGy/h | 52.6 | 54.6 | 54.1 | 48.9 | 53.2 | 44.8 | 47.5 | 51.7 | 53.7 | 49.2 | 49.4 | 56.8 | 56.8 | 42.7~65.8 | | | |
| | | 1時間最小値 | nGy/h | 34.0 | 33.7 | 33.7 | 33.9 | 34.1 | 33.0 | 34.3 | 34.9 | 34.6 | 34.5 | 34.8 | 34.4 | 33.0 | 33.5~36.9 | | | |
| | | 月平均値 | nGy/h | 36.2 | 36.0 | 35.9 | 35.5 | 35.8 | 35.6 | 37.4 | 37.1 | 37.0 | 37.2 | 37.0 | 37.2 | 36.5 | 36.2~39.9 | | | |
| | | 積算値 | nGy/m | 26,034.6 | 26,719.7 | 25,793.7 | 26,412.7 | 26,606.4 | 25,596.9 | 27,721.1 | 26,698.7 | 27,515.3 | 27,602.1 | 24,297.5 | 27,692.7 | 0.32mGy/y | 0.32~0.33mGy/y | | | |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 16 | 0 | 28 | 39~45 h/y | | | |

平成16年度空間放射線測定結果

| | | データ取得年 | 平成16年度(H16.4.1~H17.3.31) | | | | | | | | | | | | | | | | | |
|------------------------------|--------|----------|--------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|---------------|---------------|-----------|-----------|------------------|
| | | 測定項目・検出器 | 空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器 | | | | | | | | | | | | | | | | | |
| | 測定局 | 集計項目 | 単位 | 平成16年 | | | | | | | | | | | | 平成17年 | | | 平成16年度年間値 | 平成14~15年度年間値(参考) |
| | | | | 4月 | 5月 | 6月 | 7月 | 8月 | 9月 | 10月 | 11月 | 12月 | 1月 | 2月 | 3月 | | | | | |
| 横須賀市内 ▼(株)GNF J 対象 | 久里浜局 | 1時間最大値 | nGy/h | 38.7 | 47.5 | 36.8 | 24.2 | 34.9 | 28.6 | 32.7 | 43.1 | 42.6 | 42.0 | 40.7 | 57.4 | 57.4 | 30.3~51.5 | | | |
| | | 1時間最小値 | nGy/h | 18.2 | 17.7 | 17.6 | 17.8 | 17.8 | 17.7 | 17.9 | 17.8 | 18.4 | 18.2 | 18.3 | 18.2 | 17.6 | 17.6~19.0 | | | |
| | | 月平均値 | nGy/h | 19.6 | 19.1 | 19.0 | 19.1 | 19.3 | 18.9 | 20.1 | 19.8 | 19.8 | 19.8 | 19.8 | 19.9 | 21.2 | 19.6 | 19.0~21.4 | | |
| | | 積算値 | nGy/m | 14,056.8 | 14,192.2 | 13,632.4 | 14,173.9 | 14,285.9 | 13,554.6 | 14,866.7 | 14,218.7 | 14,712.6 | 13,940.6 | 13,343.5 | 15,780.3 | 0.17mGy/y | 0.17~0.18mG/y | | | |
| | | 調整時間 | 時間 | 2 | 2 | 2 | 1 | 2 | 1 | 5 | 1 | 2 | 41 | 1 | 1 | 61 | 43~59 h/y | | | |
| | 舟倉局 | 1時間最大値 | nGy/h | 49.0 | 58.0 | 44.8 | 34.7 | 45.5 | 39.3 | 44.2 | 52.6 | 48.9 | 52.9 | 48.7 | 59.8 | 59.8 | 38.9~55.6 | | | |
| | | 1時間最小値 | nGy/h | 28.2 | 28.2 | 27.9 | 28.1 | 28.0 | 28.3 | 28.5 | 28.8 | 29.2 | 29.6 | 28.8 | 28.9 | 27.9 | 27.5~30.0 | | | |
| | | 月平均値 | nGy/h | 30.6 | 30.4 | 30.2 | 30.4 | 30.4 | 30.2 | 31.5 | 31.2 | 31.2 | 31.5 | 31.6 | 31.5 | 30.9 | 30.0~32.5 | | | |
| | | 積算値 | nGy/m | 21,978.4 | 22,592.0 | 21,747.0 | 22,576.9 | 22,615.5 | 21,742.5 | 23,349.0 | 22,388.4 | 22,643.8 | 23,393.2 | 21,188.3 | 23,393.1 | 0.27mGy/y | 0.26~0.27mG/y | | | |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 2 | 18 | 1 | 1 | 1 | 32 | 32~46 h/y | | | |
| | 佐原局 | 1時間最大値 | nGy/h | 44.1 | 52.0 | 42.2 | 31.2 | 41.6 | 34.3 | 38.7 | 49.0 | 49.5 | 49.2 | 46.1 | 59.7 | 59.7 | 36.1~57.2 | | | |
| | | 1時間最小値 | nGy/h | 24.8 | 24.3 | 24.0 | 24.7 | 24.7 | 24.3 | 24.5 | 24.4 | 24.7 | 24.5 | 24.5 | 24.5 | 24.0 | 24.1~28.7 | | | |
| | | 月平均値 | nGy/h | 26.1 | 25.7 | 25.6 | 26.1 | 26.4 | 25.6 | 26.5 | 26.2 | 26.1 | 26.1 | 26.1 | 26.2 | 26.1 | 25.7~28.7 | | | |
| | | 積算値 | nGy/m | 18,734.8 | 19,074.4 | 18,376.6 | 19,410.4 | 19,605.7 | 18,385.3 | 19,662.3 | 18,811.3 | 18,925.4 | 19,364.8 | 17,523.2 | 19,481.2 | 0.23mGy/y | 0.23~0.24mG/y | | | |
| | | 調整時間 | 時間 | 2 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 20 | 1 | 1 | 1 | 34 | 34~36 h/y | | | |
| | 浦賀局 | 1時間最大値 | nGy/h | 38.5 | 48.6 | 35.9 | 28.8 | 36.5 | 33.4 | 39.3 | 42.9 | 37.6 | 40.0 | 42.4 | 54.1 | 54.1 | 32.3~48.9 | | | |
| | | 1時間最小値 | nGy/h | 24.5 | 24.3 | 24.1 | 24.1 | 24.1 | 24.3 | 24.4 | 24.5 | 24.7 | 24.7 | 24.7 | 24.6 | 24.1 | 24.3~26.0 | | | |
| | | 月平均値 | nGy/h | 25.6 | 25.3 | 25.2 | 25.1 | 25.2 | 25.1 | 26.3 | 25.8 | 25.7 | 25.8 | 25.9 | 25.9 | 25.6 | 25.5~27.7 | | | |
| | | 積算値 | nGy/m | 18,384.7 | 18,799.3 | 18,084.6 | 18,647.0 | 18,714.1 | 18,028.3 | 19,491.5 | 18,562.2 | 18,686.3 | 19,143.8 | 17,364.5 | 19,264.2 | 0.22mGy/y | 0.22~0.23mG/y | | | |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 18 | 1 | 1 | 1 | 31 | 40~40 h/y | | | |
| ハイランド局 | 1時間最大値 | nGy/h | 42.7 | 52.5 | 45.9 | 30.5 | 39.1 | 34.8 | 40.7 | 48.0 | 51.2 | 44.6 | 53.0 | 63.5 | 63.5 | 35.2~55.9 | | | | |
| | 1時間最小値 | nGy/h | 23.4 | 23.0 | 22.5 | 23.4 | 23.4 | 23.1 | 23.1 | 22.9 | 23.6 | 23.5 | 23.5 | 23.4 | 22.5 | 23.0~25.4 | | | | |
| | 月平均値 | nGy/h | 24.9 | 24.4 | 24.4 | 25.0 | 25.3 | 24.5 | 25.3 | 24.8 | 25.2 | 25.3 | 25.3 | 25.3 | 25.0 | 24.7~27.5 | | | | |
| | 積算値 | nGy/m | 17,893.0 | 18,099.3 | 17,507.9 | 18,581.7 | 18,791.1 | 17,610.2 | 18,731.9 | 17,848.6 | 18,421.7 | 18,797.8 | 16,986.4 | 18,795.6 | 0.22mGy/y | 0.22~0.23mG/y | | | | |
| | 調整時間 | 時間 | 1 | 2 | 1 | 1 | 1 | 1 | 3 | 1 | 13 | 1 | 1 | 1 | 27 | 33~54 h/y | | | | |
| 日の出町局 | 1時間最大値 | nGy/h | 45.3 | 36.2 | 40.9 | 33.8 | 35.5 | 33.8 | 42.3 | 38.1 | 37.9 | 36.6 | 41.1 | 38.8 | 45.3 | 33.3~45.4 | | | | |
| | 1時間最小値 | nGy/h | 29.0 | 28.9 | 28.8 | 28.9 | 28.6 | 28.8 | 29.1 | 29.0 | 29.3 | 29.2 | 29.5 | 29.4 | 28.6 | 28.6~31.8 | | | | |
| | 月平均値 | nGy/h | 30.1 | 29.8 | 29.8 | 29.6 | 29.6 | 29.6 | 30.3 | 30.2 | 30.2 | 30.2 | 30.3 | 30.4 | 30.0 | 29.8~32.8 | | | | |
| | 積算値 | nGy/m | 21,621.1 | 22,148.4 | 21,428.6 | 21,967.9 | 21,362.2 | 21,303.6 | 22,441.0 | 21,720.2 | 21,964.6 | 22,411.4 | 20,310.5 | 22,572.6 | 0.26mGy/y | 0.26~0.27mG/y | | | | |
| | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 22 | 1 | 3 | 1 | 17 | 1 | 1 | 1 | 51 | 34~47 h/y | | | | |
| 西逸見局 | 1時間最大値 | nGy/h | 47.1 | 45.9 | 36.7 | 33.0 | 43.5 | 35.5 | 40.4 | 43.6 | 38.3 | 50.1 | 40.6 | 55.0 | 55.0 | 32.9~48.4 | | | | |
| | 1時間最小値 | nGy/h | 26.0 | 25.4 | 25.5 | 25.6 | 25.6 | 25.5 | 26.0 | 25.8 | 26.2 | 25.8 | 25.9 | 25.9 | 25.4 | 25.1~27.3 | | | | |
| | 月平均値 | nGy/h | 27.2 | 26.8 | 26.6 | 26.8 | 26.9 | 26.6 | 27.7 | 27.3 | 27.3 | 27.2 | 27.3 | 27.3 | 27.1 | 26.3~29.1 | | | | |
| | 積算値 | nGy/m | 19,543.7 | 19,894.5 | 19,153.6 | 19,936.2 | 20,016.0 | 19,099.3 | 20,504.6 | 19,530.5 | 20,248.6 | 19,780.6 | 18,288.3 | 20,322.7 | 0.24mGy/y | 0.23~0.24mG/y | | | | |
| | 調整時間 | 時間 | 2 | 1 | 1 | 1 | 1 | 1 | 3 | 4 | 1 | 16 | 1 | 0 | 32 | 32~41 h/y | | | | |
| 長沢局 | 1時間最大値 | nGy/h | 46.0 | 52.0 | 46.3 | 40.6 | 42.1 | 40.0 | 40.4 | 48.5 | 58.5 | 49.8 | 52.7 | 57.5 | 58.5 | 40.0~59.1 | | | | |
| | 1時間最小値 | nGy/h | 32.8 | 32.3 | 31.9 | 32.6 | 32.4 | 32.2 | 32.3 | 32.3 | 32.8 | 32.6 | 32.7 | 32.5 | 31.9 | 32.0~34.4 | | | | |
| | 月平均値 | nGy/h | 34.0 | 33.6 | 33.4 | 34.0 | 34.1 | 33.6 | 34.0 | 33.8 | 34.3 | 34.0 | 34.1 | 33.9 | 33.9 | 33.7~36.1 | | | | |
| | 積算値 | nGy/m | 24,439.8 | 24,934.0 | 24,049.3 | 25,254.1 | 25,356.2 | 24,124.7 | 25,186.2 | 24,329.6 | 24,971.6 | 25,263.0 | 22,852.5 | 25,202.3 | 0.30mGy/y | 0.29~0.30mG/y | | | | |
| | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 16 | 1 | 1 | 1 | 30 | 32~42 h/y | | | | |

平成16年度空間放射線測定結果

| | |
|----------|--------------------------------|
| データ取得年 | 平成16年度(H16.4.1~H16.9.29) |
| 測定項目・検出器 | 空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器 |

| | 測定局 | 集計項目 | 単位 | 平成16年 | | | | | | | | | | | | 平成17年 | | | 平成16年度 6ヶ月値 | 平成14~15年度 年間値(参考) |
|---------------------|--------|--------|----------|----------|----------|----------|----------|----------|----------|-----|-----|-----|----|----|---------|---------------|---------------|--|----------------|----------------------|
| | | | | 4月 | 5月 | 6月 | 7月 | 8月 | 9月 | 10月 | 11月 | 12月 | 1月 | 2月 | 3月 | | | | | |
| 横須賀市 ▼立教大学 対象 | 長坂局 | 1時間最大値 | nGy/h | 51.5 | 41.9 | 49.4 | 36.6 | 42.4 | 36.6 | | | | | | | 51.5 | 35.7~60.2 | | | |
| | | 1時間最小値 | nGy/h | 28.7 | 28.3 | 28.1 | 28.3 | 28.3 | 28.1 | | | | | | | 28.1 | 28.2~32.1 | | | |
| | | 月平均値 | nGy/h | 30.4 | 29.8 | 29.8 | 30.0 | 29.9 | 29.6 | | | | | | | 29.9 | 29.7~34.3 | | | |
| | | 積算値 | nGy/m | 21,823.8 | 22,129.9 | 21,413.1 | 22,230.4 | 22,177.9 | 20,161.3 | | | | | | | 0.13mGy | 0.26~0.28mG/y | | | |
| | | 調整時間 | 時間 | 2 | 1 | 1 | 2 | 3 | 39 | | | | | | | 48 | 62~69 h/y | | | |
| | 芦名局 | 1時間最大値 | nGy/h | 43.9 | 32.3 | 39.3 | 28.1 | 31.7 | 26.6 | | | | | | | 43.9 | 26.1~52.8 | | | |
| | | 1時間最小値 | nGy/h | 20.2 | 19.6 | 19.7 | 19.5 | 19.8 | 19.7 | | | | | | | 19.5 | 19.3~25.2 | | | |
| | | 月平均値 | nGy/h | 21.4 | 20.7 | 20.6 | 20.5 | 20.5 | 20.4 | | | | | | | 20.7 | 20.5~27.1 | | | |
| | | 積算値 | nGy/m | 15,095.7 | 15,343.5 | 14,819.3 | 15,239.0 | 15,262.5 | 13,918.2 | | | | | | | 0.090mGy | 0.18~0.21mG/y | | | |
| | | 調整時間 | 時間 | 13 | 1 | 2 | 1 | 1 | 38 | | | | | | | 56 | 36~43 h/y | | | |
| | 武局 | 1時間最大値 | nGy/h | 51.4 | 50.2 | 50.9 | 40.6 | 44.3 | 39.2 | | | | | | | 51.4 | 39.7~63.7 | | | |
| | | 1時間最小値 | nGy/h | 28.5 | 28.1 | 27.8 | 29.0 | 29.1 | 28.2 | | | | | | | 27.8 | 27.3~31.4 | | | |
| | | 月平均値 | nGy/h | 30.9 | 30.5 | 30.3 | 31.3 | 31.7 | 30.7 | | | | | | | 30.9 | 30.8~34.0 | | | |
| | | 積算値 | nGy/m | 22,232.4 | 22,632.3 | 21,797.9 | 23,228.4 | 23,534.9 | 20,913.4 | | | | | | | 0.13mGy | 0.27~0.28mG/y | | | |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 38 | | | | | | | 43 | 56~85 h/y | | | |
| | 長井局 | 1時間最大値 | nGy/h | 40.9 | 34.2 | 37.4 | 25.4 | 28.3 | 25.7 | | | | | | | 40.9 | 24.4~52.0 | | | |
| | | 1時間最小値 | nGy/h | 15.1 | 14.7 | 14.6 | 15.0 | 15.1 | 14.7 | | | | | | | 14.6 | 14.3~16.0 | | | |
| | | 月平均値 | nGy/h | 16.6 | 16.1 | 16.1 | 16.3 | 16.5 | 16.0 | | | | | | | 16.3 | 15.9~17.7 | | | |
| | | 積算値 | nGy/m | 11,958.6 | 11,939.3 | 11,586.3 | 12,144.2 | 12,236.0 | 10,169.1 | | | | | | | 0.070mGy | 0.14~0.15mG/y | | | |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 83 | | | | | | | 88 | 45~46 h/y | | | |
| 湘南国際村局 | 1時間最大値 | nGy/h | 57.2 | 50.5 | 43.7 | 40.1 | 48.1 | 40.8 | | | | | | | 57.2 | 40.6~60.4 | | | | |
| | 1時間最小値 | nGy/h | 32.9 | 32.3 | 32.3 | 32.4 | 32.5 | 32.0 | | | | | | | 32.0 | 30.6~34.1 | | | | |
| | 月平均値 | nGy/h | 34.6 | 34.2 | 33.9 | 34.3 | 34.4 | 34.0 | | | | | | | 34.2 | 33.6~36.0 | | | | |
| | 積算値 | nGy/m | 24,906.3 | 25,144.1 | 24,338.5 | 25,416.7 | 25,556.7 | 23,114.0 | | | | | | | 0.15mGy | 0.30~0.31mG/y | | | | |
| | 調整時間 | 時間 | 1 | 8 | 3 | 2 | 1 | 40 | | | | | | | 55 | 47~51 h/y | | | | |

平成16年度空間放射線測定結果

| | | データ取得年 | 平成16年度 (H17. 1. 1~H17. 3. 31) | | | | | | | | | | | | | | | | | |
|---|--------|----------|----------------------------------|-------|----|----|----|----|----|-----|-----|-----|----|----------|----------|----------|----------|----------|----------------|--------------------------|
| | | 測定項目・検出器 | 空間線量率・2"φ×2"Nal (TI) シンチレーション検出器 | | | | | | | | | | | | | | | | | |
| | 測定局 | 集計項目 | 単位 | 平成16年 | | | | | | | | | | | | 平成17年 | | | 平成16年度 3ヶ月値 | 平成14~ 15年度 年間値(参考) |
| | | | | 4月 | 5月 | 6月 | 7月 | 8月 | 9月 | 10月 | 11月 | 12月 | 1月 | 2月 | 3月 | | | | | |
| 川 崎 市 内 ▼ (株) 日 立 製 作 所 対 象 | 日立王禅寺局 | 1時間最大値 | nGy/h | | | | | | | | | | | 32.8 | 45.1 | 49.6 | 49.6 | | | |
| | | 1時間最小値 | nGy/h | | | | | | | | | | | | 23.2 | 22.5 | 23.2 | 22.5 | | |
| | | 月平均値 | nGy/h | | | | | | | | | | | | 25.1 | 25.1 | 25.1 | 25.2 | | |
| | | 積算値 | nGy/m | | | | | | | | | | | | 17,732.7 | 16,789.9 | 18,594.5 | 0.053mGy | | |
| | | 調整時間 | 時間 | | | | | | | | | | | | 38 | 3 | 2 | 54 | | |
| | 王禅寺西局 | 1時間最大値 | nGy/h | | | | | | | | | | | | 37.3 | 51.5 | 60.2 | 60.2 | | |
| | | 1時間最小値 | nGy/h | | | | | | | | | | | | 25.0 | 23.5 | 24.3 | 23.5 | | |
| | | 月平均値 | nGy/h | | | | | | | | | | | | 27.1 | 26.9 | 26.8 | 27.0 | | |
| | | 積算値 | nGy/m | | | | | | | | | | | | 18,056.7 | 17,431.5 | 19,906.9 | 0.055mGy | | |
| | | 調整時間 | 時間 | | | | | | | | | | | | 77 | 25 | 2 | | | |
| | 王禅寺北局 | 1時間最大値 | nGy/h | | | | | | | | | | | | 44.7 | 57.1 | 64.4 | 64.4 | | |
| | | 1時間最小値 | nGy/h | | | | | | | | | | | | 33.0 | 33.0 | 33.8 | 33.0 | | |
| | | 月平均値 | nGy/h | | | | | | | | | | | | 35.6 | 36.2 | 36.1 | 35.9 | | |
| | | 積算値 | nGy/m | | | | | | | | | | | | 26,473.6 | 23,501.1 | 26,827.3 | 0.077mGy | | |
| | | 調整時間 | 時間 | | | | | | | | | | | | 1 | 22 | 0 | 33 | | |
| 早野局 | 1時間最大値 | nGy/h | | | | | | | | | | | | 37.8 | 47.6 | 59.8 | 59.8 | | | |
| | 1時間最小値 | nGy/h | | | | | | | | | | | | 26.3 | 25.9 | 26.2 | 25.9 | | | |
| | 月平均値 | nGy/h | | | | | | | | | | | | 28.7 | 28.8 | 28.7 | 28.8 | | | |
| | 積算値 | nGy/m | | | | | | | | | | | | 21,335.9 | 18,802.8 | 21,371.5 | 0.062mGy | | | |
| | 調整時間 | 時間 | | | | | | | | | | | | 1 | 19 | 0 | 30 | | | |
| 水沢局 | 1時間最大値 | nGy/h | | | | | | | | | | | | 27.1 | 36.7 | 45.4 | 45.4 | | | |
| | 1時間最小値 | nGy/h | | | | | | | | | | | | 14.9 | 14.4 | 14.5 | 14.4 | | | |
| | 月平均値 | nGy/h | | | | | | | | | | | | 16.7 | 16.4 | 16.4 | 16.5 | | | |
| | 積算値 | nGy/m | | | | | | | | | | | | 12,379.4 | 10,771.3 | 12,230.2 | 0.035mGy | | | |
| | 調整時間 | 時間 | | | | | | | | | | | | 1 | 17 | 0 | 29 | | | |