

## 平成19年度空間放射線測定結果

		データ取得年	平成19年度(H19.4.1~H20.3.31)															
		測定項目・検出器	空間線量率・2" x 2"NaI(Tl)シンチレーション検出器															
測定局	集計項目	単位	平成19年										平成20年			平成19年度年間値	平成17~18年度年間値(参考)	
			4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月				
川崎	千島局	1時間最大値	nGy/h	47.0	43.8	44.9	52.2	38.0	45.3	37.4	33.1	44.3	66.8	38.1	38.3	66.8	37.2~340.9	
		1時間最小値	nGy/h	28.1	28.1	27.3	27.5	21.8	20.4	20.9	20.6	21.1	20.9	20.7	20.7	20.4	27.4~29.2	
		月平均値	nGy/h	30.3	29.6	29.3	29.6	29.4	22.6	22.5	22.5	23.3	23.1	22.8	22.6	25.7	29.3~31.2	
		積算値	nGy/m	21,815.6	22,022.8	21,044.0	21,959.8	21,683.0	16,198.4	16,724.5	16,188.9	17,307.8	16,248.8	15,802.1	16,703.1	223,698.9	0.26~0.26mG/y	
		調整時間	時間	1	1	2	2	6	3	2	1	1	40	2	5	66	57~64h/y	
市内	浮島局	1時間最大値	nGy/h	215.7	721.0	57.2	55.9	41.4	56.9	49.4	53.8	51.8	166.0	47.4	54.5	721.0	40.3~100.1	
		1時間最小値	nGy/h	32.3	32.4	32.0	32.0	32.2	32.2	32.4	32.6	33.0	33.3	32.4	32.4	32.0	31.6~32.9	
		月平均値	nGy/h	34.8	35.3	33.8	34.1	33.8	34.4	34.4	34.8	35.2	34.8	34.0	34.2	34.5	33.2~34.6	
		積算値	nGy/m	24,984.9	26,250.6	24,279.6	25,311.2	25,113.2	24,675.3	25,488.5	25,012.7	26,127.1	25,900.7	23,151.6	25,142.6	301,438.0	0.29~0.3mG/y	
		調整時間	時間	1	1	1	1	1	2	4	1	1	0	16	9	38	36~40h/y	
藤	殿町局	1時間最大値	nGy/h	39.1	38.1	184.6	96.6	60.5	160.7	37.8	35.8	39.0	36.8	35.6	169.6	184.6	34.2~199.0	
		1時間最小値	nGy/h	26.9	26.7	26.5	26.5	26.5	26.4	26.8	26.8	27.4	27.2	26.6	26.5	26.4	25.8~27.4	
		月平均値	nGy/h	28.6	28.0	31.0	28.7	28.3	31.2	28.0	28.1	28.6	28.2	27.7	34.9	29.3	27.2~31.0	
		積算値	nGy/m	20,499.1	20,773.2	22,263.9	21,293.0	21,016.9	22,411.9	20,740.0	20,195.8	21,221.5	20,569.0	19,271.1	25,844.8	256,100.1	0.24~0.25mG/y	
		調整時間	時間	2	1	1	1	1	1	3	2	1	15	1	4	33	30~35h/y	
東芝	塩浜局	1時間最大値	nGy/h	53.4	53.8	55.9	62.6	48.8	60.1	54.3	51.1	59.3	50.2	53.4	55.1	62.6	48.1~64.0	
		1時間最小値	nGy/h	39.6	39.8	37.6	38.9	38.1	39.3	39.5	38.1	39.4	40.7	40.1	38.5	37.6	37.6~40.7	
		月平均値	nGy/h	42.9	42.3	42.2	42.6	41.9	42.4	42.4	42.6	43.1	42.8	42.5	42.6	42.5	41.4~43.1	
		積算値	nGy/m	30,778.9	31,443.9	30,334.5	31,656.0	31,152.1	30,475.0	31,435.9	30,624.6	32,059.6	31,622.9	28,919.2	31,643.7	372,146.3	0.36~0.37mG/y	
		調整時間	時間	2	1	1	1	1	2	3	1	1	5	16	1	35	33~86h/y	
象	大島局	1時間最大値	nGy/h	50.3	49.2	51.9	60.7	43.7	56.5	49.3	48.9	51.9	46.0	51.4	48.9	60.7	44.1~59.4	
		1時間最小値	nGy/h	35.0	35.0	34.5	34.4	34.5	34.7	34.9	35.4	35.8	35.5	35.3	34.9	34.4	33.3~35.9	
		月平均値	nGy/h	37.7	37.1	36.8	37.2	36.6	37.0	37.1	37.3	37.8	37.5	37.3	37.2	37.2	36.0~38.8	
		積算値	nGy/m	27,086.7	27,595.4	26,449.5	27,625.2	27,124.9	26,623.6	27,511.2	26,845.6	28,114.8	27,359.6	25,915.2	27,581.2	325,832.9	0.32~0.33mG/y	
		調整時間	時間	1	1	1	1	2	1	3	1	1	15	1	3	31	31~38h/y	

# 平成19年度空間放射線測定結果

データ取得年	平成19年度(H19.4.1~H20.3.31)
測定項目・検出器	空間線量率・2" x 2"NaI(Tl)シンチレーション検出器

	測定局	集計項目	単位	平成19年												平成20年			平成19年度年間値	平成17~18年度年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
横須賀市	久里浜局	1時間最大値	nGy/h	37.8	35.9	36.9	44.2	30.3	46.2	34.7	37.6	41.5	33.1	42.3	43.2	46.2	28.1~45.5			
		1時間最小値	nGy/h	19.1	19.3	19.0	18.7	18.8	18.9	19.4	19.7	19.9	19.8	19.7	19.6	18.7	18.1~19.9			
		月平均値	nGy/h	21.1	20.6	20.3	20.8	20.3	20.8	20.9	21.2	21.8	21.3	21.4	21.4	21.0	20.2~21.9			
		積算値	nGy/m	15,180.1	15,282.1	14,551.0	15,481.4	15,059.5	14,925.0	15,444.1	15,217.6	16,217.2	14,748.8	14,895.8	15,855.4	182,858.0	0.18~0.18mG/y			
		調整時間	時間	2	1	2	1	2	3	5	2	1	53	1	2	75	61~86h/y			
横須賀市	舟倉局	1時間最大値	nGy/h	46.2	44.6	44.9	52.5	40.3	56.8	43.5	49.4	49.3	44.1	51.8	52.2	56.8	37.2~53.0			
		1時間最小値	nGy/h	28.9	29.2	28.8	28.8	28.7	28.8	29.5	29.1	29.8	29.7	29.4	29.3	28.7	28.7~29.9			
		月平均値	nGy/h	31.8	31.2	31.0	31.7	30.8	31.4	31.3	31.7	32.3	32.1	32.1	31.8	31.6	30.6~32.5			
		積算値	nGy/m	22,839.7	23,202.2	22,260.6	23,540.5	22,915.1	22,576.9	23,192.9	22,794.5	24,030.8	23,830.1	21,843.9	23,645.7	276,672.8	0.27~0.28mG/y			
		調整時間	時間	1	1	1	1	1	1	3	1	1	1	15	1	28	34~39h/y			
横須賀市	佐原局	1時間最大値	nGy/h	41.5	39.8	40.5	47.2	35.9	48.4	37.9	42.3	44.5	38.7	47.6	48.8	48.8	33.3~48.3			
		1時間最小値	nGy/h	24.6	24.8	24.5	24.4	24.6	24.7	25.0	25.2	25.4	25.3	24.7	24.5	24.4	24.0~25.3			
		月平均値	nGy/h	26.6	26.0	25.8	26.4	26.2	26.5	26.4	26.6	27.2	26.7	26.8	26.4	26.5	25.4~26.8			
		積算値	nGy/m	19,115.7	19,340.2	18,565.7	19,651.7	19,447.2	19,073.0	19,537.9	19,104.2	20,184.8	19,810.7	18,224.9	19,639.0	231,694.9	0.23~0.23mG/y			
		調整時間	時間	1	1	1	1	2	1	4	1	1	1	15	1	30	32~39h/y			
横須賀市	浦賀局	1時間最大値	nGy/h	38.5	35.3	36.4	41.6	32.3	46.9	36.8	39.8	38.6	35.0	39.7	42.5	46.9	30.9~44.0			
		1時間最小値	nGy/h	24.7	24.6	24.5	24.5	24.5	24.6	24.9	25.2	25.3	25.1	24.9	24.9	24.5	24.1~25.1			
		月平均値	nGy/h	26.2	25.7	25.5	26.0	25.3	25.8	25.9	26.1	26.6	26.2	26.3	26.2	26.0	25.0~26.4			
		積算値	nGy/m	18,852.9	19,088.2	18,300.5	19,291.1	18,816.7	18,465.7	19,201.8	18,761.3	19,706.1	19,475.7	17,911.9	19,459.0	227,331.0	0.22~0.23mG/y			
		調整時間	時間	1	1	1	2	1	5	3	1	2	1	14	1	33	32~35h/y			
横須賀市	ハイランド局	1時間最大値	nGy/h	43.2	37.9	40.2	50.6	36.6	44.9	41.2	40.3	44.5	37.5	44.2	47.6	50.6	32.6~52.7			
		1時間最小値	nGy/h	22.8	22.9	22.3	22.2	22.6	22.6	22.9	23.2	23.4	23.4	22.1	23.1	22.1	22.7~24.3			
		月平均値	nGy/h	24.9	24.2	23.9	24.4	24.5	24.7	24.8	24.8	25.4	24.8	25.0	25.0	24.7	24.1~25.7			
		積算値	nGy/m	17,885.8	18,003.2	17,217.1	16,192.8	17,611.4	17,762.6	18,355.2	17,856.5	18,904.5	18,435.8	15,299.2	18,526.5	212,050.6	0.22~0.22mG/y			
		調整時間	時間	2	1	1	79	24	1	3	1	1	1	84	3	201	33~37h/y			
横須賀市	日の出町局	1時間最大値	nGy/h	37.8	39.2	41.2	42.5	35.8	42.9	36.5	33.0	41.5	36.6	37.7	42.1	42.9	32.6~47.7			
		1時間最小値	nGy/h	29.1	29.0	28.9	29.0	28.8	28.9	29.1	29.3	29.4	29.5	29.4	29.6	28.8	28.5~29.6			
		月平均値	nGy/h	30.1	29.9	29.8	30.1	29.5	29.9	29.9	30.1	30.4	30.3	30.6	30.6	30.1	29.7~30.5			
		積算値	nGy/m	21,614.5	22,182.1	21,278.9	22,337.6	21,917.0	21,495.8	22,189.3	21,291.5	22,554.3	22,476.5	20,836.5	22,689.1	262,862.9	0.26~0.26mG/y			
		調整時間	時間	2	1	5	1	1	1	3	12	3	2	14	2	47	30~39h/y			
横須賀市	西逸見局	1時間最大値	nGy/h	40.2	36.2	37.4	59.6	36.5	42.6	39.7	36.3	39.2	36.6	39.3	46.8	59.6	32.7~51.3			
		1時間最小値	nGy/h	25.2	25.2	24.9	24.9	24.6	25.0	25.4	25.6	25.9	25.7	24.0	25.4	24.0	24.9~26.0			
		月平均値	nGy/h	26.7	26.2	26.0	26.4	26.1	26.5	26.7	26.7	27.2	26.9	26.6	26.9	26.6	25.9~27.3			
		積算値	nGy/m	19,189.3	19,490.4	18,688.6	19,597.8	19,411.8	19,073.1	19,795.2	19,227.2	20,208.6	19,963.3	18,000.0	19,961.4	232,606.5	0.23~0.23mG/y			
		調整時間	時間	2	1	1	1	1	1	2	1	1	20	1	33	38~42h/y				
横須賀市	長沢局	1時間最大値	nGy/h	48.0	44.0	43.6	51.2	43.6	47.0	44.3	43.7	48.0	42.3	47.3	49.1	51.2	39.2~56.1			
		1時間最小値	nGy/h	32.3	32.3	32.2	32.1	32.3	32.4	32.6	33.0	33.2	33.4	31.4	32.6	31.4	31.7~32.9			
		月平均値	nGy/h	34.0	33.6	33.5	33.8	33.9	34.0	34.0	34.2	34.6	34.3	34.3	34.1	34.0	33.1~34.2			
		積算値	nGy/m	24,457.2	24,976.7	24,052.0	25,120.2	25,222.4	24,404.8	25,039.1	24,595.5	25,712.3	25,519.1	23,345.7	25,320.7	297,765.8	0.29~0.29mG/y			
		調整時間	時間	1	1	1	1	1	3	7	1	1	15	2	35	35~96h/y				