

平成22年度空間放射線測定結果

		データ取得年	平成22年度 (H22. 4. 1~H23. 3. 31)																	
		測定項目・検出器	空間線量率・2"φ×2"Nal(Tl)シンチレーション検出器																	
市	測定局	集計項目	単位	平成22年												平成23年			平成22年度年間値	平成20~21年度年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
川	千島局	1時間最大値	nGy/h	34.1	34.0	29.8	35.4	58.0	46.4	34.7	43.0	64.3	25.8	56.9	202.0	202.0	32.3~220.2			
		1時間最小値	nGy/h	20.7	20.0	20.6	20.3	19.9	20.7	20.5	20.8	20.9	21.0	20.8	20.7	19.9	20.0~21.4			
		月平均値	nGy/h	22.4	22.2	21.8	21.9	22.1	23.2	22.3	22.5	22.7	22.3	23.1	67.4	26.2	21.7~23.7			
		積算値	nGy/m	16,085.5	16,455.4	15,654.4	16,279.5	16,390.9	16,648.1	16,543.8	16,035.4	16,816.9	16,530.9	14,455.4	49,652.8	0.23mG/y	0.20~0.20mG/y			
		調整時間	時間	2	2	2	2	2	2	2	2	7	2	2	45	7	77	63~73h/y		
市	浮島局	1時間最大値	nGy/h	46.3	98.7	217.3	48.0	37.8	57.0	45.8	53.4	74.2	40.7	70.1	209.3	217.3	41.4~208.5			
		1時間最小値	nGy/h	31.9	31.8	31.5	31.7	31.8	32.2	32.3	32.0	32.3	32.9	32.8	33.0	31.5	31.4~33.0			
		月平均値	nGy/h	33.9	34.1	34.0	33.5	33.4	34.7	34.0	34.1	34.4	34.1	35.0	80.1	38.0	33.2~35.3			
		積算値	nGy/m	24,402.1	25,329.7	24,456.8	24,920.7	24,785.3	24,883.1	25,288.4	24,439.7	25,427.3	24,773.7	23,187.2	58,837.2	0.33mG/y	0.30~0.30mG/y			
		調整時間	時間	1	1	1	1	1	2	1	4	5	17	10	9	53	38~42h/y			
▼	殿町局	1時間最大値	nGy/h	37.2	36.1	32.6	35.8	90.0	44.6	36.1	46.2	55.4	35.0	50.1	154.2	154.2	33.1~113.8			
		1時間最小値	nGy/h	26.9	27.0	26.6	26.7	26.6	27.2	27.1	27.0	27.2	27.4	26.9	27.1	26.6	25.9~27.2			
		月平均値	nGy/h	28.4	28.2	27.6	27.9	27.9	28.7	28.2	28.4	28.8	28.3	28.5	57.6	30.7	27.2~30.1			
		積算値	nGy/m	20,396.4	20,967.2	19,874.3	20,750.0	20,716.3	20,607.5	20,963.3	20,390.1	21,368.9	20,563.2	19,147.7	42,210.2	0.27mG/y	0.24~0.25mG/y			
		調整時間	時間	1	1	1	1	1	1	1	1	3	1	17	1	11	40	34~39h/y		
東	塩浜局	1時間最大値	nGy/h	51.4	51.8	48.1	52.8	45.3	60.5	50.8	58.4	74.9	44.2	68.7	177.1	177.1	48.9~60.0			
		1時間最小値	nGy/h	39.8	39.3	39.7	39.5	39.1	38.4	39.8	40.4	40.5	40.2	40.2	39.6	38.4	37.2~39.7			
		月平均値	nGy/h	42.2	42.0	41.7	41.6	41.1	42.3	42.1	42.2	42.4	41.9	42.3	68.4	44.2	40.8~42.7			
		積算値	nGy/m	30,363.1	31,167.6	29,960.7	30,877.2	30,548.2	30,442.9	31,265.1	30,267.2	31,487.1	30,466.6	28,359.4	50,377.9	0.39mG/y	0.36~0.37mG/y			
		調整時間	時間	1	2	1	2	1	1	1	1	2	1	17	2	8	39	31~32h/y		
芝	大島局	1時間最大値	nGy/h	48.8	46.8	45.7	48.3	39.3	58.1	46.5	54.6	71.5	40.1	67.2	161.3	161.3	44.8~59.1			
		1時間最小値	nGy/h	34.2	33.3	34.4	33.6	33.7	33.4	32.6	33.7	35.5	34.8	35.9	36.3	32.6	33.0~35.3			
		月平均値	nGy/h	37.0	36.4	36.1	35.9	35.2	36.7	36.3	37.1	37.4	37.6	38.6	67.2	39.3	35.7~37.7			
		積算値	nGy/m	26,571.9	27,078.3	25,921.8	26,656.6	26,142.8	26,357.5	26,957.8	26,551.6	27,745.4	27,265.4	25,912.2	49,546.3	0.34mG/y	0.32~0.33mG/y			
		調整時間	時間	1	1	1	1	1	1	1	1	4	2	18	1	7	39	29~33h/y		
対	象	1時間最大値	nGy/h	48.8	46.8	45.7	48.3	39.3	58.1	46.5	54.6	71.5	40.1	67.2	161.3	161.3	44.8~59.1			
		1時間最小値	nGy/h	34.2	33.3	34.4	33.6	33.7	33.4	32.6	33.7	35.5	34.8	35.9	36.3	32.6	33.0~35.3			
		月平均値	nGy/h	37.0	36.4	36.1	35.9	35.2	36.7	36.3	37.1	37.4	37.6	38.6	67.2	39.3	35.7~37.7			
		積算値	nGy/m	26,571.9	27,078.3	25,921.8	26,656.6	26,142.8	26,357.5	26,957.8	26,551.6	27,745.4	27,265.4	25,912.2	49,546.3	0.34mG/y	0.32~0.33mG/y			
		調整時間	時間	1	1	1	1	1	1	1	1	4	2	18	1	7	39	29~33h/y		

平成22年度空間放射線測定結果

データ取得年	平成22年度(H22. 4. 1~H23. 3. 31)
測定項目・検出器	空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器

	測定局	集計項目	単位	平成22年												平成23年			平成22年度年間値	平成20~21年度年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
横須賀市	久里浜局	1時間最大値	nGy/h	41.8	42.7	39.7	50.7	31.1	55.8	49.0	41.1	67.5	37.1	54.1	162.0	162.0	28.6~52.0			
		1時間最小値	nGy/h	25.1	24.5	24.9	24.7	24.8	25.4	25.3	25.4	25.1	25.5	25.1	25.5	24.5	18.9~25.6			
		月平均値	nGy/h	27.1	26.6	26.2	26.3	25.8	27.8	27.0	27.1	27.3	26.6	27.9	58.7	29.6	20.3~27.9			
		積算値	nGy/m	19,459.5	19,757.9	18,846.6	19,509.2	19,151.5	19,969.8	20,062.4	19,364.6	20,247.4	19,746.4	17,364.1	43,317.9	0.26mG/y	0.14~0.23mG/y			
		調整時間	時間	2	2	2	2	2	2	2	2	5	2	2	50	6	79	83~2138h/y		
浦賀市	舟倉局	1時間最大値	nGy/h	45.7	45.1	41.7	51.4	34.6	55.1	48.8	44.0	66.1	39.4	54.3	164.1	164.1	38.4~53.9			
		1時間最小値	nGy/h	29.6	29.3	29.4	29.2	29.1	29.6	29.6	30.0	29.8	30.0	29.6	29.8	29.1	28.9~30.0			
		月平均値	nGy/h	32.0	31.6	31.2	31.1	30.7	32.5	31.9	32.0	32.1	31.7	32.7	58.1	34.0	30.6~32.7			
		積算値	nGy/m	23,003.9	23,482.8	22,388.6	23,071.6	22,823.6	23,337.6	23,706.7	22,907.1	23,813.6	23,043.2	21,954.8	42,174.9	0.30mG/y	0.28~0.28mG/y			
		調整時間	時間	1	1	2	2	1	2	1	5	2	18	1	18	54	33~36h/y			
市内	佐原局	1時間最大値	nGy/h	40.4	40.1	36.5	46.8	30.0	51.9	46.1	38.6	62.2	40.9	49.6	184.9	184.9	31.6~49.3			
		1時間最小値	nGy/h	24.7	24.4	24.4	24.1	24.4	25.1	24.8	24.8	25.2	25.1	24.7	24.9	24.1	24.1~25.0			
		月平均値	nGy/h	26.5	26.2	25.7	25.9	25.7	27.3	26.4	26.5	26.7	26.2	27.0	61.3	29.3	25.4~27.3			
		積算値	nGy/m	19,025.0	19,469.0	18,508.2	19,232.6	19,063.0	19,652.6	19,634.4	18,983.1	19,874.1	19,063.2	18,096.1	45,028.9	0.26mG/y	0.23~0.23mG/y			
		調整時間	時間	1	1	1	1	1	1	1	3	1	17	1	9	38	32~81h/y			
縦	浦賀局	1時間最大値	nGy/h	38.3	34.5	33.7	38.8	28.2	46.2	40.1	35.5	56.3	34.3	43.7	161.7	161.7	32.0~46.1			
		1時間最小値	nGy/h	24.6	24.4	24.4	24.3	24.3	24.7	24.7	24.9	24.9	24.9	24.8	25.0	24.3	24.3~25.1			
		月平均値	nGy/h	26.1	25.6	25.4	25.3	25.0	26.4	26.0	26.0	26.3	25.8	26.6	66.6	29.3	25.1~26.7			
		積算値	nGy/m	18,749.8	19,053.8	18,207.2	18,781.1	18,601.0	18,981.9	19,327.7	18,664.9	19,495.1	18,751.6	17,816.2	48,428.9	0.25mG/y	0.22~0.23mG/y			
		調整時間	時間	2	1	2	1	1	1	1	3	2	16	2	17	49	32~72h/y			
GNF	ハイランド局	1時間最大値	nGy/h	37.9	42.1	36.9	52.1	30.3	51.1	46.5	40.1	71.7	33.3	53.1	212.8	212.8	29.7~51.5			
		1時間最小値	nGy/h	22.4	23.0	22.9	22.8	22.8	23.7	23.3	23.6	23.7	23.6	23.6	23.6	22.4	21.9~23.4			
		月平均値	nGy/h	24.4	25.0	24.5	24.7	24.4	26.2	25.1	25.3	25.5	25.1	26.0	74.2	29.2	23.9~25.4			
		積算値	nGy/m	17,575.9	18,517.8	17,595.4	18,350.7	18,138.7	18,834.4	18,651.7	18,125.4	18,967.8	18,245.1	17,412.8	54,540.5	0.25mG/y	0.21~0.22mG/y			
		調整時間	時間	1	2	1	1	2	1	1	3	1	17	2	9	41	32~36h/y			
J	日の出町局	1時間最大値	nGy/h	35.2	36.0	37.6	40.8	34.8	43.9	35.3	35.9	37.3	32.2	36.9	123.1	123.1	33.4~43.2			
		1時間最小値	nGy/h	29.4	29.3	29.3	28.9	29.0	28.7	29.5	29.4	27.0	27.1	26.7	26.4	26.4	29.1~29.7			
		月平均値	nGy/h	30.4	30.3	30.1	30.0	29.7	30.5	30.4	30.5	28.0	27.8	27.8	45.5	30.9	29.9~30.7			
		積算値	nGy/m	21,862.5	22,500.3	21,646.5	22,271.5	22,065.7	21,668.9	22,589.3	21,813.9	20,773.6	20,667.9	18,642.4	33,560.3	0.27mG/y	0.26~0.27mG/y			
		調整時間	時間	1	1	2	1	1	9	1	4	3	1	2	6	32	33~39h/y			
対象	西逸見局	1時間最大値	nGy/h	38.2	36.5	36.8	40.0	30.5	50.9	37.7	37.8	54.2	32.3	44.9	155.6	155.6	30.0~49.4			
		1時間最小値	nGy/h	25.4	25.1	25.1	24.7	24.9	25.7	25.6	25.5	25.7	25.8	25.6	25.8	24.7	24.6~25.8			
		月平均値	nGy/h	27.0	26.6	26.2	26.1	26.0	27.5	26.8	27.0	27.2	26.9	27.4	55.8	29.3	25.8~27.6			
		積算値	nGy/m	19,381.9	19,747.6	18,817.4	19,414.9	19,291.6	19,746.6	19,922.1	19,306.6	20,189.4	20,001.4	17,970.8	41,529.0	0.26mG/y	0.23~0.23mG/y			
		調整時間	時間	1	2	1	1	2	1	1	4	1	16	0	31	38~46h/y				
対象	長沢局	1時間最大値	nGy/h	42.1	43.6	39.5	49.2	35.8	50.7	46.7	43.1	65.8	39.1	50.7	142.3	142.3	38.6~53.5			
		1時間最小値	nGy/h	31.6	31.3	31.5	31.2	31.3	31.7	31.9	32.0	32.1	32.7	32.3	32.4	31.2	31.4~32.9			
		月平均値	nGy/h	33.2	33.1	32.7	32.9	32.6	33.9	33.2	33.4	33.6	33.7	34.1	49.7	34.7	32.7~34.4			
		積算値	nGy/m	23,814.0	24,564.7	23,514.6	24,387.3	24,246.1	24,290.3	24,661.0	23,876.9	24,893.4	25,032.6	22,360.9	36,495.4	0.30mG/y	0.29~0.29mG/y			
		調整時間	時間	2	1	1	2	1	3	2	5	3	1	17	10	48	33~58h/y			