

平成30年度空間放射線測定結果

		データ取得年	平成30年度(H30.4.1~H31.3.31)																	
		測定項目・検出器	空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器																	
	測定局	集計項目	単位	平成30年												平成31年			平成30年度年間値	平成27~29年度年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
川 崎 市 内 ▼ (株) 東 芝 対 象	千鳥局	1時間最大値	nGy/h	38.2	44.8	38.9	32.7	42.7	54.3	44.4	37.1	45.6	59.9	43.2	53.8	59.9	32.7~90.5			
		1時間最小値	nGy/h	25.7	25.6	25.5	25.2	26.2	25.1	25.3	25.8	25.5	25.9	26.4	26.0	25.1	25.1~28.9			
		月平均値	nGy/h	27.6	27.4	27.1	27.1	27.5	27.5	27.2	27.4	27.4	27.9	28.1	28.1	27.5	27.1~30.7			
		積算値	nGy/m	19,877.4	20,397.1	19,488.3	20,130.2	20,490.1	19,808.3	19,282.0	19,497.1	20,311.9	20,758.1	18,886.1	20,936.4	0.24mGy/y	0.24~0.26mGy/y			
		調整時間	時間	0	0	0	0	0	0	36	9	3	0	0	0	48	31~52h/y			
	浮島局	1時間最大値	nGy/h	50.0	132.7	145.3	41.2	47.3	63.2	53.4	47.8	56.8	70.0	52.2	65.2	145.3	41.2~224.0			
		1時間最小値	nGy/h	36.3	36.2	35.8	36.1	36.9	35.9	36.3	36.6	36.6	37.2	36.7	36.0	35.8	35.8~40.7			
		月平均値	nGy/h	38.4	38.5	38.4	37.9	38.3	38.2	38.1	38.3	38.5	38.8	38.3	38.2	38.3	37.9~42.2			
		積算値	nGy/m	27,473.5	28,629.4	27,652.8	28,181.6	28,468.3	26,904.7	28,095.9	27,348.8	28,667.5	28,837.0	25,713.7	28,445.9	0.33mGy/y	0.33~0.36mGy/y			
		調整時間	時間	4	0	0	0	0	15	6	5	0	0	0	0	30	30~43h/y			
	殿町局	1時間最大値	nGy/h	36.5	42.0	51.7	35.6	36.2	45.9	40.3	38.0	44.4	50.4	41.2	47.5	51.7	34.6~88.9			
		1時間最小値	nGy/h	28.3	28.3	28.3	28.0	28.2	28.1	28.4	28.8	29.0	28.8	28.9	28.7	28.0	28.0~29.6			
		月平均値	nGy/h	29.5	29.6	29.6	28.9	29.1	29.6	29.7	30.1	30.3	30.1	30.0	30.0	29.7	28.9~31.1			
		積算値	nGy/m	21,229.2	21,998.0	21,334.5	21,504.1	21,614.7	20,856.8	22,103.9	21,538.4	22,574.6	22,371.3	20,189.6	22,283.2	0.26mGy/y	0.26~0.27mGy/y			
		調整時間	時間	0	0	0	0	0	16	0	5	0	0	0	0	21	21~26h/y			
	塩浜局	1時間最大値	nGy/h	53.0	61.0	53.3	47.0	55.8	64.3	58.1	50.7	61.6	68.9	57.4	64.8	68.9	47.0~68.9			
		1時間最小値	nGy/h	42.4	42.9	42.0	41.8	42.5	42.1	40.8	42.7	41.8	42.0	41.0	42.3	40.8	38.6~44.9			
		月平均値	nGy/h	44.3	44.4	44.2	43.6	43.8	44.3	44.1	44.1	43.9	43.9	44.0	44.1	44.1	43.6~46.7			
		積算値	nGy/m	31,923.8	33,024.9	31,830.3	32,419.2	32,552.6	31,227.9	32,788.2	31,519.3	32,634.6	32,681.2	29,581.4	32,798.3	0.38mGy/y	0.38~0.40mGy/y			
		調整時間	時間	0	0	0	0	0	15	0	6	0	0	0	0	21	21~33h/y			
大島局	1時間最大値	nGy/h	47.7	56.0	47.7	41.4	54.7	62.4	55.0	47.2	72.4	65.8	54.5	61.0	72.4	41.4~76.9				
	1時間最小値	nGy/h	35.3	35.2	34.6	34.9	35.5	35.4	34.9	36.9	36.0	36.9	35.6	36.0	34.6	34.6~39.4				
	月平均値	nGy/h	38.1	38.2	38.1	37.5	37.8	38.5	38.3	38.5	38.7	38.6	38.6	38.7	38.3	37.5~41.4				
	積算値	nGy/m	27,421.0	28,434.5	27,396.6	27,934.8	28,134.4	27,175.4	28,483.6	27,385.3	28,765.8	28,754.0	25,925.6	28,779.4	0.33mGy/y	0.33~0.36mGy/y				
	調整時間	時間	0	0	0	0	0	14	0	8	0	0	0	0	22	22~34h/y				

平成30年度空間放射線測定結果

データ取得年	平成30年度(H30.4.1~H31.3.31)
測定項目・検出器	空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器

	測定局	集計項目	単位	平成30年												平成31年			平成30年度年間値	平成27~29年度年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
横須賀市内(株)GNF対象	久里浜局	1時間最大値	n Gy/h	46.3	39.6	45.8	33.9	49.0	47.5	49.3	43.6	40.8	65.6	47.4	56.3	65.6	33.9~65.6			
		1時間最小値	n Gy/h	27.6	27.6	27.2	27.3	27.3	27.0	27.3	27.9	27.5	27.8	27.8	27.6	27.0	27.0~30.1			
		月平均値	n Gy/h	29.0	29.1	29.1	28.3	28.5	29.1	28.9	29.1	29.2	29.4	29.2	29.4	29.0	28.3~32.2			
		積算値	n Gy/m	20,881.8	21,656.4	20,962.4	21,074.4	21,203.9	20,961.7	20,239.6	20,738.6	21,632.2	21,887.1	19,654.0	21,879.4	0.25mGy/y	0.25~0.27mGy/y			
		調整時間	時間	0	0	0	0	0	0	44	8	2	0	0	0	54	36~59h/y			
	舟倉局	1時間最大値	n Gy/h	48.8	44.8	50.4	37.2	57.4	51.0	53.4	48.4	44.4	65.0	50.0	56.1	65.0	37.2~65.1			
		1時間最小値	n Gy/h	31.3	31.4	31.0	30.7	30.7	30.9	31.3	31.5	30.8	31.6	31.5	31.0	30.7	30.7~33.5			
		月平均値	n Gy/h	33.3	33.4	33.4	32.4	32.8	33.6	33.3	33.5	33.2	33.7	33.5	33.5	33.3	32.4~35.7			
		積算値	n Gy/m	23,992.8	24,853.2	24,082.1	24,095.8	24,414.3	24,164.9	24,346.5	23,916.9	24,671.5	25,099.6	22,503.7	24,929.2	0.29mGy/y	0.29~0.31mGy/y			
		調整時間	時間	0	0	0	0	0	0	13	6	0	0	0	0	19	19~26h/y			
	佐原局	1時間最大値	n Gy/h	46.2	41.0	46.1	35.9	53.1	48.1	50.0	44.5	42.2	66.4	47.8	56.7	66.4	35.9~66.4			
		1時間最小値	n Gy/h	29.4	28.9	28.8	29.0	29.0	28.6	28.8	29.3	29.1	29.5	29.2	28.9	28.6	28.6~32.1			
		月平均値	n Gy/h	30.7	30.7	30.6	30.2	30.4	30.7	30.4	30.6	30.6	31.0	30.7	30.8	30.6	30.2~33.6			
		積算値	n Gy/m	22,125.4	22,841.5	22,013.1	22,500.3	22,619.5	22,115.6	22,157.0	21,783.2	22,796.8	23,041.4	20,632.7	22,903.1	0.27mGy/y	0.27~0.29mGy/y			
		調整時間	時間	0	0	0	0	0	0	15	7	0	0	0	0	22	22~41h/y			
	浦賀局	1時間最大値	n Gy/h	39.2	38.9	43.9	33.9	41.5	44.1	46.1	40.6	40.4	56.1	45.1	47.4	56.1	33.9~56.1			
		1時間最小値	n Gy/h	29.4	29.1	28.8	28.7	28.9	28.7	28.9	29.2	29.3	29.5	29.2	29.1	28.7	28.7~32.8			
		月平均値	n Gy/h	30.3	30.3	30.3	29.6	29.8	30.4	30.2	30.3	30.5	30.6	30.5	30.5	30.3	29.6~34.1			
		積算値	n Gy/m	21,798.6	22,553.5	21,796.3	21,991.1	22,143.1	21,904.0	22,045.1	21,653.7	22,682.4	22,761.6	20,468.4	22,689.9	0.26mGy/y	0.26~0.29mGy/y			
		調整時間	時間	0	0	0	1	0	0	14	6	0	0	0	0	21	21~42h/y			
ハイランド局	1時間最大値	n Gy/h	48.3	39.1	45.0	34.1	41.1	50.5	51.0	43.3	41.5	65.3	48.6	56.1	65.3	34.1~65.3				
	1時間最小値	n Gy/h	28.0	27.4	27.3	27.4	27.9	26.9	27.3	27.7	27.5	28.3	28.0	27.4	26.9	26.9~31.9				
	月平均値	n Gy/h	29.7	29.5	29.2	29.1	29.4	29.3	29.1	29.2	29.2	29.9	29.5	29.5	29.4	29.1~33.3				
	積算値	n Gy/m	21,355.8	21,930.7	21,010.0	21,679.9	21,875.2	21,096.4	21,636.4	20,427.2	21,736.5	22,220.7	19,844.5	21,917.7	0.26mGy/y	0.26~0.28mGy/y				
	調整時間	時間	0	0	0	0	0	0	0	20	0	0	0	0	20	20~31h/y				
日の出町局	1時間最大値	n Gy/h	40.5	36.5	38.0	34.7	37.7	41.2	39.2	37.0	36.0	42.7	38.3	40.8	42.7	34.7~55.3				
	1時間最小値	n Gy/h	30.4	30.3	30.1	30.0	30.1	30.1	30.3	30.7	30.5	30.8	30.5	30.4	30.0	30.0~31.2				
	月平均値	n Gy/h	31.3	31.3	31.3	30.8	30.9	31.3	31.3	31.5	31.5	31.6	31.5	31.5	31.3	30.8~32.3				
	積算値	n Gy/m	22,525.6	23,321.5	22,531.8	22,893.5	22,986.3	22,449.8	22,861.2	22,437.0	23,458.1	23,509.7	21,199.5	23,437.4	0.27mGy/y	0.27~0.28mGy/y				
	調整時間	時間	0	0	0	0	0	3	14	7	0	0	0	0	24	24~29h/y				
西逸見局	1時間最大値	n Gy/h	41.8	39.7	42.2	33.4	36.0	45.4	44.5	39.2	38.9	57.6	44.1	47.6	57.6	33.4~57.6				
	1時間最小値	n Gy/h	29.0	28.9	28.3	28.4	28.7	28.6	28.6	29.1	28.9	29.2	29.1	28.8	28.3	28.3~31.5				
	月平均値	n Gy/h	30.4	30.2	30.1	29.8	30.0	30.3	30.0	30.1	30.2	30.5	30.2	30.2	30.2	29.8~32.9				
	積算値	n Gy/m	21,861.9	22,497.8	21,641.0	22,163.3	22,349.9	21,811.3	22,143.4	21,328.6	22,455.5	22,728.3	20,315.3	22,505.5	0.26mGy/y	0.26~0.28mGy/y				
	調整時間	時間	0	0	0	0	0	0	7	12	0	0	0	0	19	19~41h/y				
長沢局	1時間最大値	n Gy/h	44.8	41.4	44.9	36.9	44.1	47.7	50.5	44.2	43.1	66.1	45.3	51.0	66.1	36.9~66.1				
	1時間最小値	n Gy/h	33.3	33.2	32.9	32.9	33.0	32.7	32.8	33.4	33.2	33.8	33.4	33.0	32.7	32.7~34.6				
	月平均値	n Gy/h	34.5	34.4	34.3	34.2	34.2	34.3	34.3	34.4	34.4	34.9	34.4	34.5	34.4	34.2~36.1				
	積算値	n Gy/m	24,865.7	25,581.7	24,659.9	25,413.0	25,459.7	24,681.7	25,493.9	24,094.2	25,607.0	25,974.4	23,095.8	25,692.6	0.30mGy/y	0.30~0.31mGy/y				
	調整時間	時間	0	0	0	0	0	0	0	20	0	0	0	0	20	20~24h/y				