

## 令和2年度空間放射線測定結果

		データ取得年	令和2年度(R2.4.1~R3.3.31)														令和2年度年間値	平成29~令和元年度年間値(参考)
		測定項目・検出器	空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器															
川 崎 市 内 ▼ (株) 東 芝 対 象	測定局	集計項目	単位	令和2年									令和3年			令和2年度年間値	平成29~令和元年度年間値(参考)	
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月			
千島局	1時間最大値	nGy/h	44.7	48.0	47.7	41.5	34.9	39.0	39.1	33.4	37.7	36.8	39.0	70.4	70.4	51.1~78.8		
	1時間最小値	nGy/h	25.4	25.3	25.0	24.6	25.2	24.9	25.3	25.5	26.6	25.9	25.5	25.2	24.6	25.1~25.2		
	月平均値	nGy/h	27.2	26.8	27.3	26.4	26.8	26.6	27.4	27.5	27.9	27.8	27.0	27.1	27.2	27.5~28.2		
	積算値	nGy/m	19,610.8	19,969.6	19,678.5	19,652.8	19,911.5	19,178.2	19,456.7	19,578.6	20,787.3	19,138.1	17,876.9	20,127.6	0.23mGy/y	0.24~0.25mGy/y		
	調整時間	時間	0	0	0	0	0	0	35	7	0	56	11	0	109	48~64h/y		
浮島局	1時間最大値	nGy/h	57.7	85.0	154.8	50.3	45.0	49.1	47.5	43.0	48.0	56.0	49.0	58.3	154.8	68.0~145.3		
	1時間最小値	nGy/h	35.1	35.0	35.0	34.6	35.5	35.0	35.4	36.3	36.6	36.1	35.9	35.0	34.6	34.9~36.0		
	月平均値	nGy/h	37.3	37.7	38.5	36.6	37.3	36.8	37.5	37.6	38.1	38.3	37.1	37.1	37.5	37.7~39.1		
	積算値	nGy/m	26,839.2	28,053.3	27,705.3	27,207.5	27,715.3	25,701.9	27,921.2	26,922.5	28,315.3	28,514.9	24,659.5	27,599.9	0.33mGy/y	0.33~0.34mGy/y		
	調整時間	時間	0	0	0	0	0	22	0	4	0	0	8	0	34	30~65h/y		
殿町局	1時間最大値	nGy/h	40.1	45.1	41.9	37.6	33.8	36.1	37.3	32.7	35.5	42.4	37.5	38.9	45.1	47.6~71.5		
	1時間最小値	nGy/h	28.4	28.1	28.0	27.6	27.7	27.7	28.2	28.2	28.6	28.6	28.5	28.4	27.6	28.0~28.2		
	月平均値	nGy/h	29.6	29.3	29.4	29.1	28.6	28.7	29.5	29.3	29.7	29.9	29.5	29.5	29.3	29.6~29.9		
	積算値	nGy/m	21,343.6	21,783.2	21,172.9	21,618.8	21,251.9	20,646.0	21,518.8	21,009.5	22,081.6	22,251.1	19,528.5	21,919.2	0.26mGy/y	0.26~0.26mGy/y		
	調整時間	時間	0	0	0	0	0	0	14	4	0	0	9	0	27	21~30h/y		
塩浜局	1時間最大値	nGy/h	52.1	53.6	55.0	48.8	44.3	50.8	51.2	47.0	49.6	58.0	51.1	54.1	58.0	63.8~68.9		
	1時間最小値	nGy/h	35.3	35.0	35.6	36.3	35.8	36.2	40.5	39.9	40.7	41.0	41.0	40.6	35.0	34.8~41.4		
	月平均値	nGy/h	39.2	38.7	39.2	39.1	38.6	40.1	42.5	42.2	42.2	42.5	42.0	42.1	40.7	41.9~45.0		
	積算値	nGy/m	28,247.6	28,763.5	28,209.7	29,094.4	28,689.3	28,593.8	31,305.3	30,190.1	31,409.3	31,647.7	27,864.2	31,305.0	0.36mGy/y	0.37~0.39mGy/y		
	調整時間	時間	0	0	0	0	0	7	8	4	0	0	8	0	27	18~31h/y		
大島局	1時間最大値	nGy/h	51.4	53.6	54.6	52.2	43.0	41.8	44.7	42.7	45.3	54.9	48.4	49.3	54.9	61.1~72.4		
	1時間最小値	nGy/h	35.3	35.0	34.9	34.5	34.5	35.1	34.9	35.5	35.4	35.5	34.9	35.9	34.5	33.9~34.9		
	月平均値	nGy/h	38.1	37.6	37.7	37.3	36.9	37.1	37.8	37.5	37.9	38.2	37.4	37.6	37.6	38.0~38.6		
	積算値	nGy/m	27,402.4	27,960.2	27,160.2	27,769.2	27,427.7	26,120.3	28,130.0	26,887.2	28,212.5	28,432.6	24,859.8	27,984.0	0.33mGy/y	0.33~0.34mGy/y		
	調整時間	時間	0	0	0	0	0	15	0	3	0	0	8	0	26	17~29h/y		

## 令和2年度空間放射線測定結果

		データ取得年	令和2年度(R2. 4. 1~R3. 3. 31)														
		測定項目・検出器	空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器														
測定局	集計項目	単位	令和2年										令和3年			令和2年度年間値	平成29~令和元年度年間値(参考)
			4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月			
横須賀市	久里浜局	1時間最大値	n Gy/h	45.7	46.9	50.3	47.2	37.4	34.3	41.7	33.9	44.1	51.1	43.2	42.9	51.1	55.7~65.6
		1時間最小値	n Gy/h	27.5	27.4	27.0	27.1	27.6	27.3	27.7	27.9	28.3	28.1	28.0	27.7	27.0	26.4~27.0
		月平均値	n Gy/h	29.3	28.7	29.5	29.0	28.7	28.7	29.9	29.3	29.7	30.0	29.1	29.1	29.2	29.0~29.2
		積算値	n Gy/m	21,071.1	21,379.7	21,223.4	21,551.5	21,387.7	20,680.2	20,932.1	20,869.1	22,100.9	22,334.2	19,328.0	21,667.7	0.25mGy/y	0.25~0.25mGy/y
		調整時間	時間	0	0	0	0	0	0	43	7	0	0	8	0	58	53~71h/y
横須賀市	舟倉局	1時間最大値	n Gy/h	48.4	49.4	51.9	49.8	40.7	38.6	44.7	37.9	44.8	54.1	44.3	46.9	54.1	60.6~65.0
		1時間最小値	n Gy/h	30.8	30.7	30.6	29.9	30.5	30.1	30.8	31.1	31.0	31.0	31.0	30.9	29.9	30.1~31.2
		月平均値	n Gy/h	33.2	32.7	33.1	32.5	32.3	32.4	33.6	32.9	33.2	33.8	32.9	32.9	33.0	33.2~33.8
		積算値	n Gy/m	23,891.0	24,334.9	23,852.5	24,202.4	24,047.2	23,320.7	24,557.0	23,570.7	24,709.0	25,112.9	21,814.8	24,502.3	0.29mGy/y	0.29~0.30mGy/y
		調整時間	時間	0	0	0	0	0	0	14	4	0	0	8	0	26	18~28h/y
横須賀市	佐原局	1時間最大値	n Gy/h	46.3	48.2	50.2	46.7	37.8	37.0	42.7	35.0	43.2	51.9	42.8	43.6	51.9	55.6~66.4
		1時間最小値	n Gy/h	28.0	28.0	28.0	27.3	28.1	28.1	28.2	28.5	29.1	28.7	28.6	28.3	27.3	28.0~28.6
		月平均値	n Gy/h	29.9	29.6	30.1	29.2	29.6	29.5	30.4	29.8	30.3	30.6	29.7	29.6	29.9	30.2~31.2
		積算値	n Gy/m	21,528.7	22,034.0	21,641.8	21,700.2	22,036.6	21,214.3	22,179.0	21,379.7	22,561.0	22,779.6	19,700.0	22,056.5	0.26mGy/y	0.26~0.27mGy/y
		調整時間	時間	0	0	0	0	0	0	14	3	0	0	8	0	25	18~29h/y
横須賀市	浦賀局	1時間最大値	n Gy/h	44.7	42.7	44.5	41.1	35.1	33.8	38.2	33.1	39.0	48.6	37.8	37.5	48.6	52.1~56.1
		1時間最小値	n Gy/h	28.3	28.2	28.1	27.6	27.9	27.9	28.4	28.5	28.8	28.6	28.3	28.2	27.6	28.3~29.3
		月平均値	n Gy/h	29.6	29.1	29.5	29.0	28.7	29.0	29.9	29.4	29.7	30.1	29.4	29.3	29.4	29.8~31.0
		積算値	n Gy/m	21,322.1	21,677.9	21,247.3	21,609.1	21,351.6	20,873.8	21,827.0	21,080.3	22,099.9	22,382.3	19,493.4	21,828.0	0.26mGy/y	0.26~0.27mGy/y
		調整時間	時間	0	0	0	0	0	0	14	3	0	0	8	0	25	18~29h/y
横須賀市	ハイランド局	1時間最大値	n Gy/h	47.9	47.2	52.1	46.1	34.8	33.9	39.1	33.2	48.8	50.4	46.9	42.6	52.1	58.8~65.3
		1時間最小値	n Gy/h	26.3	26.5	26.1	25.3	26.4	26.7	26.7	27.4	28.0	27.0	27.0	26.5	25.3	26.1~26.9
		月平均値	n Gy/h	28.5	28.3	28.7	27.5	28.4	28.3	29.1	28.9	29.6	29.5	28.2	28.1	28.6	28.7~29.9
		積算値	n Gy/m	20,541.5	21,050.9	20,676.2	20,457.6	21,154.3	20,359.2	21,216.1	20,692.9	21,985.5	21,921.4	18,748.4	20,909.2	0.25mGy/y	0.25~0.26mGy/y
		調整時間	時間	0	0	0	0	0	0	14	4	0	0	8	0	26	18~31h/y
横須賀市	日の出町局	1時間最大値	n Gy/h	41.1	39.0	39.2	39.0	38.7	35.8	36.5	33.1	38.5	37.6	42.3	38.8	42.3	42.7~47.0
		1時間最小値	n Gy/h	30.3	30.1	29.9	29.8	29.7	29.6	30.1	30.2	30.5	30.6	30.1	29.8	29.6	29.6~30.2
		月平均値	n Gy/h	31.2	30.9	31.1	31.0	30.6	30.7	31.3	31.0	31.3	31.4	31.1	30.8	31.0	31.3~31.6
		積算値	n Gy/m	22,479.5	23,024.0	22,380.7	23,051.2	22,734.3	22,098.9	23,256.7	21,791.3	23,300.7	23,357.9	20,622.5	22,916.5	0.27mGy/y	0.27~0.28mGy/y
		調整時間	時間	0	0	0	0	0	0	0	18	0	0	8	0	26	18~30h/y
横須賀市	西逸見局	1時間最大値	n Gy/h	46.0	41.6	47.9	43.4	41.7	35.6	40.3	32.6	38.4	46.3	37.3	40.8	47.9	48.5~57.6
		1時間最小値	n Gy/h	28.1	28.0	27.5	27.0	27.8	27.7	28.2	28.3	28.9	28.5	28.5	28.0	27.0	27.8~28.3
		月平均値	n Gy/h	29.7	29.3	29.6	28.7	29.0	28.7	29.7	29.5	29.9	30.1	29.3	29.3	29.4	29.7~30.8
		積算値	n Gy/m	21,361.9	21,794.5	21,283.5	21,389.5	21,599.4	20,693.8	22,082.2	20,651.4	22,240.1	22,418.8	19,480.6	21,782.0	0.26mGy/y	0.26~0.27mGy/y
		調整時間	時間	0	0	0	0	0	0	0	20	0	0	8	0	28	19~29h/y
横須賀市	長沢局	1時間最大値	n Gy/h	46.0	47.6	49.4	47.0	37.1	38.6	42.1	37.7	52.8	48.7	42.3	41.6	52.8	54.3~66.1
		1時間最小値	n Gy/h	32.9	32.8	32.5	32.3	32.9	32.6	32.9	33.6	33.8	33.4	33.3	32.9	32.3	32.3~32.7
		月平均値	n Gy/h	34.4	34.1	34.4	33.7	34.2	33.7	34.5	34.5	35.0	34.9	34.2	34.0	34.3	34.3~34.7
		積算値	n Gy/m	24,746.7	25,370.2	24,739.0	25,082.8	25,477.9	24,287.5	25,662.1	24,265.6	26,031.7	25,991.7	22,692.5	25,303.5	0.30mGy/y	0.30~0.30mGy/y
		調整時間	時間	0	0	0	0	0	0	0	17	0	0	8	0	25	17~29h/y