

令和3年度空間放射線測定結果

データ取得年	令和3年度(R3.4.1~R4.3.31)
測定項目・検出器	空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器

川 崎 市 内 ▼ (株) 東 芝 対 象	測定局	集計項目	単位	令和3年									令和4年			令和3年度 年間値	平成30~令和2年度 年間値(参考)	
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月			
	千島局	1時間最大値	nGy/h	41.7	49.4	34.1	41.0	37.1	48.1	46.4	51.8	44.8	41.9	37.8	47.3	51.8	59.9~78.8	
		1時間最小値	nGy/h	25.2	24.9	25.0	24.6	24.4	24.8	24.8	25.4	25.0	24.3	24.9	25.2	24.3	24.6~25.1	
		月平均値	nGy/h	26.4	26.8	26.5	26.6	26.3	26.7	26.8	26.7	26.7	26.7	26.4	26.8	26.9	26.6	27.2~27.5
		積算値	nGy/m	19,032.1	19,925.6	19,064.2	19,773.6	19,565.0	18,221.2	19,945.3	19,224.4	19,679.2	19,668.6	17,987.8	19,979.6	0.23mGy/y	0.23~0.24mGy/y	
		調整時間	時間	0	0	0	0	0	37	0	0	6	0	0	0	43	48~109h/y	
	浮島局	1時間最大値	nGy/h	46.7	49.6	44.4	49.2	46.5	55.7	55.2	62.9	53.4	50.7	495.7	56.0	495.7	78.1~154.8	
		1時間最小値	nGy/h	35.4	35.1	34.9	34.5	33.9	34.9	34.6	35.5	34.7	35.3	35.2	35.0	33.9	34.6~35.8	
		月平均値	nGy/h	36.7	37.1	36.6	36.8	36.4	36.7	36.8	36.9	36.8	36.7	37.7	36.8	36.8	37.5~38.3	
		積算値	nGy/m	26,406.2	27,576.2	26,381.7	27,364.8	26,554.5	26,121.2	27,407.6	26,539.7	27,284.2	27,325.3	25,313.0	27,365.3	0.32mGy/y	0.33~0.33mGy/y	
		調整時間	時間	0	0	0	0	15	8	0	0	3	0	0	0	26	30~44h/y	
	殿町局	1時間最大値	nGy/h	39.3	42.2	34.0	37.7	35.7	40.4	42.3	42.8	40.5	38.2	36.1	41.7	42.8	45.1~51.7	
		1時間最小値	nGy/h	28.4	28.3	28.0	27.8	27.6	28.1	28.2	28.2	28.4	28.3	28.2	28.3	27.6	27.6~28.0	
		月平均値	nGy/h	29.2	29.5	29.0	29.1	28.9	29.3	29.5	29.5	29.6	29.3	29.5	29.3	29.3	29.3	29.3~29.7
		積算値	nGy/m	21,030.4	21,915.1	20,886.6	21,685.0	21,521.7	20,705.0	21,919.2	21,239.0	21,933.4	21,823.4	19,793.7	21,831.9	0.26mGy/y	0.26~0.26mGy/y	
		調整時間	時間	0	0	0	0	0	14	0	0	4	0	0	0	18	21~30h/y	
	塩浜局	1時間最大値	nGy/h	52.1	57.5	48.4	52.1	49.4	57.4	55.6	59.4	56.2	53.5	50.6	59.8	59.8	58.0~68.9	
		1時間最小値	nGy/h	40.4	40.2	39.4	39.0	39.2	39.4	39.4	40.9	41.5	41.2	41.3	40.9	39.0	34.8~40.8	
		月平均値	nGy/h	41.7	42.0	41.4	41.5	41.2	41.9	42.2	42.8	42.9	42.6	42.8	42.7	42.1	40.7~44.1	
		積算値	nGy/m	30,021.3	31,248.2	29,777.2	30,875.3	30,675.3	29,505.1	31,376.3	30,788.6	31,830.0	31,715.2	28,775.0	31,750.0	0.37mGy/y	0.36~0.38mGy/y	
		調整時間	時間	0	0	0	0	0	15	0	0	2	0	0	0	17	21~31h/y	
	大島局	1時間最大値	nGy/h	50.1	48.7	43.0	48.6	45.5	55.5	55.1	51.5	51.5	49.0	47.7	53.2	55.5	54.9~72.4	
		1時間最小値	nGy/h	34.5	35.7	34.3	34.1	35.2	35.1	34.7	35.0	34.9	34.4	35.5	35.6	34.1	33.9~34.6	
		月平均値	nGy/h	37.2	37.4	36.8	37.0	37.0	37.6	37.8	37.7	37.8	37.7	38.0	37.9	37.5	37.6~38.3	
		積算値	nGy/m	26,767.8	27,833.6	26,517.6	27,527.5	27,518.9	26,403.3	28,116.2	27,155.7	28,021.8	28,043.8	25,519.2	28,190.3	0.33mGy/y	0.33~0.33mGy/y	
		調整時間	時間	0	0	0	0	0	17	0	0	3	0	0	0	20	22~29h/y	

令和3年度空間放射線測定結果

データ取得年	令和3年度(R3.4.1~R4.3.31)
測定項目・検出器	空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器

	測定局	集計項目	単位	令和3年												令和4年			令和3年度年間値	平成30~令和2年度年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
横須賀市内(株)GNF J対象	久里浜局	1時間最大値	n Gy/h	38.0	44.1	36.1	43.0	39.3	48.9	44.6	46.5	66.5	44.0	49.1	43.1	66.5	51.1~65.6			
		1時間最小値	n Gy/h	27.7	27.3	26.5	27.3	27.0	27.3	27.3	27.5	27.7	27.6	26.2	27.2	26.2	26.5~27.0			
		月平均値	n Gy/h	28.7	29.0	28.7	28.9	28.6	29.1	29.2	29.1	29.2	29.0	29.0	28.9	28.9	29.0~29.2			
		積算値	n Gy/m	20,696.0	21,604.5	20,629.5	21,487.9	21,248.6	19,667.5	21,707.3	20,916.4	21,511.5	21,545.3	19,473.1	21,480.9	0.25mGy/y	0.25~0.25mGy/y			
		調整時間	時間	0	0	0	0	0	43	0	0	8	0	0	0	51	54~71h/y			
	舟倉局	1時間最大値	n Gy/h	42.2	46.4	39.9	43.8	42.3	52.2	48.5	48.5	62.1	46.0	52.4	45.6	62.1	54.1~65.0			
		1時間最小値	n Gy/h	30.8	30.7	30.5	30.4	30.3	30.4	30.8	30.4	31.0	31.1	31.0	31.0	30.3	29.9~30.7			
		月平均値	n Gy/h	32.5	32.9	32.5	32.6	32.5	33.0	33.2	33.0	32.9	32.9	33.2	32.9	32.8	33.0~33.3			
		積算値	n Gy/m	23,405.3	24,496.5	23,373.0	24,256.7	23,870.8	23,471.1	24,456.0	23,738.9	24,375.1	24,455.3	22,337.4	24,504.7	0.29mGy/y	0.29~0.29mGy/y			
		調整時間	時間	0	0	0	1	9	8	7	0	3	0	0	0	28	19~28h/y			
	佐原局	1時間最大値	n Gy/h	38.2	44.0	36.2	42.9	39.5	49.2	46.2	47.1	65.1	44.3	50.1	43.9	65.1	51.9~66.4			
		1時間最小値	n Gy/h	28.1	27.4	27.8	27.7	27.5	27.7	27.6	28.0	27.9	27.8	28.0	27.9	27.4	27.3~28.6			
		月平均値	n Gy/h	29.2	29.5	29.1	29.5	29.2	29.4	29.6	29.4	29.5	29.3	29.8	29.5	29.4	29.9~30.6			
		積算値	n Gy/m	21,051.6	21,961.5	20,986.2	21,952.9	21,744.1	21,147.2	21,567.9	21,178.3	21,842.9	21,790.6	20,003.0	21,919.6	0.26mGy/y	0.26~0.27mGy/y			
		調整時間	時間	0	0	0	0	0	0	15	0	4	0	0	0	19	22~29h/y			
	浦賀局	1時間最大値	n Gy/h	34.5	41.1	37.2	36.8	35.7	45.2	42.4	41.3	53.7	39.2	42.4	39.6	53.7	48.6~56.1			
		1時間最小値	n Gy/h	28.2	27.8	27.7	27.6	27.6	27.8	27.7	27.8	27.9	28.0	28.0	27.9	27.6	27.6~28.7			
		月平均値	n Gy/h	28.9	29.1	28.8	28.8	28.7	29.0	29.2	29.0	29.1	28.9	29.3	29.1	29.0	29.4~30.3			
		積算値	n Gy/m	20,811.3	21,668.1	20,707.8	21,433.8	21,293.2	20,897.2	21,312.0	20,900.9	21,586.5	21,521.6	19,656.4	21,627.4	0.25mGy/y	0.26~0.26mGy/y			
		調整時間	時間	0	0	0	1	1	0	15	0	3	0	0	0	20	21~29h/y			
ハイランド局	1時間最大値	n Gy/h	37.8	43.5	38.6	43.3	38.1	48.1	44.6	45.5	63.1	43.3	45.1	42.6	63.1	52.1~65.3				
	1時間最小値	n Gy/h	26.3	25.6	25.8	25.4	25.5	26.0	25.8	25.8	26.0	26.0	25.7	25.4	25.4	25.3~26.9				
	月平均値	n Gy/h	27.7	28.0	27.5	27.9	27.6	27.7	27.8	27.7	27.7	27.5	27.9	27.6	27.7	28.6~29.4				
	積算値	n Gy/m	19,979.1	20,804.1	19,776.2	20,698.6	20,542.2	19,961.9	20,293.2	19,969.5	20,534.2	20,459.1	18,717.7	20,565.0	0.24mGy/y	0.25~0.26mGy/y				
	調整時間	時間	0	0	0	1	0	0	14	0	3	0	0	0	18	20~31h/y				
日の出町局	1時間最大値	n Gy/h	40.1	36.7	38.2	40.9	33.4	37.7	38.5	38.8	41.3	37.1	35.5	33.8	41.3	42.3~44.8				
	1時間最小値	n Gy/h	29.8	29.7	29.5	28.9	28.8	28.5	28.1	28.7	28.9	29.1	29.0	28.1	28.1	29.6~30.0				
	月平均値	n Gy/h	30.5	30.6	30.4	30.3	29.8	29.6	29.6	29.7	29.8	29.7	29.9	29.3	29.9	31.0~31.3				
	積算値	n Gy/m	21,979.4	22,780.9	21,834.1	22,538.1	22,155.1	21,338.0	21,596.5	21,397.9	22,108.0	22,086.1	20,102.1	21,788.6	0.26mGy/y	0.27~0.27mGy/y				
	調整時間	時間	0	0	2	0	0	0	14	0	3	0	0	0	19	24~30h/y				
西逸見局	1時間最大値	n Gy/h	36.6	42.3	43.0	42.8	37.8	48.0	41.4	42.7	49.2	41.4	39.7	41.4	49.2	47.9~57.6				
	1時間最小値	n Gy/h	27.9	27.6	27.7	27.5	27.2	27.6	27.5	27.6	27.9	27.6	27.7	27.5	27.2	27.0~28.3				
	月平均値	n Gy/h	29.0	29.2	28.8	29.0	28.8	29.1	29.2	29.1	29.1	28.9	29.2	29.1	29.0	29.4~30.2				
	積算値	n Gy/m	20,865.0	21,706.3	20,742.0	21,593.8	21,400.0	20,940.9	21,290.9	20,958.3	21,561.9	21,531.5	19,620.3	21,622.7	0.25mGy/y	0.26~0.26mGy/y				
	調整時間	時間	0	0	0	0	0	0	14	0	3	0	0	0	17	19~29h/y				
長沢局	1時間最大値	n Gy/h	39.0	44.3	38.7	42.8	42.2	46.9	44.6	43.6	55.8	43.8	50.4	43.0	55.8	52.8~66.1				
	1時間最小値	n Gy/h	32.8	32.5	32.4	32.5	32.0	32.5	32.2	32.9	32.9	33.2	33.2	33.0	32.0	32.3~32.7				
	月平均値	n Gy/h	33.8	33.9	33.6	33.9	33.6	33.8	34.0	34.0	34.1	34.2	34.7	34.3	34.0	34.3~34.4				
	積算値	n Gy/m	24,329.6	25,229.1	24,201.6	25,204.1	24,991.3	24,320.9	24,803.5	24,462.5	25,253.0	25,426.9	23,303.6	25,487.4	0.30mGy/y	0.30~0.30mGy/y				
	調整時間	時間	0	0	0	0	1	0	14	0	3	0	0	0	18	20~29h/y				