

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

A. 上皮内がんを除く

神奈川県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	38,069	28,490	66,559	100.0	100.0	100.0	833.9	622.1	727.8	465.5	359.6	403.7	328.1	269.3	293.0	39.5	29.8	34.3
口腔・咽頭	C00-C14	1,146	432	1,578	3.0	1.5	2.4	25.1	9.4	17.3	15.6	5.4	10.3	11.5	4.0	7.7	1.4	0.4	0.9
食道	C15	1,654	347	2,001	4.3	1.2	3.0	36.2	7.6	21.9	20.6	3.8	11.8	14.5	2.7	8.4	1.9	0.4	1.1
胃	C16	6,215	2,581	8,796	16.3	9.1	13.2	136.1	56.4	96.2	72.6	25.8	47.6	49.5	18.1	32.8	6.1	2.1	4.0
大腸(結腸・直腸)	C18-C20	6,128	4,548	10,676	16.1	16.0	16.0	134.2	99.3	116.7	77.4	49.0	62.5	54.9	35.1	44.6	6.7	4.2	5.4
結腸	C18	3,831	3,257	7,088	10.1	11.4	10.6	83.9	71.1	77.5	46.6	32.9	39.4	32.5	23.2	27.6	3.9	2.7	3.3
直腸	C19-C20	2,297	1,291	3,588	6.0	4.5	5.4	50.3	28.2	39.2	30.8	16.1	23.1	22.5	11.9	17.0	2.8	1.4	2.1
肝および肝内胆管	C22	1,715	821	2,536	4.5	2.9	3.8	37.6	17.9	27.7	20.3	7.1	13.3	13.9	4.7	9.1	1.6	0.5	1.1
胆のう・胆管	C23-C24	717	582	1,299	1.9	2.0	2.0	15.7	12.7	14.2	8.1	4.8	6.3	5.5	3.2	4.3	0.6	0.3	0.5
膵臓	C25	1,407	1,217	2,624	3.7	4.3	3.9	30.8	26.6	28.7	17.1	11.4	14.2	12.0	7.8	9.9	1.5	0.9	1.2
喉頭	C32	282	18	300	0.7	0.1	0.5	6.2	0.4	3.3	3.5	0.2	1.8	2.5	0.2	1.3	0.3	0.0	0.2
肺	C33-C34	5,118	2,565	7,683	13.4	9.0	11.5	112.1	56.0	84.0	59.7	26.3	41.7	41.2	18.5	29.0	5.0	2.2	3.6
皮膚	C43-C44	825	772	1,597	2.2	2.7	2.4	18.1	16.9	17.5	9.4	7.4	8.3	6.5	5.3	5.8	0.7	0.6	0.6
乳房	C50	49	7,232	7,281	0.1	25.4	10.9	1.1	157.9	79.6	0.7	112.7	56.4	0.5	86.7	43.2	0.1	9.6	4.8
子宮	C53-C55	-	2,009	2,009	-	7.1	3.0	-	43.9	-	-	33.8	-	-	26.2	-	-	2.8	-
子宮頸部	C53	-	745	745	-	2.6	1.1	-	16.3	-	-	13.3	-	-	10.5	-	-	1.1	-
子宮体部	C54	-	1,233	1,233	-	4.3	1.9	-	26.9	-	-	20.2	-	-	15.6	-	-	1.7	-
卵巣	C56	-	805	805	-	2.8	1.2	-	17.6	-	-	13.2	-	-	10.3	-	-	1.1	-
前立腺	C61	6,335	-	6,335	16.6	-	9.5	138.8	-	-	72.5	-	-	49.2	-	-	6.4	-	-
膀胱	C67	1,163	324	1,487	3.1	1.1	2.2	25.5	7.1	16.3	13.2	2.7	7.6	9.0	1.8	5.2	1.0	0.2	0.6
腎・尿路(膀胱除く)	C64-C66 C68	1,365	593	1,958	3.6	2.1	2.9	29.9	12.9	21.4	18.0	6.3	11.9	13.0	4.4	8.6	1.5	0.5	1.0
脳・中枢神経系	C70-C72	215	221	436	0.6	0.8	0.7	4.7	4.8	4.8	3.5	3.7	3.6	3.2	3.3	3.2	0.3	0.3	0.3
甲状腺	C73	296	828	1,124	0.8	2.9	1.7	6.5	18.1	12.3	4.8	14.1	9.4	3.8	11.4	7.5	0.4	1.2	0.8
悪性リンパ腫	C81-C85 C96	1,173	944	2,117	3.1	3.3	3.2	25.7	20.6	23.1	15.6	11.6	13.4	11.6	8.7	10.0	1.3	1.0	1.1
多発性骨髄腫	C88-C90	211	229	440	0.6	0.8	0.7	4.6	5.0	4.8	2.6	2.4	2.5	1.8	1.7	1.7	0.2	0.2	0.2
白血病	C91-C95	522	339	861	1.4	1.2	1.3	11.4	7.4	9.4	8.0	5.0	6.5	7.0	4.6	5.8	0.6	0.4	0.5

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 部位別、性別

B. 上皮内がんを含む

神奈川県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	42,082	32,727	74,809	100.0	100.0	100.0	921.8	714.6	818.0	517.7	431.1	464.2	365.4	325.3	338.7	44.1	35.4	39.3
食道	C15 D001	1,805	390	2,195	4.3	1.2	2.9	39.5	8.5	24.0	22.4	4.3	12.9	15.7	3.1	9.2	2.1	0.4	1.2
大腸（結腸・直腸）*2	C18-C20 D010-D012	8,577	5,914	14,491	20.4	18.1	19.4	187.9	129.1	158.5	110.6	66.4	87.5	79.1	47.7	62.8	9.7	5.8	7.7
結腸 *2	C18 D010	5,633	4,290	9,923	13.4	13.1	13.3	123.4	93.7	108.5	70.9	45.8	57.8	50.1	32.6	41.0	6.1	3.9	5.0
直腸 *2	C19-C20 D011-D012	2,944	1,624	4,568	7.0	5.0	6.1	64.5	35.5	50.0	39.7	20.5	29.7	29.0	15.2	21.9	3.7	1.9	2.7
肺	C33-C34 D021-D022	5,139	2,591	7,730	12.2	7.9	10.3	112.6	56.6	84.5	60.0	26.6	42.0	41.4	18.7	29.2	5.0	2.3	3.6
皮膚	C43-C44 D030-D049	991	976	1,967	2.4	3.0	2.6	21.7	21.3	21.5	11.3	9.3	10.1	7.7	6.6	7.1	0.8	0.7	0.8
乳房	C50 D05	55	8,119	8,174	0.1	24.8	10.9	1.2	177.3	89.4	0.7	128.0	64.0	0.5	98.7	49.1	0.1	10.8	5.4
子宮	C53-C55 D06	-	3,380	3,380	-	10.3	4.5	-	73.8	-	-	66.0	-	-	52.9	-	-	5.0	-
子宮頸部	C53 D06	-	2,116	2,116	-	6.5	2.8	-	46.2	-	-	45.5	-	-	37.2	-	-	3.3	-
膀胱	C67 D090	2,166	560	2,726	5.1	1.7	3.6	47.4	12.2	29.8	25.3	5.3	14.7	17.4	3.7	10.1	2.0	0.4	1.2

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	38,069	37	24	17	31	33	73	121	223	481	747	1,246	1,897	3,300	6,658	7,191	7,042	5,225	2,714	835	158	16	0
	口腔・咽頭	C00-C14	1,146	0	1	2	1	1	1	10	10	33	49	67	85	142	214	188	156	130	45	9	2	0	0
	食道	C15	1,654	0	0	0	0	0	0	0	0	13	14	57	118	160	339	372	323	165	80	10	2	1	0
	胃	C16	6,215	0	0	0	1	0	1	9	15	53	81	140	270	479	1,030	1,287	1,234	965	495	128	24	3	0
	大腸（結腸・直腸）	C18-C20	6,128	0	0	0	0	1	7	14	39	99	171	248	383	642	1,140	1,058	1,078	744	368	116	14	6	0
	結腸	C18	3,831	0	0	0	0	1	4	7	17	51	93	119	203	358	663	663	743	538	273	82	13	3	0
	直腸	C19-C20	2,297	0	0	0	0	0	3	7	22	48	78	129	180	284	477	395	335	206	95	34	1	3	0
	肝および肝内胆管	C22	1,715	0	0	0	0	0	0	3	5	6	21	54	87	166	277	287	320	294	152	33	10	0	0
	胆のう・胆管	C23-C24	717	0	0	0	0	0	1	0	3	3	9	17	20	55	99	137	137	127	71	32	6	0	0
	膵臓	C25	1,407	0	0	0	0	0	1	2	2	14	26	57	85	119	262	267	230	202	101	37	2	0	0
	喉頭	C32	282	0	0	0	0	0	0	0	1	1	4	9	15	29	65	67	39	34	13	5	0	0	0
	肺	C33-C34	5,118	0	0	0	0	1	2	4	13	35	82	119	212	418	936	976	965	748	442	136	29	0	0
	皮膚	C43-C44	825	1	0	0	1	1	2	1	5	13	14	28	30	50	104	130	156	138	83	54	14	0	0
	乳房	C50	49	0	0	0	0	0	0	0	0	1	1	3	4	10	7	4	7	7	5	0	0	0	0
	前立腺	C61	6,335	0	0	0	0	0	0	0	1	1	17	102	221	470	1,266	1,456	1,389	841	412	127	30	2	0
	膀胱	C67	1,163	0	0	0	0	0	0	0	3	5	12	25	45	107	170	196	225	204	113	51	5	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	1,365	3	0	0	0	0	2	6	17	40	56	95	85	124	226	222	213	164	82	22	8	0	0
	脳・中枢神経系	C70-C72	215	7	5	2	4	3	4	2	12	16	12	13	12	12	25	24	26	18	13	4	1	0	0
	甲状腺	C73	296	0	0	1	0	2	6	12	12	21	29	34	26	28	46	26	28	22	3	0	0	0	0
	悪性リンパ腫	C81-C85 C96	1,173	4	7	1	5	2	7	8	17	29	40	55	72	113	153	204	193	151	89	22	1	0	0
	多発性骨髄腫	C88-C90	211	0	0	0	0	0	0	0	0	4	7	19	10	12	44	29	38	31	14	3	0	0	0
	白血病	C91-C95	522	16	6	6	8	6	11	6	14	26	28	25	25	39	65	59	73	66	31	9	2	1	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	28,490	38	14	21	28	69	109	229	576	1,223	1,854	1,815	1,859	2,290	3,873	3,680	3,710	3,228	2,346	1,153	318	57	0
	口腔・咽頭	C00-C14	432	0	0	1	0	1	4	2	14	21	25	29	28	34	42	43	46	64	39	27	12	0	0
	食道	C15	347	0	0	0	0	0	0	0	1	1	6	11	22	36	59	68	60	41	26	12	2	2	0
	胃	C16	2,581	0	0	0	0	0	2	6	12	32	61	68	117	176	352	411	451	402	292	154	35	10	0
	大腸（結腸・直腸）	C18-C20	4,548	0	0	0	1	2	4	14	41	83	122	195	242	349	688	699	687	628	494	225	61	13	0
	結腸	C18	3,257	0	0	0	1	1	2	8	25	40	72	101	148	229	466	496	530	488	406	180	51	13	0
	直腸	C19-C20	1,291	0	0	0	0	1	2	6	16	43	50	94	94	120	222	203	157	140	88	45	10	0	0
	肝および肝内胆管	C22	821	0	0	0	1	0	0	1	2	4	11	9	24	38	82	115	166	168	117	69	14	0	0
	胆のう・胆管	C23-C24	582	0	0	0	0	0	0	0	2	4	4	10	11	33	47	77	101	111	100	57	22	3	0
	膵臓	C25	1,217	0	0	0	1	1	0	0	10	7	14	31	48	71	131	211	203	209	167	85	27	1	0
	喉頭	C32	18	0	0	0	0	0	0	1	0	0	1	0	2	2	2	2	1	3	2	2	0	0	0
	肺	C33-C34	2,565	0	0	0	0	1	0	7	12	29	51	80	111	190	422	406	450	375	272	131	23	5	0
	皮膚	C43-C44	772	0	0	0	0	3	2	2	4	20	20	28	27	36	85	112	107	119	106	65	28	8	0
	乳房	C50	7,232	0	0	0	0	4	23	65	233	640	986	786	622	719	983	772	609	405	238	115	25	7	0
	子宮	C53-C55	2,009	0	0	0	0	4	16	54	101	171	250	263	235	193	242	145	145	94	65	24	6	1	0
	子宮頸部	C53	745	0	0	0	0	2	15	40	73	84	103	73	56	66	77	50	43	28	23	9	3	0	0
	子宮体部	C54	1,233	0	0	0	0	2	1	14	28	86	146	190	179	124	164	95	100	56	33	11	3	1	0
	卵巣	C56	805	0	0	2	2	8	10	5	27	69	104	106	81	72	95	79	59	45	32	6	3	0	0
	膀胱	C67	324	0	0	0	0	0	0	1	0	2	2	4	8	14	41	40	70	57	49	25	8	3	0
	腎・尿路（膀胱除く）	C64-C66 C68	593	0	0	0	0	0	0	2	6	11	15	23	43	32	90	71	98	93	72	31	6	0	0
	脳・中枢神経系	C70-C72	221	4	4	4	6	3	5	6	8	9	18	14	16	18	28	25	22	16	10	3	2	0	0
	甲状腺	C73	828	0	0	0	9	20	23	34	64	64	67	60	73	69	112	81	74	37	21	14	6	0	0
	悪性リンパ腫	C81-C85 C96	944	3	2	3	1	8	6	10	19	20	35	37	61	79	139	127	155	135	70	25	8	1	0
	多発性骨髄腫	C88-C90	229	0	0	0	0	0	0	0	1	2	8	8	8	16	41	36	32	46	20	7	4	0	0
	白血病	C91-C95	339	14	3	7	3	5	6	8	6	15	12	9	24	27	38	31	39	40	36	11	5	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	66,559	75	38	38	59	102	182	350	799	1,704	2,601	3,061	3,756	5,590	10,531	10,871	10,752	8,453	5,060	1,988	476	73	0
	口腔・咽頭	C00-C14	1,578	0	1	3	1	2	5	12	24	54	74	96	113	176	256	231	202	194	84	36	14	0	0
	食道	C15	2,001	0	0	0	0	0	0	0	1	14	20	68	140	196	398	440	383	206	106	22	4	3	0
	胃	C16	8,796	0	0	0	1	0	3	15	27	85	142	208	387	655	1,382	1,698	1,685	1,367	787	282	59	13	0
	大腸（結腸・直腸）	C18-C20	10,676	0	0	0	1	3	11	28	80	182	293	443	625	991	1,828	1,757	1,765	1,372	862	341	75	19	0
	結腸	C18	7,088	0	0	0	1	2	6	15	42	91	165	220	351	587	1,129	1,159	1,273	1,026	679	262	64	16	0
	直腸	C19-C20	3,588	0	0	0	0	1	5	13	38	91	128	223	274	404	699	598	492	346	183	79	11	3	0
	肝および肝内胆管	C22	2,536	0	0	0	1	0	0	4	7	10	32	63	111	204	359	402	486	462	269	102	24	0	0
	胆のう・胆管	C23-C24	1,299	0	0	0	0	0	1	0	5	7	13	27	31	88	146	214	238	238	171	89	28	3	0
	膵臓	C25	2,624	0	0	0	1	1	1	2	12	21	40	88	133	190	393	478	433	411	268	122	29	1	0
	喉頭	C32	300	0	0	0	0	0	0	1	1	1	5	9	17	31	67	69	40	37	15	7	0	0	0
	肺	C33-C34	7,683	0	0	0	0	2	2	11	25	64	133	199	323	608	1,358	1,382	1,415	1,123	714	267	52	5	0
	皮膚	C43-C44	1,597	1	0	0	1	4	4	3	9	33	34	56	57	86	189	242	263	257	189	119	42	8	0
	乳房	C50	7,281	0	0	0	0	4	23	65	233	641	987	789	626	729	990	776	616	412	243	115	25	7	0
	子宮	C53-C55	2,009	0	0	0	0	4	16	54	101	171	250	263	235	193	242	145	145	94	65	24	6	1	0
	子宮頸部	C53	745	0	0	0	0	2	15	40	73	84	103	73	56	66	77	50	43	28	23	9	3	0	0
	子宮体部	C54	1,233	0	0	0	0	2	1	14	28	86	146	190	179	124	164	95	100	56	33	11	3	1	0
	卵巣	C56	805	0	0	2	2	8	10	5	27	69	104	106	81	72	95	79	59	45	32	6	3	0	0
	前立腺	C61	6,335	0	0	0	0	0	0	0	1	1	17	102	221	470	1,266	1,456	1,389	841	412	127	30	2	0
	膀胱	C67	1,487	0	0	0	0	0	0	1	3	7	14	29	53	121	211	236	295	261	162	76	13	5	0
	腎・尿路（膀胱除く）	C64-C66 C68	1,958	3	0	0	0	0	2	8	23	51	71	118	128	156	316	293	311	257	154	53	14	0	0
	脳・中枢神経系	C70-C72	436	11	9	6	10	6	9	8	20	25	30	27	28	30	53	49	48	34	23	7	3	0	0
	甲状腺	C73	1,124	0	0	1	9	22	29	46	76	85	96	94	99	97	158	107	102	59	24	14	6	0	0
	悪性リンパ腫	C81-C85 C96	2,117	7	9	4	6	10	13	18	36	49	75	92	133	192	292	331	348	286	159	47	9	1	0
	多発性骨髄腫	C88-C90	440	0	0	0	0	0	0	0	1	6	15	27	18	28	85	65	70	77	34	10	4	0	0
	白血病	C91-C95	861	30	9	13	11	11	17	14	20	41	40	34	49	66	103	90	112	106	67	20	7	1	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	42,082	37	24	17	31	35	76	127	253	561	895	1,447	2,178	3,723	7,402	7,903	7,723	5,693	2,899	879	163	16	0
	食道	C15 D001	1,805	0	0	0	0	0	0	0	1	13	17	59	124	175	374	411	350	183	84	11	2	1	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	8,577	0	0	0	0	2	8	17	63	160	284	405	582	925	1,609	1,481	1,469	984	444	123	15	6	0
	結腸 *2	C18 D010	5,633	0	0	0	0	1	5	10	37	92	171	225	353	561	1,014	976	1,034	725	325	88	13	3	0
	直腸 *2	C19-C20 D011-D012	2,944	0	0	0	0	1	3	7	26	68	113	180	229	364	595	505	435	259	119	35	2	3	0
	肺	C33-C34 D021-D022	5,139	0	0	0	0	1	2	4	13	35	82	119	213	420	941	983	969	748	444	136	29	0	0
	皮膚	C43-C44 D030-D049	991	1	0	0	1	1	3	1	7	15	15	31	38	60	120	153	187	173	106	64	15	0	0
	乳房	C50 D05	55	0	0	0	0	0	0	0	0	0	2	1	3	5	11	7	5	9	7	5	0	0	0
	膀胱	C67 D090	2,166	0	0	0	0	1	1	2	5	19	35	59	95	194	341	380	402	358	188	76	8	2	0
	女	全部位	C00-C96 D00-D09	32,727	38	14	21	29	94	246	496	912	1,680	2,272	2,110	2,104	2,561	4,359	4,125	4,105	3,519	2,469	1,190	326	57
食道		C15 D001	390	0	0	0	0	0	0	0	1	2	7	14	24	39	65	78	70	45	28	13	2	2	0
大腸（結腸・直腸）*2		C18-C20 D010-D012	5,914	0	0	0	1	2	4	18	52	134	184	277	344	479	927	954	913	779	541	230	62	13	0
結腸 *2		C18 D010	4,290	0	0	0	1	1	2	12	34	76	113	160	222	320	651	690	712	606	443	183	51	13	0
直腸 *2		C19-C20 D011-D012	1,624	0	0	0	0	1	2	6	18	58	71	117	122	159	276	264	201	173	98	47	11	0	0
肺		C33-C34 D021-D022	2,591	0	0	0	0	1	0	7	12	29	51	82	112	194	429	410	453	377	275	131	23	5	0
皮膚		C43-C44 D030-D049	976	0	0	0	0	3	3	2	8	23	23	32	34	44	111	136	135	164	137	79	34	8	0
乳房		C50 D05	8,119	0	0	0	0	7	28	88	268	760	1,153	892	697	784	1,089	847	663	439	253	119	25	7	0
子宮		C53-C55 D06	3,380	0	0	0	1	25	146	292	386	442	426	350	274	225	286	163	161	105	67	24	6	1	0
子宮頸部		C53 D06	2,116	0	0	0	1	23	145	278	358	355	279	160	95	98	121	68	59	39	25	9	3	0	0
膀胱	C67 D090	560	0	0	0	0	1	0	2	0	8	6	9	24	32	84	79	112	92	65	34	9	3	0	
総数 *3	全部位	C00-C96 D00-D09	74,809	75	38	38	60	129	322	623	1,165	2,241	3,167	3,557	4,282	6,284	11,761	12,028	11,828	9,212	5,368	2,069	489	73	0
	食道	C15 D001	2,195	0	0	0	0	0	0	0	2	15	24	73	148	214	439	489	420	228	112	24	4	3	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	14,491	0	0	0	1	4	12	35	115	294	468	682	926	1,404	2,536	2,435	2,382	1,763	985	353	77	19	0
	結腸 *2	C18 D010	9,923	0	0	0	1	2	7	22	71	168	284	385	575	881	1,665	1,666	1,746	1,331	768	271	64	16	0
	直腸 *2	C19-C20 D011-D012	4,568	0	0	0	0	2	5	13	44	126	184	297	351	523	871	769	636	432	217	82	13	3	0
	肺	C33-C34 D021-D022	7,730	0	0	0	0	2	2	11	25	64	133	201	325	614	1,370	1,393	1,422	1,125	719	267	52	5	0
	皮膚	C43-C44 D030-D049	1,967	1	0	0	1	4	6	3	15	38	38	63	72	104	231	289	322	337	243	143	49	8	0
	乳房	C50 D05	8,174	0	0	0	0	7	28	88	268	762	1,154	895	702	795	1,096	852	672	446	258	119	25	7	0
	子宮	C53-C55 D06	3,380	0	0	0	1	25	146	292	386	442	426	350	274	225	286	163	161	105	67	24	6	1	0
	子宮頸部	C53 D06	2,116	0	0	0	1	23	145	278	358	355	279	160	95	98	121	68	59	39	25	9	3	0	0
膀胱	C67 D090	2,726	0	0	0	0	2	1	4	5	27	41	68	119	226	425	459	514	450	253	110	17	5	0	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	833.9	19.9	12.3	8.5	14.0	12.5	28.6	42.2	68.8	122.7	187.7	384.6	715.8	1,279.1	2,042.3	2,959.3	3,503.5	3,870.4	4,003.2	-
	口腔・咽頭	C00-C14	25.1	0.0	0.5	1.0	0.5	0.4	0.4	3.5	3.1	8.4	12.3	20.7	32.1	55.0	65.6	77.4	77.6	96.3	60.2	-
	食道	C15	36.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.5	17.6	44.5	62.0	104.0	153.1	160.7	122.2	100.0	-
	胃	C16	136.1	0.0	0.0	0.0	0.5	0.0	0.4	3.1	4.6	13.5	20.4	43.2	101.9	185.7	316.0	529.6	613.9	714.8	698.9	-
	大腸（結腸・直腸）	C18-C20	134.2	0.0	0.0	0.0	0.0	0.4	2.7	4.9	12.0	25.3	43.0	76.5	144.5	248.8	349.7	435.4	536.3	551.1	541.9	-
	結腸	C18	83.9	0.0	0.0	0.0	0.0	0.4	1.6	2.4	5.2	13.0	23.4	36.7	76.6	138.8	203.4	272.8	369.7	398.5	398.9	-
	直腸	C19-C20	50.3	0.0	0.0	0.0	0.0	0.0	1.2	2.4	6.8	12.2	19.6	39.8	67.9	110.1	146.3	162.6	166.7	152.6	143.0	-
	肝および肝内胆管	C22	37.6	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.5	1.5	5.3	16.7	32.8	64.3	85.0	118.1	159.2	217.8	209.7	-
	胆のう・胆管	C23-C24	15.7	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.9	0.8	2.3	5.2	7.5	21.3	30.4	56.4	68.2	94.1	117.2	-
	膵臓	C25	30.8	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.6	3.6	6.5	17.6	32.1	46.1	80.4	109.9	114.4	149.6	150.5	-
	喉頭	C32	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.0	2.8	5.7	11.2	19.9	27.6	19.4	25.2	19.4	-
	肺	C33-C34	112.1	0.0	0.0	0.0	0.0	0.4	0.8	1.4	4.0	8.9	20.6	36.7	80.0	162.0	287.1	401.6	480.1	554.1	652.7	-
	皮膚	C43-C44	18.1	0.5	0.0	0.0	0.5	0.4	0.8	0.3	1.5	3.3	3.5	8.6	11.3	19.4	31.9	53.5	77.6	102.2	162.4	-
	乳房	C50	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.9	1.5	3.9	2.1	1.6	3.5	5.2	5.4	-
	前立腺	C61	138.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	4.3	31.5	83.4	182.2	388.3	599.2	691.0	623.0	614.0	-
	膀胱	C67	25.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.3	3.0	7.7	17.0	41.5	52.1	80.7	111.9	151.1	183.9	-
	腎・尿路（膀胱除く）	C64-C66 C68	29.9	1.6	0.0	0.0	0.0	0.0	0.8	2.1	5.2	10.2	14.1	29.3	32.1	48.1	69.3	91.4	106.0	121.5	120.4	-
	脳・中枢神経系	C70-C72	4.7	3.8	2.6	1.0	1.8	1.1	1.6	0.7	3.7	4.1	3.0	4.0	4.5	4.7	7.7	9.9	12.9	13.3	19.4	-
	甲状腺	C73	6.5	0.0	0.0	0.5	0.0	0.8	2.4	4.2	3.7	5.4	7.3	10.5	9.8	10.9	14.1	10.7	13.9	16.3	3.2	-
	悪性リンパ腫	C81-C85 C96	25.7	2.2	3.6	0.5	2.3	0.8	2.7	2.8	5.2	7.4	10.1	17.0	27.2	43.8	46.9	84.0	96.0	111.9	120.4	-
	多発性骨髄腫	C88-C90	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.8	5.9	3.8	4.7	13.5	11.9	18.9	23.0	18.3	-
	白血病	C91-C95	11.4	8.6	3.1	3.0	3.6	2.3	4.3	2.1	4.3	6.6	7.0	7.7	9.4	15.1	19.9	24.3	36.3	48.9	46.2	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	622.1	21.5	7.5	11.0	13.4	29.2	46.6	86.1	189.5	329.6	502.4	615.3	743.6	891.1	1,122.6	1,352.9	1,572.0	1,754.3	1,976.5	-
	口腔・咽頭	C00-C14	9.4	0.0	0.0	0.5	0.0	0.4	1.7	0.8	4.6	5.7	6.8	9.8	11.2	13.2	12.2	15.8	19.5	34.8	39.8	-
	食道	C15	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.6	3.7	8.8	14.0	17.1	25.0	25.4	22.3	21.4	-
	胃	C16	56.4	0.0	0.0	0.0	0.0	0.0	0.9	2.3	3.9	8.6	16.5	23.1	46.8	68.5	102.0	151.1	191.1	218.5	250.5	-
	大腸（結腸・直腸）	C18-C20	99.3	0.0	0.0	0.0	0.5	0.8	1.7	5.3	13.5	22.4	33.1	66.1	96.8	135.8	199.4	257.0	291.1	341.3	404.6	-
	結腸	C18	71.1	0.0	0.0	0.0	0.5	0.4	0.9	3.0	8.2	10.8	19.5	34.2	59.2	89.1	135.1	182.4	224.6	265.2	331.6	-
	直腸	C19-C20	28.2	0.0	0.0	0.0	0.0	0.4	0.9	2.3	5.3	11.6	13.6	31.9	37.6	46.7	64.3	74.6	66.5	76.1	73.0	-
	肝および肝内胆管	C22	17.9	0.0	0.0	0.0	0.5	0.0	0.0	0.4	0.7	1.1	3.0	3.1	9.6	14.8	23.8	42.3	70.3	91.3	102.0	-
	胆のう・胆管	C23-C24	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.1	1.1	3.4	4.4	12.8	13.6	28.3	42.8	60.3	92.9	-
	膵臓	C25	26.6	0.0	0.0	0.0	0.5	0.4	0.0	0.0	3.3	1.9	3.8	10.5	19.2	27.6	38.0	77.6	86.0	113.6	142.9	-
	喉頭	C32	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.0	0.8	0.8	0.6	0.7	0.4	1.6	2.0	-
	肺	C33-C34	56.0	0.0	0.0	0.0	0.0	0.4	0.0	2.6	3.9	7.8	13.8	27.1	44.4	73.9	122.3	149.3	190.7	203.8	219.9	-
	皮膚	C43-C44	16.9	0.0	0.0	0.0	0.0	1.3	0.9	0.8	1.3	5.4	5.4	9.5	10.8	14.0	24.6	41.2	45.3	64.7	105.6	-
	乳房	C50	157.9	0.0	0.0	0.0	0.0	1.7	9.8	24.4	76.6	172.5	267.2	266.4	248.8	279.8	284.9	283.8	258.1	220.1	196.4	-
	子宮	C53-C55	43.9	0.0	0.0	0.0	0.0	1.7	6.8	20.3	33.2	46.1	67.8	89.2	94.0	75.1	70.1	53.3	61.4	51.1	49.0	-
	子宮頸部	C53	16.3	0.0	0.0	0.0	0.0	0.8	6.4	15.0	24.0	22.6	27.9	24.7	22.4	25.7	22.3	18.4	18.2	15.2	17.9	-
	子宮体部	C54	26.9	0.0	0.0	0.0	0.0	0.8	0.4	5.3	9.2	23.2	39.6	64.4	71.6	48.2	47.5	34.9	42.4	30.4	24.5	-
	卵巣	C56	17.6	0.0	0.0	1.0	1.0	3.4	4.3	1.9	8.9	18.6	28.2	35.9	32.4	28.0	27.5	29.0	25.0	24.5	20.9	-
	膀胱	C67	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	0.5	1.4	3.2	5.4	11.9	14.7	29.7	31.0	43.4	-
	腎・尿路（膀胱除く）	C64-C66 C68	12.9	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.0	3.0	4.1	7.8	17.2	12.5	26.1	26.1	41.5	50.5	55.6	-
	脳・中枢神経系	C70-C72	4.8	2.3	2.2	2.1	2.9	1.3	2.1	2.3	2.6	2.4	4.9	4.7	6.4	7.0	8.1	9.2	9.3	8.7	7.7	-
	甲状腺	C73	18.1	0.0	0.0	0.0	4.3	8.5	9.8	12.8	21.1	17.3	18.2	20.3	29.2	26.8	32.5	29.8	31.4	20.1	20.9	-
	悪性リンパ腫	C81-C85 C96	20.6	1.7	1.1	1.6	0.5	3.4	2.6	3.8	6.3	5.4	9.5	12.5	24.4	30.7	40.3	46.7	65.7	73.4	53.1	-
	多発性骨髄腫	C88-C90	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	2.2	2.7	3.2	6.2	11.9	13.2	13.6	25.0	15.8	-
	白血病	C91-C95	7.4	7.9	1.6	3.7	1.4	2.1	2.6	3.0	2.0	4.0	3.3	3.1	9.6	10.5	11.0	11.4	16.5	21.7	26.5	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	727.8	20.7	10.0	9.7	13.7	20.4	37.2	63.3	127.2	223.3	339.1	494.5	729.3	1,085.4	1,569.4	2,110.9	2,460.4	2,649.8	2,628.7	-
	口腔・咽頭	C00-C14	17.3	0.0	0.3	0.8	0.2	0.4	1.0	2.2	3.8	7.1	9.6	15.5	21.9	34.2	38.2	44.9	46.2	60.8	46.4	-
	食道	C15	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.8	2.6	11.0	27.2	38.1	59.3	85.4	87.6	64.6	46.7	-
	胃	C16	96.2	0.0	0.0	0.0	0.2	0.0	0.6	2.7	4.3	11.1	18.5	33.6	75.1	127.2	206.0	329.7	385.6	428.5	394.8	-
	大腸（結腸・直腸）	C18-C20	116.7	0.0	0.0	0.0	0.2	0.6	2.2	5.1	12.7	23.9	38.2	71.6	121.4	192.4	272.4	341.2	403.9	430.1	448.8	-
	結腸	C18	77.5	0.0	0.0	0.0	0.2	0.4	1.2	2.7	6.7	11.9	21.5	35.5	68.2	114.0	168.3	225.0	291.3	321.6	353.3	-
	直腸	C19-C20	39.2	0.0	0.0	0.0	0.0	0.2	1.0	2.4	6.1	11.9	16.7	36.0	53.2	78.4	104.2	116.1	112.6	108.5	95.5	-
	肝および肝内胆管	C22	27.7	0.0	0.0	0.0	0.2	0.0	0.0	0.7	1.1	1.3	4.2	10.2	21.6	39.6	53.5	78.1	111.2	144.8	136.7	-
	胆のう・胆管	C23-C24	14.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	0.9	1.7	4.4	6.0	17.1	21.8	41.6	54.5	74.6	100.7	-
	膵臓	C25	28.7	0.0	0.0	0.0	0.2	0.2	0.2	0.4	1.9	2.8	5.2	14.2	25.8	36.9	58.6	92.8	99.1	128.8	145.3	-
	喉頭	C32	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.1	0.7	1.5	3.3	6.0	10.0	13.4	9.2	11.6	7.6	-
	肺	C33-C34	84.0	0.0	0.0	0.0	0.0	0.4	0.4	2.0	4.0	8.4	17.3	32.1	62.7	118.1	202.4	268.3	323.8	352.0	359.2	-
	皮膚	C43-C44	17.5	0.3	0.0	0.0	0.2	0.8	0.8	0.5	1.4	4.3	4.4	9.0	11.1	16.7	28.2	47.0	60.2	80.6	123.9	-
	乳房	C50	79.6	0.0	0.0	0.0	0.0	0.8	4.7	11.8	37.1	84.0	128.7	127.5	121.6	141.6	147.5	150.7	141.0	129.2	134.9	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	16.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.9	1.8	4.7	10.3	23.5	31.4	45.8	67.5	81.8	88.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	21.4	0.8	0.0	0.0	0.0	0.0	0.4	1.4	3.7	6.7	9.3	19.1	24.9	30.3	47.1	56.9	71.2	80.6	76.5	-
	脳・中枢神経系	C70-C72	4.8	3.0	2.4	1.5	2.3	1.2	1.8	1.4	3.2	3.3	3.9	4.4	5.4	5.8	7.9	9.5	11.0	10.7	11.4	-
	甲状腺	C73	12.3	0.0	0.0	0.3	2.1	4.4	5.9	8.3	12.1	11.1	12.5	15.2	19.2	18.8	23.5	20.8	23.3	18.5	15.2	-
	悪性リンパ腫	C81-C85 C96	23.1	1.9	2.4	1.0	1.4	2.0	2.7	3.3	5.7	6.4	9.8	14.9	25.8	37.3	43.5	64.3	79.6	89.7	74.7	-
	多発性骨髄腫	C88-C90	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	2.0	4.4	3.5	5.4	12.7	12.6	16.0	24.1	16.6	-
	白血病	C91-C95	9.4	8.3	2.4	3.3	2.6	2.2	3.5	2.5	3.2	5.4	5.2	5.5	9.5	12.8	15.4	17.5	25.6	33.2	32.9	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	921.8	19.9	12.3	8.5	14.0	13.3	29.8	44.3	78.1	143.1	224.9	446.6	821.9	1,443.0	2,270.6	3,252.3	3,842.3	4,217.0	4,254.8	-	
	食道	C15 D001	39.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.3	4.3	18.2	46.8	67.8	114.7	169.1	174.1	135.6	105.4	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	187.9	0.0	0.0	0.0	0.0	0.8	3.1	5.9	19.4	40.8	71.4	125.0	219.6	358.5	493.6	609.5	730.8	728.9	632.3	-	
	結腸 *2	C18 D010	123.4	0.0	0.0	0.0	0.0	0.4	2.0	3.5	11.4	23.5	43.0	69.4	133.2	217.4	311.0	401.6	514.4	537.0	461.3	-	
	直腸 *2	C19-C20 D011-D012	64.5	0.0	0.0	0.0	0.0	0.4	1.2	2.4	8.0	17.3	28.4	55.6	86.4	141.1	182.5	207.8	216.4	191.9	171.0	-	
	肺	C33-C34 D021-D022	112.6	0.0	0.0	0.0	0.0	0.4	0.8	1.4	4.0	8.9	20.6	36.7	80.4	162.8	288.7	404.5	482.1	554.1	654.8	-	
	皮膚	C43-C44 D030-D049	21.7	0.5	0.0	0.0	0.5	0.4	1.2	0.3	2.2	3.8	3.8	9.6	14.3	23.3	36.8	63.0	93.0	128.1	198.9	-	
	乳房	C50 D05	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.9	1.9	4.3	2.1	2.1	4.5	5.2	5.4	-
	膀胱	C67 D090	47.4	0.0	0.0	0.0	0.0	0.4	0.4	0.7	1.5	4.8	8.8	18.2	35.8	75.2	104.6	156.4	200.0	265.2	294.6	-	
女	全部位	C00-C96 D00-D09	714.6	21.5	7.5	11.0	13.9	39.8	105.1	186.5	300.0	452.8	615.7	715.3	841.6	996.5	1,263.5	1,516.5	1,739.4	1,912.5	2,062.2	-	
	食道	C15 D001	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	1.9	4.7	9.6	15.2	18.8	28.7	29.7	24.5	23.0	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	129.1	0.0	0.0	0.0	0.5	0.8	1.7	6.8	17.1	36.1	49.9	93.9	137.6	186.4	268.7	350.7	386.9	423.4	431.6	-	
	結腸 *2	C18 D010	93.7	0.0	0.0	0.0	0.5	0.4	0.9	4.5	11.2	20.5	30.6	54.2	88.8	124.5	188.7	253.7	301.7	329.3	352.0	-	
	直腸 *2	C19-C20 D011-D012	35.5	0.0	0.0	0.0	0.0	0.4	0.9	2.3	5.9	15.6	19.2	39.7	48.8	61.9	80.0	97.1	85.2	94.0	79.6	-	
	肺	C33-C34 D021-D022	56.6	0.0	0.0	0.0	0.0	0.4	0.0	2.6	3.9	7.8	13.8	27.8	44.8	75.5	124.3	150.7	191.9	204.9	221.4	-	
	皮膚	C43-C44 D030-D049	21.3	0.0	0.0	0.0	0.0	1.3	1.3	0.8	2.6	6.2	6.2	10.8	13.6	17.1	32.2	50.0	57.2	89.1	131.6	-	
	乳房	C50 D05	177.3	0.0	0.0	0.0	0.0	3.0	12.0	33.1	88.2	204.9	312.5	302.4	278.8	305.1	315.7	311.4	280.9	238.6	206.1	-	
	子宮	C53-C55 D06	73.8	0.0	0.0	0.0	0.5	10.6	62.4	109.8	127.0	119.1	115.4	118.6	109.6	87.5	82.9	59.9	68.2	57.1	50.0	-	
子宮頸部	C53 D06	46.2	0.0	0.0	0.0	0.5	9.7	62.0	104.5	117.8	95.7	75.6	54.2	38.0	38.1	35.1	25.0	25.0	21.2	18.9	-		
膀胱	C67 D090	12.2	0.0	0.0	0.0	0.0	0.4	0.0	0.8	0.0	2.2	1.6	3.1	9.6	12.5	24.3	29.0	47.5	50.0	56.6	-		
総数 *3	全部位	C00-C96 D00-D09	818.0	20.7	10.0	9.7	13.9	25.8	65.8	112.7	185.5	293.7	412.9	574.6	831.5	1,220.2	1,752.8	2,335.5	2,706.6	2,887.8	2,767.8	-	
	食道	C15 D001	24.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	3.1	11.8	28.7	41.6	65.4	95.0	96.1	71.5	49.5	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	158.5	0.0	0.0	0.0	0.2	0.8	2.5	6.3	18.3	38.5	61.0	110.2	179.8	272.6	377.9	472.8	545.1	552.7	496.2	-	
	結腸 *2	C18 D010	108.5	0.0	0.0	0.0	0.2	0.4	1.4	4.0	11.3	22.0	37.0	62.2	111.7	171.1	248.1	323.5	399.5	417.2	387.2	-	
	直腸 *2	C19-C20 D011-D012	50.0	0.0	0.0	0.0	0.0	0.4	1.0	2.4	7.0	16.5	24.0	48.0	68.2	101.6	129.8	149.3	145.5	135.4	109.0	-	
	肺	C33-C34 D021-D022	84.5	0.0	0.0	0.0	0.0	0.4	0.4	2.0	4.0	8.4	17.3	32.5	63.1	119.2	204.2	270.5	325.4	352.7	360.9	-	
	皮膚	C43-C44 D030-D049	21.5	0.3	0.0	0.0	0.2	0.8	1.2	0.5	2.4	5.0	5.0	10.2	14.0	20.2	34.4	56.1	73.7	105.6	153.3	-	
	乳房	C50 D05	89.4	0.0	0.0	0.0	0.0	1.4	5.7	15.9	42.7	99.9	150.5	144.6	136.3	154.4	163.3	165.4	153.8	139.8	141.5	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	29.8	0.0	0.0	0.0	0.0	0.4	0.2	0.7	0.8	3.5	5.3	11.0	23.1	43.9	63.3	89.1	117.6	141.1	133.2	-		

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2016年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	64,557	16.8	29.9	0.0	46.6	6.7
口腔・咽頭	C00-C14	1,539	1.6	25.5	0.0	67.3	5.6
食道	C15	1,958	14.2	32.1	0.1	49.4	4.2
胃	C16	8,564	20.7	33.5	0.0	40.2	5.5
大腸（結腸・直腸）	C18-C20	10,376	18.7	23.3	0.0	49.9	8.0
結腸	C18	6,860	18.9	25.6	0.0	47.6	7.9
直腸	C19-C20	3,516	18.2	18.9	0.0	54.6	8.3
肝および肝内胆管	C22	2,377	4.8	58.9	0.1	25.4	10.9
胆のう・胆管	C23-C24	1,209	5.3	35.4	0.2	54.8	4.4
膵臓	C25	2,489	5.9	33.3	0.0	56.0	4.7
喉頭	C32	299	1.3	8.4	0.0	85.6	4.7
肺	C33-C34	7,317	18.6	39.4	0.1	35.7	6.3
皮膚	C43-C44	1,587	0.2	12.3	0.0	84.4	3.2
乳房	C50	7,163	27.5	13.0	0.0	51.1	8.4
乳房（女性のみ）	C50	7,115	27.6	13.0	0.0	51.0	8.4
子宮	C53-C55	1,972	13.3	18.7	0.0	63.5	4.5
子宮頸部	C53	736	19.0	14.9	0.0	60.3	5.7
子宮体部	C54	1,220	10.1	21.0	0.0	65.8	3.1
卵巣	C56	775	7.2	25.7	0.3	59.4	7.5
前立腺	C61	6,225	30.6	36.7	0.0	24.6	8.0
膀胱	C67	1,447	3.6	23.9	0.0	64.4	8.1
腎・尿路（膀胱除く）	C64-C66 C68	1,896	14.2	44.0	0.2	35.2	6.5
脳・中枢神経系	C70-C72	422	3.1	16.8	0.0	73.9	6.2
甲状腺	C73	1,111	18.1	39.4	0.3	34.1	8.1
悪性リンパ腫	C81-C85 C96	2,069	5.9	26.7	0.1	63.7	3.6
多発性骨髄腫	C88-C90	418	5.7	52.4	0.0	38.5	3.3
白血病	C91-C95	835	9.7	35.9	0.0	51.0	3.4

*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2016年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	72,806	18.3	30.4	0.0	44.6	6.6
食道	C15 D001	2,152	14.5	35.4	0.0	46.1	3.9
大腸（結腸・直腸）*2	C18-C20 D010-D012	14,191	23.4	26.7	0.0	41.7	8.2
結腸 *2	C18 D010	9,695	24.0	28.6	0.0	39.2	8.2
直腸 *2	C19-C20 D011-D012	4,496	22.0	22.6	0.0	47.2	8.1
肺	C33-C34 D021-D022	7,364	18.6	39.5	0.1	35.6	6.3
皮膚	C43-C44 D030-D049	1,957	0.2	13.5	0.0	83.1	3.2
乳房	C50 D05	8,056	29.2	14.0	0.0	48.9	7.9
乳房（女性のみ）	C50 D05	8,002	29.4	14.0	0.0	48.8	7.9
子宮	C53-C55 D06	3,342	25.6	27.0	0.0	43.3	4.1
子宮頸部	C53 D06	2,106	34.9	30.5	0.0	30.2	4.4
膀胱	C67 D090	2,686	4.5	26.8	0.0	62.7	6.0

*1 DCOを除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2016年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	63,311	47.0	9.1	13.3	17.8	12.6	22.5
口腔・咽頭	C00-C14	1,539	40.0	13.3	30.3	4.8	11.7	43.5
食道	C15	1,958	41.2	8.2	26.4	15.7	8.6	34.5
胃	C16	8,564	58.3	9.2	7.7	16.3	8.5	16.9
大腸（結腸・直腸）	C18-C20	10,376	45.6	15.1	11.5	17.1	10.7	26.5
結腸	C18	6,860	45.3	14.1	12.0	18.0	10.4	26.1
直腸	C19-C20	3,516	46.1	16.9	10.4	15.4	11.2	27.3
肝および肝内胆管	C22	2,377	55.1	1.9	9.7	10.6	22.8	11.6
胆のう・胆管	C23-C24	1,209	13.6	2.0	43.8	25.5	15.0	45.8
膵臓	C25	2,489	8.3	1.9	32.9	45.5	11.4	34.8
喉頭	C32	299	71.6	7.0	11.7	1.3	8.4	18.7
肺	C33-C34	7,317	32.0	9.7	8.7	38.5	11.1	18.4
皮膚	C43-C44	1,587	82.2	1.3	4.0	1.4	6.6	5.3
乳房	C50	7,163	57.6	21.3	3.8	5.9	11.4	25.1
乳房（女性のみ）	C50	7,115	57.7	21.2	3.8	5.9	11.4	25.0
子宮	C53-C55	1,972	56.8	3.7	20.9	10.4	8.2	24.6
子宮頸部	C53	736	40.2	5.0	31.7	12.8	10.2	36.7
子宮体部	C54	1,220	67.4	3.0	14.6	9.0	6.1	17.5
卵巣	C56	775	19.9	0.9	49.2	15.9	14.2	50.1
前立腺	C61	6,225	59.3	1.2	16.0	11.5	11.9	17.3
膀胱	C67	1,447	61.5	2.8	10.0	5.1	18.9	12.7
腎・尿路（膀胱除く）	C64-C66 C68	1,896	57.0	1.1	16.5	12.3	13.1	17.6
脳・中枢神経系	C70-C72	422	58.3	0.0	13.3	1.9	26.5	13.3
甲状腺	C73	1,111	35.0	35.1	4.9	5.8	19.3	40.0
悪性リンパ腫	C81-C85 C96	2,048	25.0	0.4	13.6	44.3	16.7	14.1
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	71,560	11.5	41.6	8.1	11.8	15.7	11.3	19.9
食道	C15 D001	2,152	8.9	37.5	7.4	24.0	14.3	8.0	31.4
大腸 (結腸・直腸) *3	C18-C20 D010-D012	14,191	26.8	33.3	11.0	8.4	12.5	7.9	19.4
結腸 *3	C18 D010	9,695	29.1	32.1	10.0	8.5	12.8	7.5	18.5
直腸 *3	C19-C20 D011-D012	4,496	21.8	36.0	13.2	8.1	12.0	8.8	21.4
肺	C33-C34 D021-D022	7,364	0.6	31.8	9.7	8.6	38.3	11.0	18.3
皮膚	C43-C44 D030-D049	1,957	21.9	67.0	1.1	3.3	1.2	5.6	4.4
乳房	C50 D05	8,056	10.6	51.3	18.9	3.4	5.2	10.6	22.3
乳房 (女性のみ)	C50 D05	8,002	10.6	51.4	18.9	3.4	5.2	10.5	22.2
子宮	C53-C55 D06	3,342	40.4	33.5	2.2	12.3	6.1	5.4	14.5
子宮頸部	C53 D06	2,106	64.1	14.1	1.8	11.1	4.5	4.6	12.8
膀胱	C67 D090	2,686	45.7	33.2	1.5	5.4	2.8	11.5	6.9

*1 DCO、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	63,311	1.3	46.9	7.2	11.9	17.3	15.4	19.1
口腔・咽頭	C00-C14	1,539	0.8	35.9	14.2	29.8	4.8	14.6	43.9
食道	C15	1,958	4.1	37.2	7.3	26.5	15.7	9.3	33.8
胃	C16	8,564	0.3	59.1	8.1	6.5	15.0	11.0	14.6
大腸（結腸・直腸）	C18-C20	10,376	1.9	41.7	13.4	11.5	16.0	15.4	24.9
結腸	C18	6,860	2.2	40.8	12.6	12.1	16.8	15.5	24.7
直腸	C19-C20	3,516	1.5	43.5	15.0	10.3	14.4	15.3	25.3
肝および肝内胆管	C22	2,377	0.0	54.6	2.0	9.7	10.5	23.2	11.7
胆のう・胆管	C23-C24	1,209	0.3	13.5	2.2	39.1	24.6	20.2	41.4
膵臓	C25	2,489	0.0	11.1	1.6	29.9	44.6	12.7	31.5
喉頭	C32	299	0.0	70.2	7.0	12.4	1.0	9.4	19.4
肺	C33-C34	7,317	0.0	33.3	8.1	7.9	38.3	12.4	16.0
皮膚	C43-C44	1,587	5.2	75.7	1.1	3.3	1.2	13.5	4.3
乳房	C50	7,163	3.3	61.5	13.1	4.0	5.9	12.1	17.1
乳房（女性のみ）	C50	7,115	3.3	61.6	13.1	4.0	5.9	12.1	17.1
子宮	C53-C55	1,972	2.0	55.1	3.0	17.5	9.3	13.0	20.6
子宮頸部	C53	736	4.9	39.3	2.9	29.1	12.0	12.0	31.9
子宮体部	C54	1,220	0.2	65.2	3.2	10.7	7.8	12.8	13.9
卵巣	C56	775	0.0	20.4	0.4	32.3	15.1	31.9	32.6
前立腺	C61	6,225	0.0	62.9	1.1	11.9	11.6	12.6	12.9
膀胱	C67	1,447	6.6	54.9	2.3	10.9	4.8	20.5	13.2
腎・尿路（膀胱除く）	C64-C66 C68	1,896	0.8	57.1	2.1	10.0	12.1	17.9	12.0
脳・中枢神経系	C70-C72	422	0.0	58.1	0.0	11.4	2.1	28.4	11.4
甲状腺	C73	1,111	0.1	47.9	18.2	4.2	5.8	23.9	22.4
悪性リンパ腫	C81-C85 C96	2,048	0.0	24.3	0.4	13.4	44.3	17.6	13.8
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	71,560	9.5	42.4	6.4	10.5	15.3	15.8	17.0
食道	C15 D001	2,152	10.6	35.3	6.6	24.1	14.3	9.1	30.7
大腸 (結腸・直腸) *3	C18-C20 D010-D012	14,191	18.2	32.3	9.8	8.4	11.7	19.5	18.3
結腸 *3	C18 D010	9,695	19.9	30.7	9.0	8.6	11.9	20.0	17.5
直腸 *3	C19-C20 D011-D012	4,496	14.5	35.7	11.8	8.1	11.3	18.6	19.8
肺	C33-C34 D021-D022	7,364	0.2	33.5	8.0	7.9	38.1	12.4	15.9
皮膚	C43-C44 D030-D049	1,957	20.5	62.2	0.9	2.8	1.0	12.6	3.6
乳房	C50 D05	8,056	12.0	55.9	11.7	3.6	5.3	11.6	15.3
乳房 (女性のみ)	C50 D05	8,002	12.1	55.9	11.7	3.5	5.3	11.5	15.2
子宮	C53-C55 D06	3,342	39.8	32.9	1.8	10.4	5.5	9.6	12.1
子宮頸部	C53 D06	2,106	63.1	14.3	1.0	10.2	4.2	7.3	11.2
膀胱	C67 D090	2,686	37.5	35.3	1.3	6.1	2.6	17.1	7.4

*1 DCO、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2016年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	40,240	54.2	10.2	10.5	4.1	20.8	20.7
口腔・咽頭	C00-C14	934	51.5	6.5	15.4	0.5	26.0	21.9
食道	C15	892	63.7	5.8	7.8	0.6	22.1	13.7
胃	C16	6,667	67.5	9.4	7.0	3.5	12.6	16.3
大腸（結腸・直腸）	C18-C20	8,702	49.3	16.1	11.2	9.8	13.6	27.3
結腸	C18	5,886	48.4	15.4	12.5	11.0	12.7	27.9
直腸	C19-C20	2,816	51.1	17.6	8.5	7.5	15.3	26.1
肝および肝内胆管	C22	857	37.3	0.7	3.3	0.7	58.0	4.0
胆のう・胆管	C23-C24	594	14.1	1.5	52.9	3.9	27.6	54.4
膵臓	C25	916	12.4	3.2	39.4	6.4	38.5	42.6
喉頭	C32	109	53.2	3.7	11.0	0.9	31.2	14.7
肺	C33-C34	3,366	54.3	9.8	5.5	2.9	27.5	15.3
皮膚	C43-C44	1,501	82.1	1.1	3.3	0.4	8.5	4.4
乳房	C50	5,175	62.9	19.7	2.0	0.7	14.7	21.7
乳房（女性のみ）	C50	5,135	63.0	19.7	1.9	0.7	14.7	21.6
子宮	C53-C55	1,583	66.0	4.0	14.7	4.0	11.3	18.7
子宮頸部	C53	462	56.1	6.3	16.2	1.9	19.5	22.5
子宮体部	C54	1,109	70.7	3.2	14.2	5.0	7.0	17.3
卵巣	C56	609	24.3	1.0	49.1	6.9	18.7	50.1
前立腺	C61	2,192	44.2	0.6	16.4	0.6	38.2	17.0
膀胱	C67	1,254	54.5	2.2	6.4	2.9	34.0	8.5
腎・尿路（膀胱除く）	C64-C66 C68	1,521	62.2	0.3	16.4	3.4	17.8	16.7
脳・中枢神経系	C70-C72	326	51.5	0.0	11.3	1.2	35.9	11.3
甲状腺	C73	1,017	33.4	37.2	3.6	3.0	22.7	40.8
悪性リンパ腫	C81-C85 C96	429	18.6	0.7	3.7	7.5	69.5	4.4
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	48,198	16.2	45.2	8.5	8.8	3.5	17.8	17.3
食道	C15 D001	1,057	14.8	53.7	4.9	6.6	0.5	19.5	11.5
大腸 (結腸・直腸) *3	C18-C20 D010-D012	12,494	30.2	34.3	11.2	7.8	6.8	9.6	19.0
結腸 *3	C18 D010	8,710	32.2	32.7	10.4	8.4	7.4	8.8	18.9
直腸 *3	C19-C20 D011-D012	3,784	25.4	38.0	13.1	6.3	5.5	11.5	19.5
肺	C33-C34 D021-D022	3,409	1.2	53.6	9.7	5.4	2.9	27.3	15.1
皮膚	C43-C44 D030-D049	1,837	20.9	67.4	0.9	2.8	0.3	7.7	3.6
乳房	C50 D05	6,006	13.1	54.2	17.0	1.7	0.6	13.4	18.7
乳房 (女性のみ)	C50 D05	5,961	13.2	54.3	17.0	1.7	0.6	13.4	18.6
子宮	C53-C55 D06	2,871	42.8	36.4	2.2	8.1	2.2	8.3	10.3
子宮頸部	C53 D06	1,750	70.3	14.8	1.7	4.3	0.5	8.5	5.9
膀胱	C67 D090	2,465	46.8	27.7	1.1	3.2	1.5	19.6	4.3

*1 DC0、「660:手術なし・術前治療後」、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2016年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96	64,557	29.4	16.9	9.6	12.0	27.6	10.9	3.0	22.8
口腔・咽頭	C00-C14	1,539	44.1	0.4	4.7	31.8	31.1	0.1	0.5	23.1
食道	C15	1,958	11.0	12.3	25.7	27.9	41.3	0.1	0.9	19.6
胃	C16	8,564	22.4	15.6	34.7	0.4	18.6	0.1	1.4	20.4
大腸（結腸・直腸）	C18-C20	10,376	27.0	41.7	12.4	2.2	26.9	0.1	1.2	18.1
結腸	C18	6,860	28.8	41.3	11.6	0.3	25.1	0.1	1.1	18.7
直腸	C19-C20	3,516	23.5	42.6	13.9	5.9	30.5	0.1	1.3	17.0
肝および肝内胆管	C22	2,377	13.6	3.1	0.0	2.7	27.8	0.0	35.9	40.3
胆のう・胆管	C23-C24	1,209	34.4	3.0	0.7	1.6	26.3	0.2	3.4	43.8
膵臓	C25	2,489	24.1	1.2	0.7	3.2	49.1	0.2	2.5	38.5
喉頭	C32	299	14.7	0.7	12.7	63.2	30.8	0.0	1.3	15.1
肺	C33-C34	7,317	5.1	29.1	0.2	14.6	36.1	0.1	1.3	31.8
皮膚	C43-C44	1,587	89.6	0.0	0.1	2.4	2.4	0.8	1.8	8.4
乳房	C50	7,163	75.7	0.2	0.2	34.4	28.4	52.5	0.7	12.1
乳房（女性のみ）	C50	7,115	75.7	0.2	0.2	34.6	28.4	52.5	0.7	12.2
子宮	C53-C55	1,972	59.4	14.6	0.2	17.6	38.2	0.9	0.7	12.6
子宮頸部	C53	736	47.0	6.9	0.1	44.4	43.5	0.1	0.5	14.8
子宮体部	C54	1,220	67.5	19.3	0.2	1.7	35.6	1.4	0.8	10.2
卵巣	C56	775	73.3	5.0	0.0	0.3	63.5	0.0	0.3	17.0
前立腺	C61	6,225	5.4	18.4	1.5	20.5	2.1	48.1	1.0	20.1
膀胱	C67	1,447	14.1	3.6	71.4	6.4	38.6	1.0	13.9	16.2
腎・尿路（膀胱除く）	C64-C66 C68	1,896	21.3	46.8	1.4	1.7	13.4	0.2	1.5	23.8
脳・中枢神経系	C70-C72	422	59.5	0.0	0.0	46.0	48.3	0.2	1.7	30.1
甲状腺	C73	1,111	72.9	0.5	0.1	8.4	1.9	14.9	1.2	24.2
悪性リンパ腫	C81-C85 C96	2,069	6.2	1.5	0.4	8.5	61.4	1.0	2.4	28.8
多発性骨髄腫	C88-C90	418	1.4	0.0	0.0	4.3	68.7	1.0	7.9	27.0
白血病	C91-C95	835	0.0	0.0	0.0	4.4	69.6	0.8	8.6	29.2

*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2016年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96 D00-D09	72,806	29.5	15.5	15.3	11.1	25.2	9.9	2.9	20.7
食道	C15 D001	2,152	10.1	11.2	30.5	25.5	37.7	0.0	1.1	19.3
大腸 (結腸・直腸) *2	C18-C20 D010-D012	14,191	20.3	31.6	34.2	1.6	19.7	0.1	0.9	13.5
結腸 *2	C18 D010	9,695	20.9	30.6	35.6	0.2	17.8	0.1	0.9	13.5
直腸 *2	C19-C20 D011-D012	4,496	18.9	33.9	31.2	4.7	23.9	0.1	1.1	13.7
肺	C33-C34 D021-D022	7,364	5.1	29.4	0.2	14.6	35.9	0.1	1.3	31.7
皮膚	C43-C44 D030-D049	1,957	89.2	0.0	0.1	2.0	2.1	0.7	2.4	8.4
乳房	C50 D05	8,056	77.2	0.2	0.2	34.4	25.4	48.7	0.7	11.4
乳房 (女性のみ)	C50 D05	8,002	77.3	0.2	0.2	34.6	25.4	48.7	0.7	11.4
子宮	C53-C55 D06	3,342	68.5	11.6	0.7	10.5	22.7	0.6	1.0	11.1
子宮頸部	C53 D06	2,106	69.5	7.2	0.9	15.7	15.3	0.1	1.1	11.0
膀胱	C67 D090	2,686	8.6	2.7	80.9	3.5	40.0	1.2	13.5	10.4

*1 DCOを除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2016年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	35,112	88.7	10.2	1.1
口腔・咽頭	C00-C14	757	86.1	13.1	0.8
食道	C15	935	91.0	8.3	0.6
胃	C16	6,009	94.1	5.0	0.9
大腸（結腸・直腸）	C18-C20	7,958	89.5	9.6	0.9
結腸	C18	5,298	89.1	10.1	0.8
直腸	C19-C20	2,660	90.4	8.6	1.0
肝および肝内胆管	C22	397	90.7	8.8	0.5
胆のう・胆管	C23-C24	452	82.3	17.5	0.2
膵臓	C25	633	81.8	17.4	0.8
喉頭	C32	84	86.9	10.7	2.4
肺	C33-C34	2,494	92.9	6.4	0.7
皮膚	C43-C44	1,423	95.2	4.0	0.8
乳房	C50	5,434	93.9	5.6	0.5
乳房（女性のみ）	C50	5,397	93.9	5.6	0.5
子宮	C53-C55	1,447	92.1	7.3	0.6
子宮頸部	C53	394	91.6	8.1	0.3
子宮体部	C54	1,052	92.3	7.0	0.7
卵巣	C56	596	73.3	25.8	0.8
前立腺	C61	1,558	79.9	17.7	2.4
膀胱	C67	1,161	53.5	42.1	4.4
腎・尿路（膀胱除く）	C64-C66 C68	1,302	93.1	5.2	1.7
脳・中枢神経系	C70-C72	251	47.4	47.8	4.8
甲状腺	C73	813	85.7	12.8	1.5
悪性リンパ腫	C81-C85 C96	168	61.3	32.1	6.5
多発性骨髄腫	C88-C90	6	50.0	50.0	0.0
白血病	C91-C95	0	-	-	-

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

神奈川県

2016年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	42,895	89.9	8.9	1.2
食道	C15 D001	1,091	91.8	7.5	0.6
大腸（結腸・直腸）*2	C18-C20 D010-D012	11,729	91.9	7.1	1.0
結腸 *2	C18 D010	8,107	91.7	7.2	1.0
直腸 *2	C19-C20 D011-D012	3,622	92.3	6.7	1.0
肺	C33-C34 D021-D022	2,534	93.0	6.3	0.7
皮膚	C43-C44 D030-D049	1,746	95.3	3.8	0.9
乳房	C50 D05	6,240	94.0	5.4	0.5
乳房（女性のみ）	C50 D05	6,198	94.0	5.5	0.5
子宮	C53-C55 D06	2,677	93.5	5.6	0.9
子宮頸部	C53 D06	1,624	94.3	4.7	1.0
膀胱	C67 D090	2,337	72.7	24.2	3.2

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

神奈川県

2016年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.37	0.33	0.35	4.1	4.8	4.4	2.8	3.4	3.0	87.0	86.9	87.0	84.4	84.0	84.2
口腔・咽頭	C00-C14	0.34	0.32	0.33	2.9	3.0	2.9	2.5	2.3	2.5	93.3	91.9	92.9	92.1	89.4	91.4
食道	C15	0.44	0.42	0.43	2.7	3.5	2.8	2.1	2.3	2.1	94.9	89.9	94.0	94.6	89.3	93.7
胃	C16	0.31	0.35	0.32	3.5	5.0	3.9	2.4	3.3	2.6	94.2	91.7	93.5	94.0	91.2	93.2
大腸（結腸・直腸）	C18-C20	0.30	0.31	0.31	3.4	4.9	4.0	2.2	3.7	2.8	93.0	89.4	91.5	92.7	89.3	91.3
結腸	C18	0.31	0.33	0.32	3.8	5.6	4.6	2.6	4.0	3.2	92.2	88.1	90.3	91.9	88.0	90.1
直腸	C19-C20	0.29	0.27	0.28	2.7	3.3	2.9	1.5	2.9	2.0	94.3	92.8	93.7	94.0	92.7	93.6
肝および肝内胆管	C22	0.61	0.65	0.62	8.6	11.7	9.6	5.5	7.8	6.3	34.2	27.5	32.0	32.9	25.7	30.6
胆のう・胆管	C23-C24	0.71	0.77	0.74	6.7	13.4	9.7	5.2	9.1	6.9	75.9	60.7	69.1	64.9	50.2	58.3
膵臓	C25	0.80	0.80	0.80	5.8	9.1	7.4	3.8	6.7	5.1	67.0	60.1	63.8	59.1	50.9	55.3
喉頭	C32	0.16	0.44	0.18	0.4	5.6	0.7	0.0	5.6	0.3	94.7	83.3	94.0	93.6	83.3	93.0
肺	C33-C34	0.63	0.51	0.59	7.2	8.3	7.5	4.4	5.5	4.8	81.2	80.4	80.9	71.7	71.7	71.7
皮膚	C43-C44	0.06	0.05	0.05	0.7	0.9	0.8	0.6	0.6	0.6	97.9	98.2	98.1	97.9	98.1	98.0
乳房	C50	0.14	0.15	0.15	2.0	2.0	2.0	2.0	1.6	1.6	87.8	95.2	95.2	85.7	94.7	94.6
子宮	C53-C55	-	0.20	0.20	-	2.2	2.2	-	1.8	1.8	-	95.2	95.2	-	93.9	93.9
子宮頸部	C53	-	0.22	0.22	-	1.3	1.3	-	1.2	1.2	-	95.7	95.7	-	93.7	93.7
子宮体部	C54	-	0.13	0.13	-	1.3	1.3	-	1.1	1.1	-	96.8	96.8	-	95.9	95.9
卵巣	C56	-	0.40	0.40	-	4.2	4.2	-	3.7	3.7	-	91.1	91.1	-	85.8	85.8
前立腺	C61	0.12	-	0.12	2.1	-	2.1	1.7	-	1.7	91.3	-	91.3	91.1	-	91.1
膀胱	C67	0.31	0.49	0.35	3.0	4.3	3.3	2.4	3.7	2.7	91.7	84.9	90.2	88.0	79.9	86.2
腎・尿路（膀胱除く）	C64-C66 C68	0.30	0.35	0.32	4.1	5.4	4.5	3.2	3.2	3.2	83.4	77.9	81.8	79.9	72.7	77.7
脳・中枢神経系	C70-C72	0.43	0.42	0.42	5.6	5.0	5.3	3.3	3.2	3.2	80.5	77.4	78.9	80.5	76.9	78.7
甲状腺	C73	0.13	0.11	0.12	0.7	2.1	1.7	0.7	1.3	1.2	98.0	95.7	96.3	87.8	82.2	83.7
悪性リンパ腫	C81-C85 C96	0.38	0.31	0.35	2.9	3.7	3.3	2.3	2.2	2.3	95.5	94.0	94.8	93.9	92.8	93.4
多発性骨髄腫	C88-C90	0.56	0.53	0.55	4.7	7.9	6.4	4.7	5.2	5.0	90.5	84.7	87.5	88.2	77.7	82.7
白血病	C91-C95	0.66	0.54	0.61	5.6	8.3	6.6	2.3	4.1	3.0	98.1	95.9	97.2	88.9	83.8	86.9

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

神奈川県

2016年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.33	0.29	0.31	3.7	4.2	3.9	2.5	2.9	2.7	88.3	88.6	88.4	85.8	86.0	85.9
食道	C15 D001	0.40	0.38	0.40	2.4	3.1	2.6	1.9	2.1	2.0	95.3	91.0	94.5	95.1	90.3	94.2
大腸（結腸・直腸）*2	C18-C20 D010-D012	0.22	0.24	0.23	2.4	3.8	3.0	1.6	2.8	2.1	95.0	91.9	93.7	94.8	91.8	93.5
結腸 *2	C18 D010	0.21	0.25	0.23	2.6	4.2	3.3	1.8	3.0	2.3	94.7	91.0	93.1	94.5	90.8	92.9
直腸 *2	C19-C20 D011-D012	0.23	0.21	0.22	2.1	2.6	2.3	1.2	2.3	1.6	95.5	94.3	95.1	95.3	94.2	94.9
肺	C33-C34 D021-D022	0.62	0.50	0.58	7.1	8.3	7.5	4.4	5.5	4.7	81.2	80.5	81.0	71.8	72.0	71.8
皮膚	C43-C44 D030-D049	0.05	0.04	0.04	0.6	0.7	0.7	0.5	0.5	0.5	98.3	98.6	98.4	98.3	98.5	98.4
乳房	C50 D05	0.13	0.14	0.14	1.8	1.8	1.8	1.8	1.4	1.4	89.1	95.7	95.7	87.3	95.2	95.2
子宮	C53-C55 D06	-	0.12	0.12	-	1.3	1.3	-	1.1	1.1	-	97.2	97.2	-	96.1	96.1
子宮頸部	C53 D06	-	0.08	0.08	-	0.5	0.5	-	0.5	0.5	-	98.5	98.5	-	97.3	97.3
膀胱	C67 D090	0.16	0.28	0.19	1.7	2.5	1.8	1.3	2.1	1.5	95.6	91.3	94.7	93.0	88.0	92.0

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

神奈川県

2016年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	14,025	9,370	23,395	100.0	100.0	100.0	312.4	208.4	260.3	156.0	88.7	118.3	106.1	62.6	81.8	11.4	6.6	8.9
口腔・咽頭	C00-C14	388	140	528	2.8	1.5	2.3	8.6	3.1	5.9	4.8	1.2	2.9	3.3	0.8	2.0	0.4	0.1	0.2
食道	C15	721	147	868	5.1	1.6	3.7	16.1	3.3	9.7	8.5	1.5	4.8	5.9	1.0	3.3	0.8	0.1	0.4
胃	C16	1,911	908	2,819	13.6	9.7	12.0	42.6	20.2	31.4	20.9	7.8	13.7	14.0	5.4	9.3	1.5	0.6	1.0
大腸（結腸・直腸）	C18-C20	1,851	1,429	3,280	13.2	15.3	14.0	41.2	31.8	36.5	21.3	12.3	16.5	14.6	8.5	11.4	1.6	0.9	1.3
結腸	C18	1,188	1,085	2,273	8.5	11.6	9.7	26.5	24.1	25.3	13.4	8.8	10.9	9.1	6.1	7.5	1.0	0.6	0.8
直腸	C19-C20	663	344	1,007	4.7	3.7	4.3	14.8	7.6	11.2	7.9	3.4	5.5	5.5	2.5	3.9	0.7	0.3	0.5
肝および肝内胆管	C22	1,051	530	1,581	7.5	5.7	6.8	23.4	11.8	17.6	11.7	4.0	7.5	7.8	2.6	5.0	0.8	0.2	0.5
胆のう・胆管	C23-C24	510	450	960	3.6	4.8	4.1	11.4	10.0	10.7	5.3	3.3	4.2	3.6	2.1	2.8	0.3	0.2	0.3
膵臓	C25	1,124	978	2,102	8.0	10.4	9.0	25.0	21.7	23.4	13.1	8.5	10.7	9.0	5.7	7.3	1.1	0.6	0.8
喉頭	C32	45	8	53	0.3	0.1	0.2	1.0	0.2	0.6	0.5	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
肺	C33-C34	3,200	1,301	4,501	22.8	13.9	19.2	71.3	28.9	50.1	35.1	11.2	22.0	23.7	7.6	15.0	2.6	0.8	1.7
皮膚	C43-C44	49	38	87	0.3	0.4	0.4	1.1	0.8	1.0	0.5	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
乳房	C50	7	1,110	1,117	0.0	11.8	4.8	0.2	24.7	12.4	0.1	14.6	7.4	0.0	11.0	5.6	0.0	1.3	0.6
子宮	C53-C55	-	402	402	-	4.3	1.7	-	8.9	-	-	5.2	-	-	3.9	-	-	0.4	-
子宮頸部	C53	-	165	165	-	1.8	0.7	-	3.7	-	-	2.5	-	-	1.9	-	-	0.2	-
子宮体部	C54	-	162	162	-	1.7	0.7	-	3.6	-	-	1.9	-	-	1.4	-	-	0.2	-
卵巣	C56	-	326	326	-	3.5	1.4	-	7.2	-	-	4.4	-	-	3.3	-	-	0.4	-
前立腺	C61	772	-	772	5.5	-	3.3	17.2	-	-	7.3	-	-	4.7	-	-	0.4	-	-
膀胱	C67	356	158	514	2.5	1.7	2.2	7.9	3.5	5.7	3.5	1.0	2.1	2.3	0.7	1.4	0.2	0.1	0.1
腎・尿路（膀胱除く）	C64-C66 C68	415	207	622	3.0	2.2	2.7	9.2	4.6	6.9	4.4	1.6	2.8	2.9	1.0	1.9	0.3	0.1	0.2
脳・中枢神経系	C70-C72	93	92	185	0.7	1.0	0.8	2.1	2.0	2.1	1.3	1.4	1.3	1.0	1.1	1.1	0.1	0.1	0.1
甲状腺	C73	38	92	130	0.3	1.0	0.6	0.8	2.0	1.4	0.4	0.7	0.6	0.3	0.4	0.4	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	449	289	738	3.2	3.1	3.2	10.0	6.4	8.2	5.1	2.4	3.7	3.5	1.6	2.5	0.4	0.2	0.3
多発性骨髄腫	C88-C90	119	122	241	0.8	1.3	1.0	2.7	2.7	2.7	1.3	1.1	1.2	0.9	0.7	0.8	0.1	0.1	0.1
白血病	C91-C95	346	182	528	2.5	1.9	2.3	7.7	4.0	5.9	4.2	1.8	2.9	3.0	1.3	2.1	0.3	0.1	0.2

*1 総数は男女および性別不詳の合計（死亡の場所が不詳及び外国を含む）

表10. 年齢階級別死亡数： 部位別、性別

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	14,025	4	2	2	4	8	14	16	48	77	158	288	463	888	2,014	2,304	2,586	2,448	1,834	707	142	18	0
	口腔・咽頭	C00-C14	388	0	0	0	0	0	0	2	3	2	6	18	19	35	65	75	66	56	24	14	3	0	0
	食道	C15	721	0	0	0	0	0	0	0	0	0	5	18	39	57	145	152	146	78	66	13	1	1	0
	胃	C16	1,911	0	0	0	0	1	1	1	4	8	23	41	58	94	265	344	356	333	257	98	23	4	0
	大腸（結腸・直腸）	C18-C20	1,851	0	0	0	0	0	3	2	13	16	29	46	64	142	286	299	346	295	203	87	16	4	0
	結腸	C18	1,188	0	0	0	0	0	2	2	8	10	19	29	39	82	168	171	220	199	153	70	15	1	0
	直腸	C19-C20	663	0	0	0	0	0	1	0	5	6	10	17	25	60	118	128	126	96	50	17	1	3	0
	肝および肝内胆管	C22	1,051	0	0	0	0	0	0	2	0	2	13	15	53	70	134	158	198	212	147	36	11	0	0
	胆のう・胆管	C23-C24	510	0	0	0	0	0	1	0	1	1	4	5	10	31	60	72	101	97	84	35	7	1	0
	膵臓	C25	1,124	0	0	0	0	0	0	1	3	7	17	35	47	84	188	207	207	166	111	43	7	1	0
	喉頭	C32	45	0	0	0	0	0	0	0	0	0	0	0	1	3	4	6	7	12	7	5	0	0	0
	肺	C33-C34	3,200	0	0	0	0	0	1	1	5	17	30	42	93	211	499	557	583	569	419	151	22	0	0
	皮膚	C43-C44	49	0	0	0	0	0	0	0	0	1	1	0	0	4	10	7	7	6	11	2	0	0	0
	乳房	C50	7	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	1	2	0	0	0	0
	前立腺	C61	772	0	0	0	0	0	0	0	0	0	0	5	4	16	77	97	148	146	163	91	22	3	0
	膀胱	C67	356	0	0	0	0	0	0	0	0	1	0	9	7	13	35	31	61	76	74	39	8	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	415	1	0	0	0	0	0	0	0	4	4	9	7	18	47	60	74	92	65	26	8	0	0
	脳・中枢神経系	C70-C72	93	0	1	0	1	0	1	0	6	0	4	2	7	12	12	18	15	9	4	1	0	0	0
	甲状腺	C73	38	0	0	0	0	0	0	0	0	0	0	0	2	3	8	4	7	10	3	1	0	0	0
	悪性リンパ腫	C81-C85 C96	449	0	0	0	0	2	1	0	6	5	4	13	14	32	50	66	70	103	60	19	4	0	0
	多発性骨髄腫	C88-C90	119	0	0	0	0	0	0	0	0	1	2	3	4	5	15	19	24	26	15	5	0	0	0
	白血病	C91-C95	346	3	1	1	2	1	3	3	0	5	7	9	9	19	47	50	67	70	38	10	0	1	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	9,370	2	0	7	4	7	8	23	69	102	226	295	360	587	1,010	1,133	1,342	1,572	1,442	855	287	39	0
	口腔・咽頭	C00-C14	140	0	0	0	0	0	1	0	2	0	3	4	2	6	14	14	18	22	25	19	9	1	0
	食道	C15	147	0	0	0	0	0	0	0	0	2	3	0	7	18	15	23	29	18	18	7	6	1	0
	胃	C16	908	0	0	0	0	0	1	1	5	6	20	18	27	47	101	98	133	148	158	107	33	5	0
	大腸（結腸・直腸）	C18-C20	1,429	0	0	0	0	0	0	0	4	13	15	37	52	80	149	170	195	219	244	182	59	10	0
	結腸	C18	1,085	0	0	0	0	0	0	0	2	8	9	23	32	49	110	129	152	175	196	145	45	10	0
	直腸	C19-C20	344	0	0	0	0	0	0	0	2	5	6	14	20	31	39	41	43	44	48	37	14	0	0
	肝および肝内胆管	C22	530	0	0	0	0	0	0	0	1	0	4	7	2	25	34	60	100	123	105	56	12	1	0
	胆のう・胆管	C23-C24	450	0	0	0	0	0	0	0	0	2	5	6	7	12	33	49	59	102	99	58	16	2	0
	膵臓	C25	978	0	0	0	0	0	0	0	2	4	10	17	24	61	98	143	169	189	157	77	26	1	0
	喉頭	C32	8	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	2	0	2	0	0	0
	肺	C33-C34	1,301	0	0	0	0	0	0	0	3	5	13	21	39	71	159	177	202	238	219	118	33	3	0
	皮膚	C43-C44	38	0	0	0	0	0	0	0	0	0	2	1	1	2	2	4	4	5	6	8	3	0	0
	乳房	C50	1,110	0	0	0	0	0	1	11	21	29	71	89	96	122	163	133	117	97	80	54	22	4	0
	子宮	C53-C55	402	0	0	0	0	0	2	5	15	12	32	32	31	28	50	40	36	48	44	19	7	1	0
	子宮頸部	C53	165	0	0	0	0	0	1	3	14	10	21	15	13	8	17	15	10	16	11	7	4	0	0
	子宮体部	C54	162	0	0	0	0	0	0	2	0	1	8	12	11	17	24	21	20	20	15	7	3	1	0
	卵巣	C56	326	0	0	0	0	1	0	1	5	17	22	30	23	40	43	38	34	33	29	8	2	0	0
	膀胱	C67	158	0	0	0	0	0	0	0	0	0	0	1	4	3	10	13	18	31	33	29	12	4	0
	腎・尿路（膀胱除く）	C64-C66 C68	207	0	0	0	0	0	0	0	0	0	0	3	3	8	23	22	30	45	42	22	8	1	0
	脳・中枢神経系	C70-C72	92	1	0	2	1	1	1	1	3	2	4	9	7	7	14	7	12	11	6	3	0	0	0
	甲状腺	C73	92	0	0	0	0	0	1	0	0	0	0	0	1	3	7	11	16	21	16	13	3	0	0
	悪性リンパ腫	C81-C85 C96	289	0	0	1	0	0	0	0	1	1	4	5	7	10	31	37	43	74	47	16	11	1	0
	多発性骨髄腫	C88-C90	122	0	0	0	0	0	0	0	0	0	1	3	4	4	15	20	20	26	16	9	4	0	0
	白血病	C91-C95	182	0	0	2	0	2	0	3	0	5	7	3	3	10	14	18	32	39	26	11	6	1	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	23,395	6	2	9	8	15	22	39	117	179	384	583	823	1,475	3,024	3,437	3,928	4,020	3,276	1,562	429	57	0
	口腔・咽頭	C00-C14	528	0	0	0	0	0	1	2	5	2	9	22	21	41	79	89	84	78	49	33	12	1	0
	食道	C15	868	0	0	0	0	0	0	0	0	2	8	18	46	75	160	175	175	96	84	20	7	2	0
	胃	C16	2,819	0	0	0	0	1	2	2	9	14	43	59	85	141	366	442	489	481	415	205	56	9	0
	大腸（結腸・直腸）	C18-C20	3,280	0	0	0	0	0	3	2	17	29	44	83	116	222	435	469	541	514	447	269	75	14	0
	結腸	C18	2,273	0	0	0	0	0	2	2	10	18	28	52	71	131	278	300	372	374	349	215	60	11	0
	直腸	C19-C20	1,007	0	0	0	0	0	1	0	7	11	16	31	45	91	157	169	169	140	98	54	15	3	0
	肝および肝内胆管	C22	1,581	0	0	0	0	0	0	2	1	2	17	22	55	95	168	218	298	335	252	92	23	1	0
	胆のう・胆管	C23-C24	960	0	0	0	0	0	1	0	1	3	9	11	17	43	93	121	160	199	183	93	23	3	0
	膵臓	C25	2,102	0	0	0	0	0	0	1	5	11	27	52	71	145	286	350	376	355	268	120	33	2	0
	喉頭	C32	53	0	0	0	0	0	0	0	0	0	0	0	1	5	4	6	9	14	7	7	0	0	0
	肺	C33-C34	4,501	0	0	0	0	0	1	1	8	22	43	63	132	282	658	734	785	807	638	269	55	3	0
	皮膚	C43-C44	87	0	0	0	0	0	0	0	0	1	3	1	1	6	12	11	11	11	17	10	3	0	0
	乳房	C50	1,117	0	0	0	0	0	1	11	21	29	71	89	96	123	163	133	120	98	82	54	22	4	0
	子宮	C53-C55	402	0	0	0	0	0	2	5	15	12	32	32	31	28	50	40	36	48	44	19	7	1	0
	子宮頸部	C53	165	0	0	0	0	0	1	3	14	10	21	15	13	8	17	15	10	16	11	7	4	0	0
	子宮体部	C54	162	0	0	0	0	0	0	2	0	1	8	12	11	17	24	21	20	20	15	7	3	1	0
	卵巣	C56	326	0	0	0	0	1	0	1	5	17	22	30	23	40	43	38	34	33	29	8	2	0	0
	前立腺	C61	772	0	0	0	0	0	0	0	0	0	0	5	4	16	77	97	148	146	163	91	22	3	0
	膀胱	C67	514	0	0	0	0	0	0	0	0	1	0	10	11	16	45	44	79	107	107	68	20	6	0
	腎・尿路（膀胱除く）	C64-C66 C68	622	1	0	0	0	0	0	0	0	4	4	12	10	26	70	82	104	137	107	48	16	1	0
	脳・中枢神経系	C70-C72	185	1	1	2	2	1	2	1	9	2	8	11	14	19	26	25	27	20	10	4	0	0	0
	甲状腺	C73	130	0	0	0	0	0	1	0	0	0	0	0	3	6	15	15	23	31	19	14	3	0	0
	悪性リンパ腫	C81-C85 C96	738	0	0	1	0	2	1	0	7	6	8	18	21	42	81	103	113	177	107	35	15	1	0
	多発性骨髄腫	C88-C90	241	0	0	0	0	0	0	0	0	1	3	6	8	9	30	39	44	52	31	14	4	0	0
	白血病	C91-C95	528	3	1	3	2	3	3	6	0	10	14	12	12	29	61	68	99	109	64	21	6	2	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	312.4	2.2	1.0	1.0	1.8	3.1	5.7	5.8	15.2	19.9	40.3	90.3	176.7	348.2	621.6	952.1	1,293.0	1,813.3	2,935.9	.
	口腔・咽頭	C00-C14	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.9	0.5	1.5	5.6	7.3	13.7	20.1	31.0	33.0	41.5	44.6	.
	食道	C15	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.6	14.9	22.4	44.8	62.8	73.0	57.8	88.0	.
	胃	C16	42.6	0.0	0.0	0.0	0.0	0.4	0.4	0.4	1.3	2.1	5.9	12.9	22.1	36.9	81.8	142.1	178.0	246.7	415.2	.
	大腸（結腸・直腸）	C18-C20	41.2	0.0	0.0	0.0	0.0	0.0	1.2	0.7	4.1	4.1	7.4	14.4	24.4	55.7	88.3	123.6	173.0	218.5	337.0	.
	結腸	C18	26.5	0.0	0.0	0.0	0.0	0.0	0.8	0.7	2.5	2.6	4.8	9.1	14.9	32.2	51.9	70.7	110.0	147.4	259.8	.
	直腸	C19-C20	14.8	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.6	1.6	2.6	5.3	9.5	23.5	36.4	52.9	63.0	71.1	77.2	.
	肝および肝内胆管	C22	23.4	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.5	3.3	4.7	20.2	27.5	41.4	65.3	99.0	157.0	210.9	.
	胆のう・胆管	C23-C24	11.4	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.3	1.0	1.6	3.8	12.2	18.5	29.8	50.5	71.9	138.0	.
	膵臓	C25	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	1.8	4.3	11.0	17.9	32.9	58.0	85.5	103.5	123.0	176.1	.
	喉頭	C32	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.2	1.2	2.5	3.5	8.9	13.0	.
	肺	C33-C34	71.3	0.0	0.0	0.0	0.0	0.0	0.4	0.4	1.6	4.4	7.7	13.2	35.5	82.7	154.0	230.2	291.5	421.5	643.5	.
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	1.6	3.1	2.9	3.5	4.4	14.1	.
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.5	0.7	2.2	.
	前立腺	C61	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.5	6.3	23.8	40.1	74.0	108.1	303.3	.
	膀胱	C67	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	2.8	2.7	5.1	10.8	12.8	30.5	56.3	133.7	.
	腎・尿路（膀胱除く）	C64-C66 C68	9.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	2.8	2.7	7.1	14.5	24.8	37.0	68.1	107.6	.
	脳・中枢神経系	C70-C72	2.1	0.0	0.5	0.0	0.5	0.0	0.4	0.0	1.9	0.0	1.0	0.6	2.7	4.7	3.7	7.4	7.5	6.7	5.4	.
	甲状腺	C73	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.2	2.5	1.7	3.5	7.4	4.3	.
	悪性リンパ腫	C81-C85 C96	10.0	0.0	0.0	0.0	0.0	0.8	0.4	0.0	1.9	1.3	1.0	4.1	5.3	12.5	15.4	27.3	35.0	76.3	90.2	.
	多発性骨髄腫	C88-C90	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.9	1.5	2.0	4.6	7.9	12.0	19.3	21.7	.
	白血病	C91-C95	7.7	1.6	0.5	0.5	0.9	0.4	1.2	1.1	0.0	1.3	1.8	2.8	3.4	7.5	14.5	20.7	33.5	51.9	53.3	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	208.4	1.2	0.0	3.7	1.9	3.1	3.6	9.0	23.5	28.2	62.8	102.1	146.3	231.1	294.5	418.1	568.6	854.3	1,338.3	.
	口腔・咽頭	C00-C14	3.1	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.0	0.8	1.4	0.8	2.4	4.1	5.2	7.6	12.0	27.6	.
	食道	C15	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	0.0	2.8	7.1	4.4	8.5	12.3	9.8	16.3	.
	胃	C16	20.2	0.0	0.0	0.0	0.0	0.0	0.4	0.4	1.7	1.7	5.6	6.2	11.0	18.5	29.4	36.2	56.4	80.4	154.6	.
	大腸（結腸・直腸）	C18-C20	31.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.6	4.2	12.8	21.1	31.5	43.4	62.7	82.6	119.0	252.6	.
	結腸	C18	24.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.2	2.5	8.0	13.0	19.3	32.1	47.6	64.4	95.1	202.0	.
	直腸	C19-C20	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.4	1.7	4.8	8.1	12.2	11.4	15.1	18.2	23.9	50.5	.
	肝および肝内胆管	C22	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.1	2.4	0.8	9.8	9.9	22.1	42.4	66.8	88.8	.
	胆のう・胆管	C23-C24	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.4	2.1	2.8	4.7	9.6	18.1	25.0	55.4	89.3	.
	膵臓	C25	21.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.1	2.8	5.9	9.8	24.0	28.6	52.8	71.6	102.7	133.2	.
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.8	1.1	1.0	.
	肺	C33-C34	28.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.4	3.6	7.3	15.9	28.0	46.4	65.3	85.6	129.3	190.3	.
	皮膚	C43-C44	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.4	0.8	0.6	1.5	1.7	2.7	8.7	.
	乳房	C50	24.7	0.0	0.0	0.0	0.0	0.0	0.4	4.3	7.1	8.0	19.7	30.8	39.0	48.0	47.5	49.1	49.6	52.7	81.6	.
	子宮	C53-C55	8.9	0.0	0.0	0.0	0.0	0.0	0.9	2.0	5.1	3.3	8.9	11.1	12.6	11.0	14.6	14.8	15.3	26.1	36.2	.
	子宮頸部	C53	3.7	0.0	0.0	0.0	0.0	0.0	0.4	1.2	4.8	2.8	5.8	5.2	5.3	3.1	5.0	5.5	4.2	8.7	11.2	.
	子宮体部	C54	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.3	2.2	4.2	4.5	6.7	7.0	7.7	8.5	10.9	13.3	.
	卵巣	C56	7.2	0.0	0.0	0.0	0.0	0.4	0.0	0.4	1.7	4.7	6.1	10.4	9.3	15.7	12.5	14.0	14.4	17.9	19.9	.
	膀胱	C67	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.6	1.2	2.9	4.8	7.6	16.8	39.8	.
	腎・尿路（膀胱除く）	C64-C66 C68	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	3.1	6.7	8.1	12.7	24.5	37.2	.
	脳・中枢神経系	C70-C72	2.0	0.6	0.0	1.1	0.5	0.4	0.4	0.4	1.0	0.6	1.1	3.1	2.8	2.8	4.1	2.6	5.1	6.0	4.6	.
	甲状腺	C73	2.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	1.2	2.0	4.1	6.8	11.4	16.3	.
	悪性リンパ腫	C81-C85 C96	6.4	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.3	0.3	1.1	1.7	2.8	3.9	9.0	13.7	18.2	40.2	38.3	.
	多発性骨髄腫	C88-C90	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	1.6	1.6	4.4	7.4	8.5	14.1	14.8	.
	白血病	C91-C95	4.0	0.0	0.0	1.1	0.0	0.9	0.0	1.2	0.0	1.4	1.9	1.0	1.2	3.9	4.1	6.6	13.6	21.2	22.4	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

神奈川県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	260.3	1.7	0.5	2.3	1.9	3.1	4.7	7.3	19.2	23.9	51.1	95.9	162.0	289.8	453.4	670.0	900.9	1,260.2	1,848.6	.
	口腔・咽頭	C00-C14	5.9	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.8	0.3	1.2	3.6	4.1	8.1	11.8	17.3	19.3	24.5	33.0	.
	食道	C15	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	3.0	9.1	14.7	24.0	34.1	40.1	30.1	39.2	.
	胃	C16	31.4	0.0	0.0	0.0	0.0	0.2	0.4	0.4	1.5	1.9	5.7	9.7	16.7	27.7	54.9	86.2	112.2	150.8	237.8	.
	大腸（結腸・直腸）	C18-C20	36.5	0.0	0.0	0.0	0.0	0.0	0.6	0.4	2.8	3.9	5.9	13.7	22.8	43.6	65.2	91.4	124.1	161.1	279.5	.
	結腸	C18	25.3	0.0	0.0	0.0	0.0	0.0	0.4	0.4	1.6	2.4	3.7	8.6	14.0	25.7	41.7	58.5	85.3	117.2	220.5	.
	直腸	C19-C20	11.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.1	1.5	2.1	5.1	8.9	17.9	23.5	32.9	38.8	43.9	59.0	.
	肝および肝内胆管	C22	17.6	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.3	2.3	3.6	10.8	18.7	25.2	42.5	68.3	105.0	127.8	.
	胆のう・胆管	C23-C24	10.7	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.4	1.2	1.8	3.3	8.4	13.9	23.6	36.7	62.4	104.9	.
	膵臓	C25	23.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	1.5	3.6	8.6	14.0	28.5	42.9	68.2	86.2	111.3	146.9	.
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	0.6	1.2	2.1	4.4	4.9	.
	肺	C33-C34	50.1	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.3	2.9	5.7	10.4	26.0	55.4	98.7	143.1	180.0	253.0	335.1	.
	皮膚	C43-C44	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.2	0.2	1.2	1.8	2.1	2.5	3.4	10.4	.
	乳房	C50	12.4	0.0	0.0	0.0	0.0	0.0	0.2	2.1	3.4	3.9	9.4	14.6	18.9	24.2	24.4	25.9	27.5	30.7	56.3	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	1.6	2.2	3.1	6.7	8.6	18.1	33.5	69.8	.
	腎・尿路（膀胱除く）	C64-C66 C68	6.9	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	2.0	2.0	5.1	10.5	16.0	23.9	42.9	59.7	.
	脳・中枢神経系	C70-C72	2.1	0.3	0.3	0.5	0.5	0.2	0.4	0.2	1.5	0.3	1.1	1.8	2.8	3.7	3.9	4.9	6.2	6.3	4.9	.
	甲状腺	C73	1.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.6	1.2	2.2	2.9	5.3	9.7	12.5	.
	悪性リンパ腫	C81-C85 C96	8.2	0.0	0.0	0.3	0.0	0.4	0.2	0.0	1.1	0.8	1.1	3.0	4.1	8.3	12.1	20.1	25.9	55.5	54.9	.
	多発性骨髄腫	C88-C90	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	1.0	1.6	1.8	4.5	7.6	10.1	16.3	17.0	.
	白血病	C91-C95	5.9	0.8	0.3	0.8	0.5	0.6	0.6	1.1	0.0	1.3	1.9	2.0	2.4	5.7	9.1	13.3	22.7	34.2	32.3	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表42. 市町村別罹患数 : 部位別、性別

市区町村		神奈川県 2016年																															
		全部位 C00-C06			胃 C16			大腸(結腸・直腸) C18-C20			結腸 C18			直腸 C19-C20			肝および胆管 C22			肺 C33-C34			乳房 C50			子宮 C53-C55		子宮頸部 C53		子宮体部 C54		前立腺 C61	
		男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女
神奈川県内市区町村不定	3	2	5	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0			
横浜市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
横浜市 鶴見区	1,249	931	2,180	193	77	270	238	159	397	141	115	256	97	44	141	57	20	77	158	85	243	4	236	240	71	28	43	206	71	28	43	206	
横浜市 神奈川区	997	706	1,703	121	50	171	187	106	293	119	76	195	68	30	98	41	21	62	118	58	176	2	217	219	48	20	27	173	48	20	27	173	
横浜市 西区	366	308	674	54	27	81	64	57	121	39	41	80	25	16	41	19	10	29	54	23	77	0	81	81	20	5	15	47	20	5	15	47	
横浜市 中区	724	455	1,179	132	44	176	114	69	183	77	43	120	37	26	63	49	18	67	102	41	143	0	103	103	32	19	13	111	32	19	13	111	
横浜市 南区	997	684	1,681	164	58	222	158	99	257	101	72	173	57	27	84	54	19	73	155	67	222	0	186	186	44	17	26	145	44	17	26	145	
横浜市 磯子区	906	684	1,590	138	56	194	147	108	255	95	83	178	52	25	77	46	18	64	137	49	186	0	172	172	54	18	36	156	54	18	36	156	
横浜市 磯子区	729	564	1,293	129	52	181	128	84	212	85	67	152	43	17	60	34	22	56	92	57	149	1	130	131	35	15	20	116	35	15	20	116	
横浜市 金沢区	967	661	1,628	156	62	218	147	105	252	98	72	170	49	33	82	46	14	60	113	67	180	3	168	171	47	16	30	161	47	16	30	161	
横浜市 港北区	1,140	972	2,112	172	81	253	163	144	307	99	103	202	64	41	105	49	24	73	147	75	222	0	251	251	80	26	54	201	80	26	54	201	
横浜市 戸塚区	1,066	873	1,939	175	79	254	165	136	301	98	100	198	67	36	103	47	27	74	150	58	208	1	247	248	48	17	31	187	48	17	31	187	
横浜市 港南区	986	729	1,715	178	69	247	166	123	289	96	81	177	70	42	112	30	23	53	116	48	164	1	189	190	53	27	23	174	53	27	23	174	
横浜市 旭区	1,135	868	2,003	177	81	258	185	134	319	114	94	208	71	40	111	43	26	69	158	87	245	1	211	212	59	23	35	220	59	23	35	220	
横浜市 緑区	718	522	1,240	118	39	157	109	87	196	69	62	131	40	25	65	30	13	43	80	42	122	0	130	130	45	17	28	149	45	17	28	149	
横浜市 瀬谷区	583	428	1,011	88	42	130	107	73	180	62	49	111	45	24	69	22	10	32	92	42	134	0	119	119	31	10	20	94	31	10	20	94	
横浜市 栄区	556	418	974	118	40	158	86	76	162	48	54	102	38	22	60	32	5	37	57	28	85	1	103	104	34	7	27	88	34	7	27	88	
横浜市 泉区	697	466	1,163	115	40	155	101	66	167	61	42	103	40	24	64	28	13	41	95	45	140	2	136	138	24	7	17	153	24	7	17	153	
横浜市 青葉区	1,171	882	2,053	180	57	237	148	135	283	85	90	175	63	45	108	38	18	56	146	76	222	1	265	266	58	30	28	236	58	30	28	236	
横浜市 都筑区	640	527	1,167	109	41	150	112	62	174	72	45	117	40	17	57	23	14	37	90	48	138	1	150	151	42	12	30	109	42	12	30	109	
川崎市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
川崎市 川崎区	1,090	743	1,833	186	68	254	195	120	315	114	83	197	81	37	118	70	23	93	161	82	243	1	174	175	45	24	20	147	45	24	20	147	
川崎市 幸区	623	531	1,154	89	59	148	93	69	162	52	49	101	41	20	61	27	19	46	82	56	138	0	123	123	39	17	22	101	39	17	22	101	
川崎市 中原区	726	613	1,339	117	73	190	107	82	189	72	58	130	35	24	59	38	9	47	109	67	176	0	166	166	32	11	21	101	32	11	21	101	
川崎市 高津区	774	608	1,382	106	57	163	149	82	231	95	60	155	54	22	76	29	21	50	104	53	157	2	165	167	38	11	26	117	38	11	26	117	
川崎市 多摩区	772	619	1,391	127	49	176	129	78	207	76	53	129	53	25	78	27	13	40	111	50	161	1	172	173	48	15	30	122	48	15	30	122	
川崎市 宮前区	797	611	1,408	122	57	179	132	93	225	81	63	144	51	30	81	35	11	46	115	58	173	2	162	164	48	14	34	124	48	14	34	124	
川崎市 麻生区	758	540	1,298	112	41	153	118	80	198	82	63	145	36	17	53	22	17	39	87	45	132	1	145	146	36	12	23	154	36	12	23	154	
相模原市 緑区	765	524	1,289	143	50	193	123	86	209	74	64	138	49	22	71	34	19	53	97	51	148	1	126	127	35	10	22	136	35	10	22	136	
相模原市 中央区	1,045	732	1,777	199	76	275	181	117	298	130	73	203	51	44	95	48	27	75	125	74	199	1	177	178	57	22	35	171	57	22	35	171	
相模原市 南区	1,121	799	1,920	212	77	289	182	153	335	117	126	243	65	27	92	47	23	70	160	69	229	0	165	165	63	26	36	167	63	26	36	167	
相模原市 東区	2,006	1,424	3,430	325	128	453	320	248	568	223	195	418	97	53	150	88	41	129	295	149	444	3	342	345	95	33	61	313	95	33	61	313	
平塚市	1,050	864	1,914	163	65	228	178	154	332	106	105	211	72	49	121	39	26	65	173	75	248	2	188	190	62	24	38	151	62	24	38	151	
鎌倉市	868	739	1,607	135	80	215	110	108	218	68	79	147	42	29	71	39	9	48	109	80	189	1	176	177	44	14	29	131	44	14	29	131	
藤沢市	1,621	1,287	2,908	286	98	384	235	181	416	148	139	287	87	42	129	54	46	100	197	128	323	2	340	342	97	35	60	279	97	35	60	279	
小田原市	827	691	1,518	132	75	207	150	113	263	87	79	166	63	34	97	39	32	71	89	54	143	1	162	163	53	19	33	139	53	19	33	139	
茅ヶ崎市	967	771	1,738	169	73	242	125	102	227	78	79	157	47	23	70	39	20	59	140	57	197	2	217	219	65	23	41	155	65	23	41	155	
逗子市	308	236	544	49	20	69	36	39	75	28	29	57	8	10	18	18	3	21	39	19	58	1	64	65	18	5	12	57	18	5	12	57	
相模原市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
三浦市	255	198	453	44	18	62	40	42	82	26	31	57	14	11	25	18	10	28	39	24	63	0	40	40	10	4	4	44	10	4	4	44	
厚木市	741	532	1,273	124	45	169	133	92	225	85	61	146	46	31	79	34	20	54	89	48	137	3	135	138	28	10	18	138	28	10	18	138	
厚木市	862	614	1,476	124	66	190	148	119	267	90	84	174	58	35	93	46	22	68	121	67	188	0	157	157	31	13	18	159	31	13	18	159	
大和市	975	680	1,655	162	70	252	163	132	295	96	91	187	67	41	108	48	14	62	128	54	182	1	163	164	55	17	38	125	55	17	38	125	
伊勢原市	357	267	624	53	23	76	63	46	109	37	31	68	26	15	41	22	8	30	51	25	76	0	67	67	17	11	6	64	17	11	6	64	
海老名市	531	315	846	78	25	103	78	55	133	51	37	88	27	18	45	29	10	39	64	28	92	1	75	76	24	6	17	98	24	6	17	98	
座間市	546	396	942	85	35	120	98	73	171	59	55	114	39	18	57	29	10	39	74	29	103	0	107	107	27	13	14	83	27	13	14	83	
南足柄市	180	148	328	27	16	43	31	25	56	23	18	41	8	7	15	7	3	10	26	13	39	0	31	31	10	1	8	24	10	1	8	24	
綾瀬市	355	258	613	72	25	97	52	43	95	30	26	56	22	17	39	20	9	29	48														

表42. 市町村別罹患数：部位別、性別

B. 上皮がんを除く

神奈川県 2016年

市区町村	全部位			大腸(結腸・直腸)※2			結腸※2			直腸※2			肺			乳房			子宮		子宮頸部	
	C00-C96 D00-D09			C18-C20 D010-D012			C18 D010			C19-C20 D011-D012			C33-C34 D021-D022			C50 D05			C53-C55 D06		C53 D06	
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	女	女		
神奈川	42,082	32,727	74,809	8,577	5,914	14,491	5,633	4,290	9,923	2,944	1,624	4,568	5,139	2,591	7,730	55	8,119	8,174	3,380	2,116		
神奈川県内市区町村不定	3	2	5	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1		
横浜市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
横浜市 鶴見区	1,372	1,064	2,436	314	203	517	193	141	334	121	62	183	158	86	244	4	259	263	119	76		
横浜市 神奈川区	1,111	819	1,930	256	136	392	174	94	268	82	42	124	119	58	177	2	239	241	90	62		
横浜市 西区	417	364	781	101	75	176	69	58	127	32	17	49	55	23	78	0	90	90	40	25		
横浜市 中区	796	529	1,325	160	94	254	113	63	176	47	31	78	102	41	143	0	121	121	55	42		
横浜市 南区	1,115	790	1,905	253	145	398	178	107	285	75	38	113	156	67	223	0	212	212	64	37		
横浜市 保土ヶ谷区	1,031	797	1,828	243	144	387	167	115	282	76	29	105	137	50	187	0	193	193	96	60		
横浜市 磯子区	821	642	1,463	188	113	301	136	93	229	52	20	72	93	57	150	1	142	143	54	34		
横浜市 磯子区	1,081	765	1,846	220	143	363	150	98	248	70	45	115	113	71	184	3	191	194	72	41		
横浜市 港北区	1,271	1,121	2,392	232	176	408	152	122	274	80	54	134	147	75	222	0	285	285	144	90		
横浜市 戸塚区	1,176	994	2,170	221	168	389	140	129	269	81	39	120	153	58	211	1	271	272	90	59		
横浜市 港南区	1,116	847	1,963	245	169	414	155	119	274	90	50	140	119	52	171	1	216	217	71	45		
横浜市 港北区	1,248	1,009	2,257	244	175	419	161	128	289	83	47	130	160	87	247	1	244	245	110	74		
横浜市 緑区	780	610	1,390	141	115	256	92	79	171	49	36	85	80	42	122	0	150	150	73	45		
横浜市 瀬谷区	631	494	1,125	135	90	225	82	62	144	53	28	81	92	43	135	0	134	134	56	35		
横浜市 栄区	628	479	1,107	120	99	219	72	68	140	48	31	79	62	34	96	1	113	114	46	19		
横浜市 泉区	776	529	1,305	148	94	242	92	63	155	56	31	87	95	46	141	2	152	154	36	19		
横浜市 青葉区	1,288	1,007	2,295	220	161	381	140	108	248	80	53	133	146	76	222	1	299	300	103	75		
横浜市 都筑区	708	631	1,339	152	83	235	95	61	156	57	22	79	90	48	138	2	178	180	84	54		
川崎市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
川崎市 川崎区	1,212	848	2,060	282	153	435	175	110	285	107	43	150	161	82	243	1	188	189	88	67		
川崎市 幸区	705	611	1,316	149	99	248	89	69	158	60	30	90	82	56	138	0	139	139	63	41		
川崎市 中原区	805	743	1,548	162	121	283	112	82	194	50	39	89	109	67	176	1	189	190	81	60		
川崎市 高津区	868	695	1,563	205	114	319	132	84	216	73	30	103	104	54	158	3	185	188	64	37		
川崎市 多摩区	848	704	1,552	172	100	272	105	70	175	67	30	97	111	50	161	1	196	197	74	41		
川崎市 宮前区	884	729	1,613	178	126	304	116	89	205	62	37	99	115	58	173	2	184	186	93	59		
川崎市 麻生区	819	629	1,448	148	107	255	105	84	189	43	23	66	87	45	132	2	169	171	56	32		
相模原市 緑区	838	600	1,438	168	115	283	109	89	198	59	26	85	97	51	148	1	142	143	58	33		
相模原市 中央区	1,156	841	1,997	240	147	387	168	95	263	72	52	124	125	74	199	1	206	207	96	61		
相模原市 南区	1,257	905	2,162	277	199	476	190	167	357	87	32	119	160	69	229	0	181	181	96	59		
横須賀市	2,219	1,619	3,838	439	314	753	309	244	553	130	70	200	296	149	445	3	377	380	157	95		
平塚市	1,146	966	2,112	231	190	421	147	132	279	84	58	142	173	76	249	2	202	204	97	59		
鎌倉市	967	838	1,805	169	151	320	114	112	226	55	39	94	111	81	192	1	204	205	66	36		
藤沢市	1,795	1,471	3,266	333	234	567	219	181	400	114	53	167	197	128	325	2	377	379	164	102		
小田原市	879	751	1,630	181	135	316	110	96	206	71	39	110	89	54	143	3	171	174	71	37		
茅ヶ崎市	1,088	898	1,986	192	146	338	128	112	240	64	34	98	140	57	197	2	238	240	106	64		
逗子市	343	269	612	56	45	101	46	34	80	10	11	21	39	19	58	1	73	74	29	16		
相模原市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
三浦市	291	214	505	67	46	113	47	35	82	20	11	31	39	24	63	0	43	43	13	7		
秦野市	798	588	1,386	169	108	277	111	73	184	58	35	93	89	48	137	3	147	150	45	27		
厚木市	952	715	1,667	202	159	361	127	117	244	75	42	117	121	68	189	0	174	174	58	40		
大和市	1,077	808	1,885	217	169	386	132	119	251	85	50	135	128	54	182	1	192	193	103	65		
伊勢原市	396	310	706	91	61	152	59	40	99	32	21	53	51	25	76	0	80	80	28	22		
海老名市	579	362	941	113	65	178	79	43	122	34	22	56	64	29	93	1	83	84	51	33		
座間市	598	460	1,058	132	93	225	85	70	155	47	23	70	74	29	103	0	125	125	49	35		
南足柄市	185	162	347	33	33	66	23	22	45	10	11	21	26	13	39	0	32	32	15	6		
綾瀬市	380	296	676	66	54	120	38	35	73	28	19	47	48	24	72	1	64	65	33	21		
三浦郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
三浦郡 葉山町	187	155	342	38	30	68	27	24	51	11	6	17	19	11	30	0	44	44	18	7		
高座郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
高座郡 寒川町	222	161	383	48	32	80	27	20	47	21	12	33	31	10	41	1	48	49	17	10		
中郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
中郡 大磯町	181	143	324	37	21	58	27	14	41	10	7	17	27	17	44	0	29	29	9	6		
中郡 二宮町	140	126	266	22	30	52	17	23	40	5	7	12	18	8	26	0	24	24	13	5		
足柄上郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
足柄上郡 中井町	69	40	109	12	7	19	8	6	14	4	1	5	10	0	10	0	11	11	4	3		
足柄上郡 大井町	71	53	124	13	13	26	8	11	19	5	2	7	7	1	8	0	14	14	7	5		
足柄上郡 松田町	77	40	117	14	9	23	6	7	13	8	2	10	8	1	9	1	8	9	9	5		
足柄上郡 山北町	76	45	121	9	13	22	6	10	16	3	3	6	12	4	16	0	6	6	2	1		
足柄上郡 開成町	69	40	109	9	7	16	7	6	13	2	1	3	11	2	13	0	7	7	6	4		
足柄下郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
足柄下郡 箱根町	67	51	118	11	15	26	8	9	17	3	6	9	11	5	16	0	3	3	2	2		
足柄下郡 真鶴町	50	35	85	14	6	20	10	4	14	4	2	6	6	6	12	0	9	9	2	1		
足柄下郡 湯河原町	200	160	360	33	41	74	18	30	48	15	11	26	39	13	52	0	33	33	17	8		
愛甲郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
愛甲郡 愛川町	199	142	341	45	22	67	25	13	38	20	9	29	24	14	38	2	29	31	15	10		
愛甲郡 清川村	20	11	31	6	1	7	2	1	3	4	0	4	3	1	4	0	4	4	1	1		
津久井郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
津久井郡 城山町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
津久井郡 津久井町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
津久井郡 相模湖町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
津久井郡 藤野町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

※1 総数は男女および性別不詳の合計

表62. 医療圏別、保健所別罹患数：部位別、性別

A. 上皮がんを除く

神奈川県 2016年

市区町村	全部位			胃			大腸(結腸・直腸)			結腸			直腸			肝および肝内胆管			肺			乳房			子宮	子宮頸部	子宮体部	前立腺
	C00-C96			C16			C18-C20			C18			C19-C20			C22			C33-C34			C50			C53-C55	C53	C54	C61
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	女	女	女	男
神奈川	38,069	28,490	66,559	6,215	2,581	8,796	6,128	4,548	10,676	3,831	3,257	7,088	2,297	1,291	3,588	1,715	821	2,536	5,118	2,565	7,683	49	7,232	7,281	2,009	745	1,233	6,335
医療圏不定	3	2	5	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	
横浜北部	5,915	4,540	10,455	893	345	1,238	957	693	1,650	585	491	1,076	372	202	574	238	110	348	739	384	1,123	8	1,249	1,257	344	133	210	1,074
横浜西部	4,753	3,627	8,380	747	325	1,072	769	574	1,343	469	409	878	300	165	465	205	104	309	686	304	990	4	966	970	236	80	154	857
横浜南部	4,959	3,511	8,470	877	325	1,202	799	556	1,355	505	389	894	294	167	461	245	101	346	635	308	943	6	879	885	245	101	139	795
川崎北部	3,101	2,378	5,479	467	204	671	528	333	861	334	239	573	194	94	288	113	62	175	417	206	623	6	644	650	170	52	113	517
川崎南部	2,439	1,887	4,326	392	200	592	395	271	666	238	190	428	157	81	238	135	51	186	352	205	557	1	463	464	116	52	63	349
横須賀・三浦	3,600	2,734	6,334	584	252	836	528	461	989	360	354	714	168	107	275	170	68	238	501	283	784	5	661	666	182	60	117	570
湘南東部	2,819	2,192	5,011	488	189	677	400	304	704	246	229	475	154	75	229	107	71	178	368	193	561	5	598	603	171	60	107	463
湘南西部	2,439	1,910	4,349	381	156	537	413	334	747	259	228	487	154	106	260	108	62	170	357	173	530	5	438	443	124	51	73	416
県央	3,468	2,400	5,868	580	240	820	579	438	1,017	347	304	651	232	134	366	178	71	249	462	216	678	5	587	592	169	64	104	556
相模原	2,931	2,055	4,986	554	203	757	486	356	842	321	263	584	165	93	258	129	69	198	382	194	576	2	468	470	155	58	93	474
県西	1,642	1,254	2,896	252	142	394	273	228	501	166	161	327	107	67	174	87	52	139	219	99	318	2	279	281	96	33	60	264
保健所不定	3	2	5	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	
相模原市	2,931	2,055	4,986	554	203	757	486	356	842	321	263	584	165	93	258	129	69	198	382	194	576	2	468	470	155	58	93	474
川崎	1,090	743	1,833	186	68	254	195	120	315	114	83	197	81	37	118	70	23	93	161	82	243	1	174	175	45	24	20	147
幸	623	531	1,154	89	59	148	93	69	162	52	49	101	41	20	61	27	19	46	82	56	138	0	123	123	39	17	22	101
中原	726	613	1,339	117	73	190	107	82	189	72	58	130	35	24	59	38	9	47	109	67	176	0	166	166	32	11	21	101
高津	774	608	1,382	106	57	163	149	82	231	95	60	155	54	22	76	29	21	50	104	53	157	2	165	167	38	11	26	117
宮前	797	611	1,408	122	57	179	132	93	225	81	63	144	51	30	81	35	11	46	115	58	173	2	162	164	48	14	34	124
多摩	772	619	1,391	127	49	176	129	78	207	76	53	129	53	25	78	27	13	40	111	50	161	1	172	173	48	15	30	122
麻生	758	540	1,298	112	41	153	118	80	198	82	63	145	36	17	53	22	17	39	87	45	132	1	145	146	36	12	23	154
横浜市	15,627	11,678	27,305	2,517	995	3,512	2,525	1,823	4,348	1,559	1,289	2,848	966	534	1,500	688	315	1,003	2,060	996	3,056	18	3,094	3,112	825	314	503	2,726
横須賀市	2,006	1,424	3,430	325	128	453	320	248	568	223	195	418	97	53	150	88	41	129	295	149	444	3	342	345	95	33	61	313
藤沢市	1,621	1,287	2,908	286	98	384	235	181	416	148	139	287	87	42	129	54	46	100	197	126	323	2	340	342	97	35	60	279
平塚	2,439	1,910	4,349	381	156	537	413	334	747	259	228	487	154	106	260	108	62	170	357	173	530	5	438	443	124	51	73	416
鎌倉	1,594	1,310	2,904	259	124	383	208	213	421	137	159	296	71	54	125	82	27	109	206	134	340	2	319	321	87	27	56	257
小田原	1,642	1,254	2,896	252	142	394	273	228	501	166	161	327	107	67	174	87	52	139	219	99	318	2	279	281	96	33	60	264
厚木	3,468	2,400	5,868	580	240	820	579	438	1,017	347	304	651	232	134	366	178	71	249	462	216	678	5	587	592	169	64	104	556
茅ヶ崎	1,198	905	2,103	202	91	293	165	123	288	98	90	188	67	33	100	53	25	78	171	67	238	3	258	261	74	25	47	184

※1 総数は男女および性別不詳の合計

表62. 医療圏別、保健所別罹患数：部位別、性別

B. 上皮内がんを含む

神奈川県

2016年

市区町村	全部位			大腸(結腸・直腸)※2			結腸※2			直腸※2			肺			乳房			子宮		子宮頸部
	C00-C96 D00-D09			C18-C20 D010-D012			C18 D010			C19-C20 D011-D012			C33-C34 D021-D022			C50 D05			C53-C55 D06		C53 D06
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	女	女	
神奈川	42,082	32,727	74,809	8,577	5,914	14,491	5,633	4,290	9,923	2,944	1,624	4,568	5,139	2,591	7,730	55	8,119	8,174	3,380	2,116	
医療圏不定	3	2	5	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	
横浜北部	6,530	5,252	11,782	1,315	874	2,189	846	605	1,451	469	269	738	740	385	1,125	9	1,410	1,419	613	402	
横浜西部	5,279	4,187	9,466	1,092	746	1,838	711	555	1,266	381	191	572	692	307	999	4	1,084	1,088	428	272	
横浜南部	5,557	4,052	9,609	1,186	763	1,949	804	548	1,352	382	215	597	645	322	967	6	995	1,001	362	218	
川崎北部	3,419	2,757	6,176	703	447	1,150	458	327	785	245	120	365	417	207	624	8	734	742	287	169	
川崎南部	2,722	2,202	4,924	593	373	966	376	261	637	217	112	329	352	205	557	2	516	518	232	168	
横須賀・三浦	4,007	3,095	7,102	769	586	1,355	543	449	992	226	137	363	504	284	788	5	741	746	283	161	
湘南東部	3,105	2,530	5,635	573	412	985	374	313	687	199	99	298	368	195	563	5	663	668	287	176	
湘南西部	2,661	2,133	4,794	550	410	960	361	282	643	189	128	317	358	174	532	5	482	487	192	119	
県央	3,805	2,794	6,599	781	563	1,344	488	398	886	293	165	458	462	219	681	5	671	676	310	205	
相模原	3,251	2,346	5,597	685	461	1,146	467	351	818	218	110	328	382	194	576	2	529	531	250	153	
県西	1,743	1,377	3,120	329	279	608	204	201	405	125	78	203	219	99	318	4	294	298	135	72	
保健所不定	3	2	5	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	
相模原市	3,251	2,346	5,597	685	461	1,146	467	351	818	218	110	328	382	194	576	2	529	531	250	153	
川崎	1,212	848	2,060	282	153	435	175	110	285	107	43	150	161	82	243	1	188	189	88	67	
幸	705	611	1,316	149	99	248	89	69	158	60	30	90	82	56	138	0	139	139	63	41	
中原	805	743	1,548	162	121	283	112	82	194	50	39	89	109	67	176	1	189	190	81	60	
高津	868	695	1,563	205	114	319	132	84	216	73	30	103	104	54	158	3	185	188	64	37	
宮前	884	729	1,613	178	126	304	116	89	205	62	37	99	115	58	173	2	184	186	93	59	
多摩	848	704	1,552	172	100	272	105	70	175	67	30	97	111	50	161	1	196	197	74	41	
麻生	819	629	1,448	148	107	255	105	84	189	43	23	66	87	45	132	2	169	171	56	32	
横浜市	17,366	13,491	30,857	3,593	2,383	5,976	2,361	1,708	4,069	1,232	675	1,907	2,077	1,014	3,091	19	3,489	3,508	1,403	892	
横須賀市	2,219	1,619	3,838	439	314	753	309	244	553	130	70	200	296	149	445	3	377	380	157	95	
藤沢市	1,795	1,471	3,266	333	234	567	219	181	400	114	53	167	197	128	325	2	377	379	164	102	
平塚	2,661	2,133	4,794	550	410	960	361	282	643	189	128	317	358	174	532	5	482	487	192	119	
鎌倉	1,788	1,476	3,264	330	272	602	234	205	439	96	67	163	208	135	343	2	364	366	126	66	
小田原	1,743	1,377	3,120	329	279	608	204	201	405	125	78	203	219	99	318	4	294	298	135	72	
厚木	3,805	2,794	6,599	781	563	1,344	488	398	886	293	165	458	462	219	681	5	671	676	310	205	
茅ヶ崎	1,310	1,059	2,369	240	178	418	155	132	287	85	46	131	171	67	238	3	286	289	123	74	

※1 総数は男女および性別不詳の合計

※2 粘膜がんを含む

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

神奈川県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C96 000-D47	43,185	34,162	77,347	100.0	100.0	100.0	946.0	745.9	845.8	533.7	453.4	483.2	378.0	343.5	353.9	45.4	37.3	40.9
全部位	000-C96	38,069	28,490	66,559	88.2	83.4	86.1	833.9	622.1	727.8	465.5	359.6	403.7	328.1	269.3	293.0	39.5	29.8	34.3
口唇	000	4	4	8	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	39	9	48	0.1	0.0	0.1	0.9	0.2	0.5	0.5	0.1	0.3	0.4	0.1	0.2	0.1	0.0	0.0
その他および部位不明の舌	002	241	119	360	0.6	0.3	0.5	5.3	2.6	3.9	3.6	1.6	2.6	2.7	1.3	2.0	0.3	0.1	0.2
歯肉	003	96	95	191	0.2	0.3	0.2	2.1	2.1	2.1	1.1	0.8	1.0	0.8	0.6	0.7	0.1	0.1	0.1
口腔底	004	47	21	68	0.1	0.1	0.1	1.0	0.5	0.7	0.6	0.2	0.4	0.5	0.2	0.3	0.1	0.0	0.0
口蓋	005	35	17	52	0.1	0.0	0.1	0.8	0.4	0.6	0.5	0.2	0.4	0.3	0.2	0.3	0.0	0.0	0.0
その他および部位不明の口腔	006	34	25	59	0.1	0.1	0.1	0.7	0.5	0.6	0.4	0.2	0.3	0.3	0.2	0.2	0.0	0.0	0.0
耳下腺	007	59	44	103	0.1	0.1	0.1	1.3	1.0	1.1	0.9	0.7	0.8	0.7	0.5	0.6	0.1	0.1	0.1
その他および部位不明の大唾液腺	008	30	25	55	0.1	0.1	0.1	0.7	0.5	0.6	0.4	0.3	0.4	0.3	0.3	0.3	0.0	0.0	0.0
扁桃	009	43	14	57	0.1	0.0	0.1	0.9	0.3	0.6	0.6	0.2	0.4	0.5	0.2	0.3	0.1	0.0	0.0
中咽頭	010	128	18	146	0.3	0.1	0.2	2.8	0.4	1.6	1.8	0.3	1.0	1.3	0.2	0.8	0.2	0.0	0.1
鼻<上>咽頭	011	39	15	54	0.1	0.0	0.1	0.9	0.3	0.6	0.6	0.2	0.4	0.5	0.1	0.3	0.1	0.0	0.0
梨状陥凹<洞>	012	203	14	217	0.5	0.0	0.3	4.4	0.3	2.4	2.7	0.2	1.4	1.9	0.2	1.0	0.2	0.0	0.1
下咽頭	013	141	11	152	0.3	0.0	0.2	3.1	0.2	1.7	1.8	0.1	0.9	1.3	0.1	0.7	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	014	7	1	8	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	015	1,654	347	2,001	3.8	1.0	2.6	36.2	7.6	21.9	20.6	3.8	11.8	14.5	2.7	8.4	1.9	0.4	1.1
胃	016	6,215	2,581	8,796	14.4	7.6	11.4	136.1	56.4	96.2	72.6	25.8	47.6	49.5	18.1	32.8	6.1	2.1	4.0
小腸	017	167	90	257	0.4	0.3	0.3	3.7	2.0	2.8	2.2	1.1	1.6	1.6	0.9	1.2	0.2	0.1	0.1
結腸	018	3,831	3,257	7,088	8.9	9.5	9.2	83.9	71.1	77.5	46.6	32.9	39.4	32.5	23.2	27.6	3.9	2.7	3.3
直腸S状結腸移行部	019	594	348	942	1.4	1.0	1.2	13.0	7.6	10.3	7.9	4.4	6.1	5.8	3.3	4.5	0.8	0.4	0.6
直腸	020	1,703	943	2,646	3.9	2.8	3.4	37.3	20.6	28.9	22.8	11.6	17.0	16.7	8.6	12.5	2.1	1.0	1.6
肛門および肛門管	021	38	42	80	0.1	0.1	0.1	0.8	0.9	0.9	0.5	0.4	0.5	0.4	0.3	0.3	0.0	0.0	0.0
肝および肝内胆管	022	1,715	821	2,536	4.0	2.4	3.3	37.6	17.9	27.7	20.3	7.1	13.3	13.9	4.7	9.1	1.6	0.5	1.1
胆のう	023	190	261	451	0.4	0.8	0.6	4.2	5.7	4.9	2.2	2.3	2.2	1.5	1.6	1.5	0.2	0.2	0.2
その他および部位不明の胆道	024	527	321	848	1.2	0.9	1.1	11.5	7.0	9.3	5.9	2.5	4.1	4.0	1.6	2.8	0.5	0.2	0.3
膵臓	025	1,407	1,217	2,624	3.3	3.6	3.4	30.8	26.6	28.7	17.1	11.4	14.2	12.0	7.8	9.9	1.5	0.9	1.2
その他および部位不明の消化器	026	214	148	362	0.5	0.4	0.5	4.7	3.2	4.0	2.9	1.9	2.4	2.1	1.4	1.7	0.2	0.2	0.2
鼻腔および中耳	030	28	21	49	0.1	0.1	0.1	0.6	0.5	0.5	0.4	0.3	0.3	0.3	0.2	0.2	0.0	0.0	0.0
副鼻腔	031	50	28	78	0.1	0.1	0.1	1.1	0.6	0.9	0.7	0.3	0.5	0.5	0.3	0.4	0.1	0.0	0.0
喉頭	032	282	18	300	0.7	0.1	0.4	6.2	0.4	3.3	3.5	0.2	1.8	2.5	0.2	1.3	0.3	0.0	0.2
気管	033	4	1	5	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	034	5,114	2,564	7,678	11.8	7.5	9.9	112.0	56.0	84.0	59.7	26.3	41.7	41.2	18.5	29.0	5.0	2.2	3.6
胸腺	037	69	33	102	0.2	0.1	0.1	1.5	0.7	1.1	1.0	0.5	0.8	0.8	0.4	0.6	0.1	0.0	0.1
心臓、縦隔および胸膜	038	42	12	54	0.1	0.0	0.1	0.9	0.3	0.6	0.7	0.1	0.4	0.6	0.1	0.4	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	039	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	040	20	12	32	0.0	0.0	0.0	0.4	0.3	0.3	0.5	0.3	0.4	0.5	0.3	0.4	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	041	26	28	54	0.1	0.1	0.1	0.6	0.6	0.6	0.4	0.4	0.4	0.3	0.4	0.4	0.0	0.0	0.0
皮膚の悪性黒色腫	043	74	50	124	0.2	0.1	0.2	1.6	1.1	1.4	0.9	0.7	0.8	0.7	0.5	0.6	0.1	0.1	0.1
皮膚のその他	044	751	722	1,473	1.7	2.1	1.9	16.5	15.8	16.1	8.5	6.8	7.5	5.8	4.8	5.2	0.6	0.5	0.6
中皮腫	045	109	21	130	0.3	0.1	0.2	2.4	0.5	1.4	1.2	0.2	0.7	0.8	0.1	0.5	0.1	0.0	0.1
カポジ肉腫	046	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	047	3	1	4	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	048	39	100	139	0.1	0.3	0.2	0.9	2.2	1.5	0.6	1.4	1.0	0.5	1.2	0.9	0.1	0.1	0.1
その他の結合組織および軟部組織	049	142	96	238	0.3	0.3	0.3	3.1	2.1	2.6	2.2	1.4	1.8	1.7	1.2	1.5	0.2	0.1	0.1
乳房	050	49	7,232	7,281	0.1	21.2	9.4	1.1	157.9	79.6	0.7	112.7	56.4	0.5	86.7	43.2	0.1	9.6	4.8
外陰	051	-	64	64	-	0.2	0.1	-	1.4	-	-	0.6	-	-	0.5	-	-	0.1	-
陰	052	-	17	17	-	0.0	0.0	-	0.4	-	-	0.2	-	-	0.1	-	-	0.0	-
子宮頸部	053	-	745	745	-	2.2	1.0	-	16.3	-	-	13.3	-	-	10.5	-	-	1.1	-
子宮体部	054	-	1,233	1,233	-	3.6	1.6	-	26.9	-	-	20.2	-	-	15.6	-	-	1.7	-
子宮部位不明	055	-	31	31	-	0.1	0.0	-	0.7	-	-	0.2	-	-	0.2	-	-	0.0	-
卵巣	056	-	805	805	-	2.4	1.0	-	17.6	-	-	13.2	-	-	10.3	-	-	1.1	-
その他および部位不明の女性性器	057	-	42	42	-	0.1	0.1	-	0.9	-	-	0.6	-	-	0.4	-	-	0.1	-
胎盤	058	-	2	2	-	0.0	0.0	-	0.0	-	-	0.1	-	-	0.1	-	-	0.0	-
陰茎	060	35	-	35	0.1	-	0.0	0.8	-	-	0.4	-	-	0.3	-	-	0.0	-	-
前立腺	061	6,335	-	6,335	14.7	-	8.2	138.8	-	-	72.5	-	-	49.2	-	-	6.4	-	-
精巣	062	169	-	169	0.4	-	0.2	3.7	-	-	3.8	-	-	3.2	-	-	0.3	-	-
その他および部位不明の男性性器	063	31	-	31	0.1	-	0.0	0.7	-	-	0.3	-	-	0.2	-	-	0.0	-	-
腎盂を除く腎	064	1,007	406	1,413	2.3	1.2	1.8	22.1	8.9	15.5	13.9	4.7	9.2	10.3	3.4	6.8	1.2	0.4	0.8
腎盂	065	191	82	273	0.4	0.2	0.4	4.2	1.8	3.0	2.2	0.7	1.4	1.5	0.5	1.0	0.2	0.1	0.1
尿管	066	158	87	245	0.4	0.3	0.3	3.5	1.9	2.7	1.7	0.6	1.1	1.1	0.4	0.7	0.1	0.0	0.1
膀胱	067	1,163	324	1,487	2.7	0.9	1.9	25.5	7.1	16.3	13.2	2.7	7.6	9.0	1.8	5.2	1.0	0.2	0.6
その他および部位不明の泌尿器	068	9	18	27	0.0	0.1	0.0	0.2	0.4	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.0	0.0
眼および付属器	069	18	14	32	0.0	0.0	0.0	0											

付表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 詳細部位別、性別

神奈川県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	4,013	4,237	8,250	9.3	12.4	10.7	87.9	92.5	90.2	52.2	71.5	60.5	37.3	55.9	45.7	4.6	5.6	5.1
口腔、食道および胃	D00	211	67	278	0.5	0.2	0.4	4.6	1.5	3.0	2.6	0.8	1.7	1.9	0.6	1.2	0.3	0.1	0.2
食道	D001	151	43	194	0.3	0.1	0.3	3.3	0.9	2.1	1.8	0.5	1.1	1.3	0.3	0.8	0.2	0.0	0.1
その他および部位不明の消化器	D01	2,503	1,386	3,889	5.8	4.1	5.0	54.8	30.3	42.5	34.0	17.6	25.5	24.6	12.8	18.6	3.1	1.6	2.3
結腸	D010	1,802	1,033	2,835	4.2	3.0	3.7	39.5	22.6	31.0	24.3	12.9	18.4	17.6	9.3	13.4	2.2	1.2	1.7
直腸S状結腸移行部	D011	162	92	254	0.4	0.3	0.3	3.5	2.0	2.8	2.3	1.3	1.8	1.7	0.9	1.3	0.2	0.1	0.2
直腸	D012	485	241	726	1.1	0.7	0.9	10.6	5.3	7.9	6.6	3.2	4.8	4.8	2.4	3.6	0.6	0.3	0.4
中耳および呼吸器系	D02	36	28	64	0.1	0.1	0.1	0.8	0.6	0.7	0.5	0.3	0.4	0.3	0.3	0.3	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	21	26	47	0.0	0.1	0.1	0.5	0.6	0.5	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
上皮内黒色腫	D03	8	20	28	0.0	0.1	0.0	0.2	0.4	0.3	0.1	0.4	0.2	0.1	0.3	0.2	0.0	0.0	0.0
皮膚のその他	D04	158	184	342	0.4	0.5	0.4	3.5	4.0	3.7	1.7	1.5	1.6	1.2	1.0	1.1	0.1	0.1	0.1
乳房	D05	6	887	893	0.0	2.6	1.2	0.1	19.4	9.8	0.1	15.4	7.6	0.1	12.0	5.9	0.0	1.3	0.6
子宮頸部	D06	-	1,371	1,371	-	4.0	1.8	-	29.9	-	-	32.2	-	-	26.7	-	-	2.2	-
その他および部位不明の性器	D07	11	31	42	0.0	0.1	0.1	0.2	0.7	0.5	0.2	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
その他および部位不明	D09	1,080	263	1,343	2.5	0.8	1.7	23.7	5.7	14.7	13.0	2.9	7.6	9.0	2.0	5.4	1.1	0.3	0.7
膀胱	D090	1,003	236	1,239	2.3	0.7	1.6	22.0	5.2	13.5	12.1	2.6	7.1	8.4	1.8	5.0	1.0	0.2	0.6
良性腫瘍	D32-D35	409	757	1,166	0.9	2.2	1.5	9.0	16.5	12.8	6.5	12.0	9.2	5.1	9.6	7.4	0.6	1.0	0.8
髄膜	D32	170	436	606	0.4	1.3	0.8	3.7	9.5	6.6	2.4	5.9	4.1	1.8	4.4	3.1	0.2	0.5	0.4
脳および中枢神経系	D33	97	122	219	0.2	0.4	0.3	2.1	2.7	2.4	1.8	2.2	2.0	1.5	1.8	1.6	0.1	0.2	0.2
下垂体	D352	142	197	339	0.3	0.6	0.4	3.1	4.3	3.7	2.4	4.0	3.1	1.9	3.4	2.6	0.2	0.3	0.3
頭蓋咽頭管	D353	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	633	447	1,080	1.5	1.3	1.4	13.9	9.8	11.8	8.3	5.6	6.8	6.1	4.4	5.2	0.6	0.4	0.5
髄膜	D42	25	31	56	0.1	0.1	0.1	0.5	0.7	0.6	0.4	0.4	0.4	0.3	0.3	0.3	0.0	0.0	0.0
脳および中枢神経系	D43	107	105	212	0.2	0.3	0.3	2.3	2.3	2.3	1.9	1.6	1.8	1.7	1.4	1.6	0.1	0.1	0.1
下垂体	D443	3	12	15	0.0	0.0	0.0	0.1	0.3	0.2	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0
頭蓋咽頭管	D444	14	8	22	0.0	0.0	0.0	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.1	0.2	0.0	0.0	0.0
松果体	D445	0	4	4	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	33	22	55	0.1	0.1	0.1	0.7	0.5	0.6	0.4	0.3	0.3	0.3	0.2	0.2	0.0	0.0	0.0
骨髄異形成症候群	D46	360	188	548	0.8	0.6	0.7	7.9	4.1	6.0	4.0	1.8	2.8	2.7	1.3	1.9	0.3	0.1	0.2
慢性骨髄増殖性疾患	D471	19	18	37	0.0	0.1	0.0	0.4	0.4	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0
本態性（出血性）血小板血症	D473	64	58	122	0.1	0.2	0.2	1.4	1.3	1.3	0.9	0.8	0.8	0.6	0.6	0.6	0.1	0.1	0.1

*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

神奈川県

2016年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C97 000-D47	14,375	9,644	24,019	100.0	100.0	100.0	320.2	214.5	267.3	159.5	90.5	120.9	108.4	63.9	83.5	11.6	6.7	9.1
全部位	000-C97	14,025	9,370	23,395	97.6	97.2	97.4	312.4	208.4	260.3	156.0	88.7	118.3	106.1	62.6	81.8	11.4	6.6	8.9
口唇	000	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	2	0	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	002	66	36	102	0.5	0.4	0.4	1.5	0.8	1.1	0.8	0.4	0.6	0.6	0.3	0.4	0.1	0.0	0.0
歯肉	003	42	34	76	0.3	0.4	0.3	0.9	0.8	0.8	0.5	0.2	0.4	0.4	0.2	0.3	0.0	0.0	0.0
口腔底	004	11	7	18	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
口蓋	005	3	2	5	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	006	11	14	25	0.1	0.1	0.1	0.2	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
耳下腺	007	16	10	26	0.1	0.1	0.1	0.4	0.2	0.3	0.2	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の大唾液腺	008	11	9	20	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
扁桃	009	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中咽頭	010	60	9	69	0.4	0.1	0.3	1.3	0.2	0.8	0.7	0.1	0.4	0.5	0.1	0.3	0.1	0.0	0.0
鼻<上>咽頭	011	14	8	22	0.1	0.1	0.1	0.3	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
梨状陥凹<洞>	012	2	0	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	013	113	5	118	0.8	0.1	0.5	2.5	0.1	1.3	1.3	0.0	0.6	0.9	0.0	0.4	0.1	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	014	36	5	41	0.3	0.1	0.2	0.8	0.1	0.5	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
食道	015	721	147	868	5.0	1.5	3.6	16.1	3.3	9.7	8.5	1.5	4.8	5.9	1.0	3.3	0.8	0.1	0.4
胃	016	1,911	908	2,819	13.3	9.4	11.7	42.6	20.2	31.4	20.9	7.8	13.7	14.0	5.4	9.3	1.5	0.6	1.0
小腸	017	55	25	80	0.4	0.3	0.3	1.2	0.6	0.9	0.7	0.2	0.4	0.5	0.2	0.3	0.0	0.0	0.0
結腸	018	1,188	1,085	2,273	8.3	11.3	9.5	26.5	24.1	25.3	13.4	8.8	10.9	9.1	6.1	7.5	1.0	0.6	0.8
直腸S状結腸移行部	019	16	12	28	0.1	0.1	0.1	0.4	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
直腸	020	647	332	979	4.5	3.4	4.1	14.4	7.4	10.9	7.7	3.3	5.4	5.4	2.4	3.8	0.7	0.3	0.5
肛門および肛門管	021	15	14	29	0.1	0.1	0.1	0.3	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
肝および肝内胆管	022	1,051	530	1,581	7.3	5.5	6.6	23.4	11.8	17.6	11.7	4.0	7.5	7.8	2.6	5.0	0.8	0.2	0.5
胆のう	023	129	171	300	0.9	1.8	1.2	2.9	3.8	3.3	1.3	1.3	1.3	0.9	0.9	0.9	0.1	0.1	0.1
その他および部位不明の胆道	024	381	279	660	2.7	2.9	2.7	8.5	6.2	7.3	4.0	1.9	2.9	2.7	1.3	1.9	0.3	0.1	0.2
膵臓	025	1,124	978	2,102	7.8	10.1	8.8	25.0	21.7	23.4	13.1	8.5	10.7	9.0	5.7	7.3	1.1	0.6	0.8
その他および部位不明の消化器	026	21	17	38	0.1	0.2	0.2	0.5	0.4	0.4	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0
鼻腔および中耳	030	6	8	14	0.0	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
副鼻腔	031	17	8	25	0.1	0.1	0.1	0.4	0.2	0.3	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
喉頭	032	45	8	53	0.3	0.1	0.2	1.0	0.2	0.6	0.5	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
気管	033	5	2	7	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	034	3,195	1,299	4,494	22.2	13.5	18.7	71.2	28.9	50.0	35.1	11.2	22.0	23.7	7.6	14.9	2.6	0.8	1.7
胸腺	037	12	2	14	0.1	0.0	0.1	0.3	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
心臓、縦隔および胸腺	038	8	3	11	0.1	0.0	0.0	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	039	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	040	2	5	7	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	041	8	8	16	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
皮膚の悪性黒色腫	043	18	17	35	0.1	0.2	0.1	0.4	0.4	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0
皮膚のその他	044	31	21	52	0.2	0.2	0.2	0.7	0.5	0.6	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
中皮腫	045	77	11	88	0.5	0.1	0.4	1.7	0.2	1.0	0.8	0.1	0.4	0.5	0.1	0.3	0.1	0.0	0.0
カボジ肉腫	046	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	047	2	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	048	15	46	61	0.1	0.5	0.3	0.3	1.0	0.7	0.2	0.5	0.4	0.1	0.4	0.3	0.0	0.1	0.0
その他の結合組織および軟部組織	049	47	29	76	0.3	0.3	0.3	1.0	0.6	0.8	0.7	0.4	0.5	0.5	0.3	0.4	0.0	0.0	0.0
乳房	050	7	1,110	1,117	0.0	11.5	4.7	0.2	24.7	12.4	0.1	14.6	7.4	0.0	11.0	5.6	0.0	1.3	0.6
外陰	051	-	19	19	-	0.2	0.1	-	0.4	-	-	0.1	-	-	0.1	-	-	0.0	-
陰	052	-	12	12	-	0.1	0.0	-	0.3	-	-	0.1	-	-	0.1	-	-	0.0	-
子宮頸部	053	-	165	165	-	1.7	0.7	-	3.7	-	-	2.5	-	-	1.9	-	-	0.2	-
子宮体部	054	-	162	162	-	1.7	0.7	-	3.6	-	-	1.9	-	-	1.4	-	-	0.2	-
子宮部位不明	055	-	75	75	-	0.8	0.3	-	1.7	-	-	0.8	-	-	0.6	-	-	0.1	-
卵巣	056	-	326	326	-	3.4	1.4	-	7.2	-	-	4.4	-	-	3.3	-	-	0.4	-
その他および部位不明の女性性器	057	-	15	15	-	0.2	0.1	-	0.3	-	-	0.2	-	-	0.2	-	-	0.0	-
胎盤	058	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	060	14	-	14	0.1	-	0.1	0.3	-	-	0.2	-	-	-	0.1	-	-	0.0	-
前立腺	061	772	-	772	5.4	-	3.2	17.2	-	-	7.3	-	-	-	4.7	-	-	0.4	-
精巣	062	1	-	1	0.0	-	0.0	0.0	-	-	0.0	-	-	-	0.0	-	-	0.0	-
その他および部位不明の男性性器	063	1	-	1	0.0	-	0.0	0.0	-	-	0.0	-	-	-	0.0	-	-	0.0	-
腎盂を除く腎	064	221	101	322	1.5	1.0	1.3	4.9	2.2	3.6	2.4	0.7	1.5	1.6	0.5	1.0	0.2	0.0	0.1
腎盂	065	102	48	150	0.7	0.5	0.6	2.3	1.1	1.7	1.1	0.4	0.7	0.7	0.2	0.4	0.1	0.0	0.0
尿管	066	78	44	122	0.5	0.5	0.5	1.7	1.0	1.4	0.8	0.3	0.5	0.5	0.2	0.3	0.0	0.0	0.0
膀胱	067	356	158	514	2.5	1.6	2.1	7.9	3.5	5.7	3.5	1.0	2.1	2.3	0.7	1.4	0.2	0.1	0.1
その他および部位不明の泌尿器	068	14	14	28	0.1	0.1	0.1	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
眼および付属器	069	1	3	4	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	070	0	3																

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

神奈川県

2016年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	1	1	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D32-D35	4	12	16	0.0	0.1	0.1	0.1	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
髄膜	D32	3	12	15	0.0	0.1	0.1	0.1	0.3	0.2	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
脳および中枢神経系	D33	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D352	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	244	143	387	1.7	1.5	1.6	5.4	3.2	4.3	2.5	1.1	1.7	1.6	0.7	1.1	0.1	0.1	0.1
髄膜	D42	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	65	54	119	0.5	0.6	0.5	1.4	1.2	1.3	0.7	0.5	0.6	0.5	0.4	0.5	0.0	0.0	0.0
下垂体	D443	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	1	4	5	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	167	73	240	1.2	0.8	1.0	3.7	1.6	2.7	1.6	0.4	0.9	1.0	0.3	0.6	0.1	0.0	0.0
慢性骨髄増殖性疾患	D471	2	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	3	4	7	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2016年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	-その他 *	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96	64,557	26.1	7.3	1.0	2.9	13.9	3.8	1.0	1.1	14.1	0.4	4.0	1.5	22.8
口腔・咽頭	C00-C14	1,539	32.7	4.2	0.0	5.3	3.6	18.6	0.0	3.2	4.3	0.1	4.5	0.3	23.1
食道	C15	1,958	7.7	22.9	0.9	6.0	7.4	18.7	0.0	0.8	12.9	0.2	2.2	0.8	19.6
胃	C16	8,564	25.4	32.1	2.3	0.2	8.2	0.2	0.2	0.0	9.8	0.3	0.1	0.8	20.4
大腸 (結腸・直腸)	C18-C20	10,376	42.0	8.5	3.2	0.3	3.9	0.4	0.2	0.2	20.9	0.4	1.4	0.6	18.1
結腸	C18	6,860	44.3	7.7	3.2	0.1	3.3	0.1	0.2	0.0	21.3	0.3	0.1	0.6	18.7
直腸	C19-C20	3,516	37.5	10.0	3.0	0.6	5.1	1.0	0.3	0.4	20.1	0.4	3.9	0.7	17.0
肝および肝内胆管	C22	2,377	14.5	0.0	0.0	1.8	6.2	0.3	19.9	0.1	0.8	0.8	0.0	15.2	40.3
胆のう・胆管	C23-C24	1,209	25.7	0.6	0.2	0.6	14.9	0.4	0.8	0.3	9.8	0.3	0.2	2.2	43.8
膵臓	C25	2,489	9.4	0.0	0.2	0.8	31.8	1.4	0.4	0.1	14.6	0.2	0.8	1.8	38.5
喉頭	C32	299	9.4	9.0	0.0	29.4	1.7	24.7	0.0	5.4	1.3	0.0	2.7	1.3	15.1
肺	C33-C34	7,317	24.2	0.0	0.0	6.5	19.5	7.0	0.3	0.3	8.5	0.1	0.9	1.0	31.8
皮膚	C43-C44	1,587	84.8	0.1	0.0	0.6	0.8	0.4	0.0	1.3	1.8	1.5	0.1	0.3	8.4
乳房	C50	7,163	9.5	0.0	0.0	2.3	9.0	0.5	0.1	5.3	34.5	0.1	26.1	0.5	12.1
乳房 (女性のみ)	C50	7,115	9.5	0.0	0.0	2.3	8.9	0.5	0.1	5.4	34.4	0.1	26.2	0.5	12.2
子宮	C53-C55	1,972	42.6	0.0	0.1	3.7	2.1	7.9	0.1	1.6	24.4	0.2	4.3	0.5	12.6
子宮頸部	C53	736	29.1	0.0	0.0	8.8	1.5	20.9	0.0	3.5	10.1	0.1	10.7	0.4	14.8
子宮体部	C54	1,220	51.2	0.0	0.2	0.7	2.5	0.2	0.1	0.4	33.4	0.2	0.5	0.6	10.2
卵巣	C56	775	19.2	0.0	0.0	0.1	5.8	0.0	0.0	0.0	57.4	0.0	0.1	0.3	17.0
前立腺	C61	6,225	20.4	0.7	0.1	8.7	34.1	11.3	0.2	0.2	3.4	0.1	0.2	0.7	20.1
膀胱	C67	1,447	4.4	26.5	3.1	0.8	1.5	0.4	0.1	1.9	28.3	7.0	3.0	6.8	16.2
腎・尿路 (膀胱除く)	C64-C66 C68	1,896	59.8	0.4	0.3	0.8	5.3	0.4	0.2	0.1	7.2	0.4	0.4	0.9	23.8
脳・中枢神経系	C70-C72	422	14.7	0.0	0.0	2.8	2.1	5.2	0.0	3.3	6.6	0.2	33.4	1.4	30.1
甲状腺	C73	1,111	53.6	0.0	0.1	0.2	1.7	0.2	0.0	4.1	10.9	0.5	3.8	0.7	24.2
悪性リンパ腫	C81-C85 C96	2,069	2.9	0.2	0.0	3.8	53.3	3.7	0.5	0.4	4.0	0.0	0.5	1.9	28.8
多発性骨髄腫	C88-C90	418	0.5	0.0	0.0	1.7	60.0	1.9	6.2	0.0	0.2	0.0	0.7	1.7	27.0
白血病	C91-C95	835	0.0	0.0	0.0	0.0	61.2	1.0	4.7	0.0	0.0	0.0	0.0	4.0	29.2

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが「1:あり」

*3 化学療法、内分泌療法のいずれかが「1:あり」

*4 その他治療が「1:あり」

*5 左記以外の治療組合せ

付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2016年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	-その他 *	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96 D00-D09	72,806	26.5	12.3	0.9	2.6	12.3	3.4	0.9	1.3	13.3	0.5	3.7	1.5	20.7
食道	C15 D001	2,152	7.1	27.8	0.8	5.5	6.7	17.1	0.0	0.7	11.7	0.3	2.0	0.8	19.3
大腸 (結腸・直腸) *4	C18-C20 D010-D012	14,191	32.2	31.1	2.4	0.2	2.9	0.3	0.1	0.1	15.3	0.3	1.0	0.5	13.5
結腸 *4	C18 D010	9,695	33.0	32.5	2.5	0.1	2.4	0.0	0.1	0.0	15.1	0.3	0.1	0.5	13.5
直腸 *4	C19-C20 D011-D012	4,496	30.5	27.9	2.4	0.5	4.0	0.8	0.2	0.3	15.7	0.3	3.1	0.6	13.7
肺	C33-C34 D021-D022	7,364	24.6	0.0	0.0	6.5	19.4	6.9	0.3	0.3	8.5	0.1	0.9	1.0	31.7
皮膚	C43-C44 D030-D049	1,957	84.9	0.1	0.0	0.6	0.7	0.3	0.1	1.1	1.5	1.5	0.1	0.8	8.4
乳房	C50 D05	8,056	13.7	0.0	0.0	2.2	8.2	0.5	0.1	7.5	31.8	0.1	24.0	0.5	11.4
乳房 (女性のみ)	C50 D05	8,002	13.7	0.0	0.0	2.2	8.1	0.5	0.1	7.5	31.7	0.1	24.1	0.5	11.4
子宮	C53-C55 D06	3,342	61.1	0.5	0.1	2.2	1.2	4.7	0.1	1.0	14.5	0.2	2.5	0.7	11.1
子宮頸部	C53 D06	2,106	67.3	0.9	0.0	3.2	0.5	7.3	0.0	1.3	3.7	0.2	3.8	0.9	11.0
膀胱	C67 D090	2,686	3.1	33.9	1.8	0.4	0.9	0.2	0.1	1.1	33.1	7.4	1.6	6.0	10.4

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが「1:あり」

*3 化学療法、内分泌療法のいずれかが「1:あり」

*4 その他治療が「1:あり」

*5 左記以外の治療組合せ