

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	38,035	28,186	66,222	100.0	100.0	100.0	832.5	614.1	723.0	453.3	350.0	392.8	319.2	262.6	285.2	38.2	29.0	33.2
口腔・咽頭	C00-C14	1,118	430	1,548	2.9	1.5	2.3	24.5	9.4	16.9	14.7	5.1	9.8	10.8	3.9	7.2	1.3	0.4	0.9
食道	C15	1,591	348	1,939	4.2	1.2	2.9	34.8	7.6	21.2	19.5	3.9	11.3	13.8	2.8	8.1	1.8	0.4	1.1
胃	C16	5,936	2,445	8,381	15.6	8.7	12.7	129.9	53.3	91.5	67.5	23.8	44.1	46.1	16.7	30.5	5.7	2.0	3.7
大腸（結腸・直腸）	C18-C20	6,043	4,280	10,324	15.9	15.2	15.6	132.3	93.2	112.7	74.6	45.8	59.4	53.1	32.9	42.5	6.4	3.8	5.1
結腸	C18	3,762	3,076	6,838	9.9	10.9	10.3	82.3	67.0	74.7	44.7	30.8	37.3	31.3	21.8	26.3	3.7	2.5	3.1
直腸	C19-C20	2,281	1,204	3,486	6.0	4.3	5.3	49.9	26.2	38.1	29.9	15.0	22.1	21.8	11.1	16.3	2.7	1.3	2.0
肝および肝内胆管	C22	1,519	725	2,244	4.0	2.6	3.4	33.2	15.8	24.5	17.3	6.4	11.5	11.9	4.5	8.0	1.4	0.4	0.9
胆のう・胆管	C23-C24	773	617	1,390	2.0	2.2	2.1	16.9	13.4	15.2	8.0	4.9	6.3	5.3	3.2	4.2	0.6	0.3	0.4
膵臓	C25	1,452	1,315	2,767	3.8	4.7	4.2	31.8	28.6	30.2	17.3	12.1	14.6	12.1	8.3	10.2	1.5	1.0	1.2
喉頭	C32	288	33	321	0.8	0.1	0.5	6.3	0.7	3.5	3.4	0.3	1.8	2.4	0.2	1.3	0.3	0.0	0.2
肺	C33-C34	5,221	2,705	7,926	13.7	9.6	12.0	114.3	58.9	86.5	59.2	26.6	41.6	40.5	18.6	28.8	4.9	2.2	3.5
皮膚	C43-C44	770	725	1,495	2.0	2.6	2.3	16.9	15.8	16.3	9.0	6.8	7.8	6.3	4.9	5.6	0.6	0.5	0.6
乳房	C50	42	7,049	7,091	0.1	25.0	10.7	0.9	153.6	77.4	0.5	108.5	54.2	0.3	83.3	41.5	0.0	9.1	4.5
子宮	C53-C55	-	1,983	1,983	-	7.0	3.0	-	43.2	-	-	32.9	-	-	25.4	-	-	2.8	-
子宮頸部	C53	-	712	712	-	2.5	1.1	-	15.5	-	-	12.4	-	-	9.7	-	-	1.0	-
子宮体部	C54	-	1,245	1,245	-	4.4	1.9	-	27.1	-	-	20.2	-	-	15.6	-	-	1.8	-
卵巣	C56	-	821	821	-	2.9	1.2	-	17.9	-	-	13.5	-	-	10.8	-	-	1.1	-
前立腺	C61	6,773	-	6,773	17.8	-	10.2	148.2	-	-	75.4	-	-	51.0	-	-	6.6	-	-
膀胱	C67	1,096	358	1,454	2.9	1.3	2.2	24.0	7.8	15.9	12.1	3.0	7.2	8.2	2.1	4.9	0.9	0.2	0.6
腎・尿路（膀胱除く）	C64-C66 C68	1,309	605	1,914	3.4	2.1	2.9	28.6	13.2	20.9	17.2	6.5	11.7	12.5	4.7	8.5	1.5	0.5	1.0
脳・中枢神経系	C70-C72	195	165	360	0.5	0.6	0.5	4.3	3.6	3.9	3.2	2.6	2.9	2.7	2.4	2.5	0.2	0.2	0.2
甲状腺	C73	285	823	1,108	0.7	2.9	1.7	6.2	17.9	12.1	4.5	13.7	9.1	3.5	10.9	7.2	0.4	1.1	0.8
悪性リンパ腫	C81-C85 C96	1,259	1,026	2,285	3.3	3.6	3.5	27.6	22.4	24.9	16.5	12.4	14.3	12.3	9.5	10.8	1.3	1.1	1.2
多発性骨髄腫	C88-C90	255	241	496	0.7	0.9	0.7	5.6	5.3	5.4	3.0	2.3	2.6	2.1	1.6	1.8	0.2	0.2	0.2
白血病	C91-C95	553	380	933	1.5	1.3	1.4	12.1	8.3	10.2	8.3	5.7	6.9	7.1	5.3	6.1	0.7	0.4	0.5

\*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 部位別、性別

B. 上皮内がんを含む

神奈川県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	42,029	32,545	74,576	100.0	100.0	100.0	919.9	709.0	814.2	504.1	425.5	454.6	355.3	321.9	331.9	42.7	34.8	38.3
食道	C15 D001	1,779	400	2,179	4.2	1.2	2.9	38.9	8.7	23.8	21.7	4.4	12.7	15.3	3.2	9.0	2.0	0.4	1.2
大腸（結腸・直腸）*2	C18-C20 D010-D012	8,458	5,589	14,049	20.1	17.2	18.8	185.1	121.8	153.4	106.8	62.5	83.6	76.4	45.2	60.2	9.4	5.3	7.3
結腸 *2	C18 D010	5,543	4,049	9,593	13.2	12.4	12.9	121.3	88.2	104.7	68.4	43.1	55.0	48.4	30.8	39.2	6.0	3.6	4.8
直腸 *2	C19-C20 D011-D012	2,915	1,540	4,456	6.9	4.7	6.0	63.8	33.6	48.7	38.5	19.4	28.5	28.0	14.4	21.0	3.5	1.7	2.6
肺	C33-C34 D021-D022	5,246	2,731	7,977	12.5	8.4	10.7	114.8	59.5	87.1	59.5	26.9	41.9	40.7	18.8	29.0	5.0	2.3	3.6
皮膚	C43-C44 D030-D049	894	890	1,784	2.1	2.7	2.4	19.6	19.4	19.5	10.4	8.2	9.2	7.2	5.9	6.5	0.7	0.6	0.7
乳房	C50 D05	47	7,954	8,001	0.1	24.4	10.7	1.0	173.3	87.4	0.6	124.0	61.9	0.4	95.4	47.4	0.0	10.4	5.2
子宮	C53-C55 D06	-	3,536	3,536	-	10.9	4.7	-	77.0	-	-	70.1	-	-	56.1	-	-	5.4	-
子宮頸部	C53 D06	-	2,265	2,265	-	7.0	3.0	-	49.3	-	-	49.6	-	-	40.4	-	-	3.6	-
膀胱	C67 D090	2,089	579	2,668	5.0	1.8	3.6	45.7	12.6	29.1	23.6	5.4	13.8	16.0	3.7	9.5	1.8	0.4	1.1

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	38,035	41	16	23	25	26	71	140	222	433	737	1,145	1,835	3,133	6,279	7,152	7,378	5,355	2,886	971	147	20	0
	口腔・咽頭	C00-C14	1,118	0	0	0	1	1	5	9	12	21	44	62	85	112	197	209	173	108	62	15	2	0	0
	食道	C15	1,591	0	0	0	0	0	0	1	1	7	25	61	82	185	316	323	312	175	87	14	2	0	0
	胃	C16	5,936	1	0	0	0	0	1	13	15	34	79	119	227	455	986	1,195	1,236	929	464	157	23	2	0
	大腸（結腸・直腸）	C18-C20	6,043	0	0	0	0	4	8	16	29	93	175	260	359	611	1,005	1,065	1,047	775	432	144	16	4	0
	結腸	C18	3,762	0	0	0	0	3	3	11	13	45	85	131	195	339	592	674	675	554	315	110	14	3	0
	直腸	C19-C20	2,281	0	0	0	0	1	5	5	16	48	90	129	164	272	413	391	372	221	117	34	2	1	0
	肝および肝内胆管	C22	1,519	1	0	0	0	0	1	3	1	6	12	48	69	133	232	257	302	259	145	47	3	0	0
	胆のう・胆管	C23-C24	773	0	0	0	0	0	0	1	2	3	8	10	23	38	105	120	154	150	110	38	9	2	0
	膵臓	C25	1,452	1	0	0	0	0	0	2	9	19	34	34	87	115	252	269	290	187	111	33	8	1	0
	喉頭	C32	288	0	0	0	0	0	0	0	0	0	9	9	17	25	57	59	49	38	23	1	1	0	0
	肺	C33-C34	5,221	0	0	0	0	1	2	4	13	37	64	112	220	365	890	1,030	1,090	782	428	159	19	5	0
	皮膚	C43-C44	770	1	0	1	0	2	2	6	9	17	18	29	47	36	92	107	138	128	86	42	9	0	0
	乳房	C50	42	0	0	0	0	0	0	0	0	1	1	0	2	5	3	9	8	9	2	2	0	0	0
	前立腺	C61	6,773	0	0	0	0	0	0	0	1	3	18	90	218	506	1,215	1,538	1,549	998	468	140	26	3	0
	膀胱	C67	1,096	0	0	0	0	0	0	1	2	9	17	25	51	73	151	165	218	195	128	50	10	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	1,309	1	0	0	0	0	1	10	16	38	57	74	93	145	198	206	214	151	71	30	3	1	0
	脳・中枢神経系	C70-C72	195	3	3	2	3	2	1	6	13	10	14	16	12	13	25	21	22	14	12	3	0	0	0
	甲状腺	C73	285	0	0	1	1	1	5	8	11	23	26	26	21	29	40	40	21	20	12	0	0	0	0
	悪性リンパ腫	C81-C85 C96	1,259	2	6	6	6	3	11	14	17	27	41	46	87	108	199	183	216	167	82	33	4	1	0
	多発性骨髄腫	C88-C90	255	0	0	0	0	1	1	0	3	1	7	11	8	18	37	46	49	41	25	7	0	0	0
	白血病	C91-C95	553	15	7	6	6	5	9	10	17	19	25	20	24	39	83	91	73	63	28	11	2	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	28,186	39	25	20	30	49	105	269	563	1,162	1,740	1,873	1,880	2,160	3,550	3,672	3,707	3,259	2,439	1,254	342	48	0
	口腔・咽頭	C00-C14	430	1	0	0	1	3	4	3	8	23	21	22	23	32	44	51	56	66	46	19	5	2	0
	食道	C15	348	0	0	0	0	0	1	0	0	7	9	11	22	38	50	75	42	41	31	16	5	0	0
	胃	C16	2,445	1	0	0	1	1	1	11	23	31	46	69	89	142	330	397	429	374	308	150	38	4	0
	大腸（結腸・直腸）	C18-C20	4,280	0	1	0	0	4	8	16	41	75	108	200	241	332	606	606	671	615	464	215	67	10	0
	結腸	C18	3,076	0	1	0	0	3	4	9	22	41	56	117	152	200	420	448	517	470	365	187	57	7	0
	直腸	C19-C20	1,204	0	0	0	0	1	4	7	19	34	52	83	89	132	186	158	154	145	99	28	10	3	0
	肝および肝内胆管	C22	725	5	1	0	0	0	0	0	6	6	9	10	24	32	76	81	152	134	119	59	11	0	0
	胆のう・胆管	C23-C24	617	0	0	0	0	0	0	0	1	3	4	9	21	23	58	70	107	124	111	63	21	2	0
	膵臓	C25	1,315	0	0	0	0	0	2	2	7	12	17	26	43	81	161	212	238	222	173	91	26	2	0
	喉頭	C32	33	0	0	0	0	0	0	0	0	0	0	1	0	4	8	5	8	4	2	1	0	0	0
	肺	C33-C34	2,705	0	0	0	0	0	1	6	13	33	50	69	108	191	388	451	476	422	288	167	39	3	0
	皮膚	C43-C44	725	2	0	0	1	0	2	3	3	18	31	27	25	27	70	96	86	117	104	72	32	9	0
	乳房	C50	7,049	0	0	0	0	1	23	81	227	587	909	791	667	663	866	723	624	443	259	150	29	6	0
	子宮	C53-C55	1,983	0	0	0	0	5	15	58	87	143	211	293	253	173	216	202	130	108	56	26	5	2	0
	子宮頸部	C53	712	0	0	0	0	1	11	40	58	80	78	74	68	52	75	65	46	24	23	14	3	0	0
	子宮体部	C54	1,245	0	0	0	0	4	4	18	29	61	132	218	183	121	140	135	82	79	28	10	0	1	0
	卵巣	C56	821	0	3	2	7	5	12	12	26	61	87	111	96	80	98	69	56	45	34	14	3	0	0
	膀胱	C67	358	0	0	0	0	0	0	0	2	0	6	6	11	18	39	53	59	65	64	26	8	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	605	1	1	0	0	0	0	6	8	11	22	21	30	42	84	92	105	80	61	28	10	3	0
	脳・中枢神経系	C70-C72	165	4	3	5	2	2	1	8	6	9	10	8	8	10	20	19	21	12	13	2	2	0	0
	甲状腺	C73	823	0	0	0	8	12	17	41	57	58	91	54	63	72	98	91	75	44	21	16	5	0	0
	悪性リンパ腫	C81-C85 C96	1,026	2	3	2	1	7	10	10	16	21	35	56	67	84	141	166	142	111	91	51	9	1	0
	多発性骨髄腫	C88-C90	241	0	0	0	0	0	0	0	0	4	6	6	9	15	31	37	46	40	29	14	2	2	0
	白血病	C91-C95	380	13	10	6	6	7	3	3	11	23	15	23	24	20	29	37	45	47	29	24	4	1	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	66,222	80	41	43	55	75	176	409	786	1,595	2,477	3,018	3,715	5,293	9,829	10,824	11,085	8,614	5,325	2,225	489	68	0
	口腔・咽頭	C00-C14	1,548	1	0	0	2	4	9	12	20	44	65	84	108	144	241	260	229	174	108	34	7	2	0
	食道	C15	1,939	0	0	0	0	0	1	1	1	14	34	72	104	223	366	398	354	216	118	30	7	0	0
	胃	C16	8,381	2	0	0	1	1	2	24	38	65	125	188	316	597	1,316	1,592	1,665	1,303	772	307	61	6	0
	大腸（結腸・直腸）	C18-C20	10,324	0	1	0	0	8	16	32	71	168	283	460	600	943	1,611	1,671	1,718	1,390	896	359	83	14	0
	結腸	C18	6,838	0	1	0	0	6	7	20	35	86	141	248	347	539	1,012	1,122	1,192	1,024	680	297	71	10	0
	直腸	C19-C20	3,486	0	0	0	0	2	9	12	36	82	142	212	253	404	599	549	526	366	216	62	12	4	0
	肝および肝内胆管	C22	2,244	6	1	0	0	0	1	3	7	12	21	58	93	165	308	338	454	393	264	106	14	0	0
	胆のう・胆管	C23-C24	1,390	0	0	0	0	0	0	1	3	6	12	19	44	61	163	190	261	274	221	101	30	4	0
	膵臓	C25	2,767	1	0	0	0	0	2	4	16	31	51	60	130	196	413	481	528	409	284	124	34	3	0
	喉頭	C32	321	0	0	0	0	0	0	0	0	0	9	10	17	29	65	64	57	42	25	2	1	0	0
	肺	C33-C34	7,926	0	0	0	0	1	3	10	26	70	114	181	328	556	1,278	1,481	1,566	1,204	716	326	58	8	0
	皮膚	C43-C44	1,495	3	0	1	1	2	4	9	12	35	49	56	72	63	162	203	224	245	190	114	41	9	0
	乳房	C50	7,091	0	0	0	0	1	23	81	227	588	910	791	669	668	869	732	632	452	261	152	29	6	0
	子宮	C53-C55	1,983	0	0	0	0	5	15	58	87	143	211	293	253	173	216	202	130	108	56	26	5	2	0
	子宮頸部	C53	712	0	0	0	0	1	11	40	58	80	78	74	68	52	75	65	46	24	23	14	3	0	0
	子宮体部	C54	1,245	0	0	0	0	4	4	18	29	61	132	218	183	121	140	135	82	79	28	10	0	1	0
	卵巣	C56	821	0	3	2	7	5	12	12	26	61	87	111	96	80	98	69	56	45	34	14	3	0	0
	前立腺	C61	6,773	0	0	0	0	0	0	0	1	3	18	90	218	506	1,215	1,538	1,549	998	468	140	26	3	0
	膀胱	C67	1,454	0	0	0	0	0	0	1	4	9	23	31	62	91	190	218	277	260	192	76	18	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	1,914	2	1	0	0	0	1	16	24	49	79	95	123	187	282	298	319	231	132	58	13	4	0
	脳・中枢神経系	C70-C72	360	7	6	7	5	4	2	14	19	19	24	24	20	23	45	40	43	26	25	5	2	0	0
	甲状腺	C73	1,108	0	0	1	9	13	22	49	68	81	117	80	84	101	138	131	96	64	33	16	5	0	0
	悪性リンパ腫	C81-C85 C96	2,285	4	9	8	7	10	21	24	33	48	76	102	154	192	340	349	358	278	173	84	13	2	0
	多発性骨髄腫	C88-C90	496	0	0	0	0	1	1	0	3	5	13	17	17	33	68	83	95	81	54	21	2	2	0
	白血病	C91-C95	933	28	17	12	12	12	12	13	28	42	40	43	48	59	112	128	118	110	57	35	6	1	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	42,029	41	16	23	26	26	74	153	245	501	859	1,354	2,099	3,527	6,950	7,946	8,144	5,809	3,056	1,009	151	20	0	
	食道	C15 D001	1,779	0	0	0	0	0	0	0	1	2	7	28	65	94	200	346	365	354	201	97	17	2	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	8,458	0	0	0	1	4	9	26	48	146	266	413	543	881	1,430	1,565	1,477	984	496	149	16	4	0	
	結腸 *2	C18 D010	5,543	0	0	0	0	3	3	18	27	83	150	242	327	540	904	1,051	987	713	366	112	14	3	0	
	直腸 *2	C19-C20 D011-D012	2,915	0	0	0	1	1	6	8	21	63	116	171	216	341	526	514	490	271	130	37	2	1	0	
	肺	C33-C34 D021-D022	5,246	0	0	0	0	1	2	4	13	37	64	112	223	367	893	1,039	1,095	784	429	159	19	5	0	
	皮膚	C43-C44 D030-D049	894	1	0	1	0	2	2	7	9	18	20	31	51	47	108	125	158	160	99	46	9	0	0	
	乳房	C50 D05	47	0	0	0	0	0	0	0	0	1	1	2	2	5	4	10	8	9	2	3	0	0	0	
	膀胱	C67 D090	2,089	0	0	0	0	0	1	2	5	17	32	60	99	146	307	345	438	351	198	73	14	1	0	
	女	全部位	C00-C96 D00-D09	32,545	39	25	21	31	81	243	564	974	1,616	2,219	2,189	2,158	2,414	3,959	4,082	4,094	3,558	2,577	1,297	356	48	0
食道		C15 D001	400	0	0	0	0	0	1	0	0	10	9	12	24	43	57	89	52	46	35	17	5	0	0	
大腸（結腸・直腸）*2		C18-C20 D010-D012	5,589	0	1	0	0	4	14	21	55	111	179	277	360	452	808	826	891	768	518	226	68	10	0	
結腸 *2		C18 D010	4,049	0	1	0	0	3	9	11	31	70	108	172	240	287	569	608	686	591	404	194	58	7	0	
直腸 *2		C19-C20 D011-D012	1,540	0	0	0	0	1	5	10	24	41	71	105	120	165	239	218	205	177	114	32	10	3	0	
肺		C33-C34 D021-D022	2,731	0	0	0	0	0	1	6	13	33	50	70	110	194	390	463	479	423	290	167	39	3	0	
皮膚		C43-C44 D030-D049	890	2	0	1	2	0	2	3	7	20	33	30	28	30	83	116	110	155	128	91	40	9	0	
乳房		C50 D05	7,954	0	0	0	0	2	27	93	268	700	1,075	923	743	731	968	801	681	476	278	153	29	6	0	
子宮		C53-C55 D06	3,536	0	0	0	0	34	143	332	438	437	437	378	306	207	250	223	146	111	59	28	5	2	0	
子宮頸部		C53 D06	2,265	0	0	0	0	30	139	314	409	374	304	159	121	86	109	86	62	27	26	16	3	0	0	
膀胱	C67 D090	579	0	0	0	0	0	0	0	2	3	13	15	29	29	72	84	97	107	85	32	10	1	0		
総数 *3	全部位	C00-C96 D00-D09	74,576	80	41	44	57	107	317	717	1,220	2,117	3,078	3,543	4,257	5,941	10,909	12,028	12,239	9,367	5,633	2,306	507	68	0	
	食道	C15 D001	2,179	0	0	0	0	0	1	1	2	17	37	77	118	243	403	454	406	247	132	34	7	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	14,049	0	1	0	1	8	23	47	104	257	445	690	903	1,333	2,238	2,391	2,369	1,752	1,014	375	84	14	0	
	結腸 *2	C18 D010	9,593	0	1	0	0	6	12	29	58	153	258	414	567	827	1,473	1,659	1,674	1,304	770	306	72	10	0	
	直腸 *2	C19-C20 D011-D012	4,456	0	0	0	1	2	11	18	46	104	187	276	336	506	765	732	695	448	244	69	12	4	0	
	肺	C33-C34 D021-D022	7,977	0	0	0	0	1	3	10	26	70	114	182	333	561	1,283	1,502	1,574	1,207	719	326	58	8	0	
	皮膚	C43-C44 D030-D049	1,784	3	0	2	2	2	4	10	16	38	53	61	79	77	191	241	268	315	227	137	49	9	0	
	乳房	C50 D05	8,001	0	0	0	0	2	27	93	268	701	1,076	925	745	736	972	811	689	485	280	156	29	6	0	
	子宮	C53-C55 D06	3,536	0	0	0	0	34	143	332	438	437	437	378	306	207	250	223	146	111	59	28	5	2	0	
	子宮頸部	C53 D06	2,265	0	0	0	0	30	139	314	409	374	304	159	121	86	109	86	62	27	26	16	3	0	0	
膀胱	C67 D090	2,668	0	0	0	0	0	1	2	7	20	45	75	128	175	379	429	535	458	283	105	24	2	0		

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	832.5	22.4	8.3	11.6	11.4	9.7	28.0	49.6	70.9	113.9	184.3	335.8	667.3	1,268.4	2,012.5	2,838.1	3,513.3	3,771.1	4,024.0	-
	口腔・咽頭	C00-C14	24.5	0.0	0.0	0.0	0.5	0.4	2.0	3.2	3.8	5.5	11.0	18.2	30.9	45.3	63.1	82.9	82.4	76.1	79.0	-
	食道	C15	34.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	1.8	6.3	17.9	29.8	74.9	101.3	128.2	148.6	123.2	103.0	-
	胃	C16	129.9	0.5	0.0	0.0	0.0	0.0	0.4	4.6	4.8	8.9	19.8	34.9	82.5	184.2	316.0	474.2	588.6	654.2	646.0	-
	大腸（結腸・直腸）	C18-C20	132.3	0.0	0.0	0.0	0.0	1.5	3.1	5.7	9.3	24.5	43.8	76.2	130.5	247.4	322.1	422.6	498.6	545.8	596.0	-
	結腸	C18	82.3	0.0	0.0	0.0	0.0	1.1	1.2	3.9	4.2	11.8	21.3	38.4	70.9	137.2	189.7	267.5	321.4	390.1	442.0	-
	直腸	C19-C20	49.9	0.0	0.0	0.0	0.0	0.4	2.0	1.8	5.1	12.6	22.5	37.8	59.6	110.1	132.4	155.2	177.1	155.6	154.0	-
	肝および肝内胆管	C22	33.2	0.5	0.0	0.0	0.0	0.0	0.4	1.1	0.3	1.6	3.0	14.1	25.1	53.8	74.4	102.0	143.8	182.4	195.0	-
	胆のう・胆管	C23-C24	16.9	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.8	2.0	2.9	8.4	15.4	33.7	47.6	73.3	105.6	159.0	-
	膵臓	C25	31.8	0.5	0.0	0.0	0.0	0.0	0.0	0.7	2.9	5.0	8.5	10.0	31.6	46.6	80.8	106.7	138.1	131.7	153.0	-
	喉頭	C32	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.6	6.2	10.1	18.3	23.4	23.3	26.8	25.0	-
	肺	C33-C34	114.3	0.0	0.0	0.0	0.0	0.4	0.8	1.4	4.2	9.7	16.0	32.8	80.0	147.8	285.3	408.7	519.0	550.7	611.0	-
	皮膚	C43-C44	16.9	0.5	0.0	0.5	0.0	0.7	0.8	2.1	2.9	4.5	4.5	8.5	17.1	14.6	29.5	42.5	65.7	90.1	137.0	-
	乳房	C50	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.7	2.0	1.0	3.6	3.8	6.3	4.0	-
	前立腺	C61	148.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	4.5	26.4	79.3	204.9	389.4	610.3	737.6	702.8	637.0	-
	膀胱	C67	24.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	2.4	4.3	7.3	18.5	29.6	48.4	65.5	103.8	137.3	189.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	28.6	0.5	0.0	0.0	0.0	0.0	0.4	3.5	5.1	10.0	14.3	21.7	33.8	58.7	63.5	81.7	101.9	106.3	105.0	-
	脳・中枢神経系	C70-C72	4.3	1.6	1.6	1.0	1.4	0.7	0.4	2.1	4.2	2.6	3.5	4.7	4.4	5.3	8.0	8.3	10.5	9.9	15.0	-
	甲状腺	C73	6.2	0.0	0.0	0.5	0.5	0.4	2.0	2.8	3.5	6.1	6.5	7.6	7.6	11.7	12.8	15.9	10.0	14.1	12.0	-
	悪性リンパ腫	C81-C85 C96	27.6	1.1	3.1	3.0	2.7	1.1	4.3	5.0	5.4	7.1	10.3	13.5	31.6	43.7	63.8	72.6	102.9	117.6	120.0	-
	多発性骨髄腫	C88-C90	5.6	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.0	0.3	1.8	3.2	2.9	7.3	11.9	18.3	23.3	28.9	32.0	-
	白血病	C91-C95	12.1	8.2	3.6	3.0	2.7	1.9	3.5	3.5	5.4	5.0	6.3	5.9	8.7	15.8	26.6	36.1	34.8	44.4	41.0	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	614.1	22.4	13.5	10.6	14.4	20.2	45.3	103.5	191.5	324.6	464.0	602.3	728.7	878.0	1,079.0	1,302.1	1,488.8	1,706.3	1,963.0	-
	口腔・咽頭	C00-C14	9.4	0.6	0.0	0.0	0.5	1.2	1.7	1.2	2.7	6.4	5.6	7.1	8.9	13.0	13.4	18.1	22.5	34.6	34.6	-
	食道	C15	7.6	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	2.0	2.4	3.5	8.5	15.4	15.2	26.6	16.9	21.5	25.0	-
	胃	C16	53.3	0.6	0.0	0.0	0.5	0.4	0.4	4.2	7.8	8.7	12.3	22.2	34.5	57.7	100.3	140.8	172.3	195.8	240.4	-
	大腸（結腸・直腸）	C18-C20	93.2	0.0	0.5	0.0	0.0	1.7	3.4	6.2	13.9	20.9	28.8	64.3	93.4	135.0	184.2	214.9	269.5	322.0	363.5	-
	結腸	C18	67.0	0.0	0.5	0.0	0.0	1.2	1.7	3.5	7.5	11.5	14.9	37.6	58.9	81.3	127.7	158.9	207.6	246.1	296.2	-
	直腸	C19-C20	26.2	0.0	0.0	0.0	0.0	0.4	1.7	2.7	6.5	9.5	13.9	26.7	34.5	53.7	56.5	56.0	61.8	75.9	67.3	-
	肝および肝内胆管	C22	15.8	2.9	0.5	0.0	0.0	0.0	0.0	0.0	2.0	1.7	2.4	3.2	9.3	13.0	23.1	28.7	61.0	70.2	90.9	-
	胆のう・胆管	C23-C24	13.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.1	2.9	8.1	9.3	17.6	24.8	43.0	64.9	94.7	-
	膵臓	C25	28.6	0.0	0.0	0.0	0.0	0.0	0.9	0.8	2.4	3.4	4.5	8.4	16.7	32.9	48.9	75.2	95.6	116.2	140.4	-
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.6	2.4	1.8	3.2	2.1	1.4	-
	肺	C33-C34	58.9	0.0	0.0	0.0	0.0	0.0	0.4	2.3	4.4	9.2	13.3	22.2	41.9	77.6	117.9	159.9	191.2	220.9	238.9	-
	皮膚	C43-C44	15.8	1.1	0.0	0.0	0.5	0.0	0.9	1.2	1.0	5.0	8.3	8.7	9.7	11.0	21.3	34.0	34.5	61.3	104.3	-
	乳房	C50	153.6	0.0	0.0	0.0	0.0	0.4	9.9	31.2	77.2	164.0	242.4	254.3	258.5	269.5	263.2	256.4	250.6	231.9	213.5	-
	子宮	C53-C55	43.2	0.0	0.0	0.0	0.0	2.1	6.5	22.3	29.6	39.9	56.3	94.2	98.1	70.3	65.7	71.6	52.2	56.5	42.8	-
	子宮頸部	C53	15.5	0.0	0.0	0.0	0.0	0.4	4.7	15.4	19.7	22.3	20.8	23.8	26.4	21.1	22.8	23.0	18.5	12.6	19.2	-
	子宮体部	C54	27.1	0.0	0.0	0.0	0.0	1.7	1.7	6.9	9.9	17.0	35.2	70.1	70.9	49.2	42.6	47.9	32.9	41.4	18.8	-
	卵巣	C56	17.9	0.0	1.6	1.1	3.4	2.1	5.2	4.6	8.8	17.0	23.2	35.7	37.2	32.5	29.8	24.5	22.5	23.6	24.5	-
	膀胱	C67	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.6	1.9	4.3	7.3	11.9	18.8	23.7	34.0	47.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	13.2	0.6	0.5	0.0	0.0	0.0	0.0	2.3	2.7	3.1	5.9	6.8	11.6	17.1	25.5	32.6	42.2	41.9	49.0	-
	脳・中枢神経系	C70-C72	3.6	2.3	1.6	2.6	1.0	0.8	0.4	3.1	2.0	2.5	2.7	2.6	3.1	4.1	6.1	6.7	8.4	6.3	8.2	-
	甲状腺	C73	17.9	0.0	0.0	0.0	3.8	5.0	7.3	15.8	19.4	16.2	24.3	17.4	24.4	29.3	29.8	32.3	30.1	23.0	20.2	-
	悪性リンパ腫	C81-C85 C96	22.4	1.1	1.6	1.1	0.5	2.9	4.3	3.8	5.4	5.9	9.3	18.0	26.0	34.1	42.9	58.9	57.0	58.1	73.1	-
	多発性骨髄腫	C88-C90	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.6	1.9	3.5	6.1	9.4	13.1	18.5	20.9	22.6	-
	白血病	C91-C95	8.3	7.5	5.4	3.2	2.9	2.9	1.3	1.2	3.7	6.4	4.0	7.4	9.3	8.1	8.8	13.1	18.1	24.6	27.9	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計



表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	723.0	22.4	10.8	11.1	12.9	14.7	36.2	75.5	129.5	216.1	319.6	462.9	697.0	1,073.6	1,533.4	2,027.0	2,415.0	2,586.8	2,632.1	-
	口腔・咽頭	C00-C14	16.9	0.3	0.0	0.0	0.5	0.8	1.9	2.2	3.3	6.0	8.4	12.9	20.3	29.2	37.6	48.7	49.9	52.3	49.0	-
	食道	C15	21.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	1.9	4.4	11.0	19.5	45.2	57.1	74.5	77.1	64.9	50.3	-
	胃	C16	91.5	0.6	0.0	0.0	0.2	0.2	0.4	4.4	6.3	8.8	16.1	28.8	59.3	121.1	205.3	298.1	362.7	391.3	372.1	-
	大腸（結腸・直腸）	C18-C20	112.7	0.0	0.3	0.0	0.0	1.6	3.3	5.9	11.7	22.8	36.5	70.6	112.6	191.3	251.3	312.9	374.3	417.4	439.0	-
	結腸	C18	74.7	0.0	0.3	0.0	0.0	1.2	1.4	3.7	5.8	11.7	18.2	38.0	65.1	109.3	157.9	210.1	259.7	307.5	343.5	-
	直腸	C19-C20	38.1	0.0	0.0	0.0	0.0	0.4	1.9	2.2	5.9	11.1	18.3	32.5	47.5	81.9	93.4	102.8	114.6	109.9	95.5	-
	肝および肝内胆管	C22	24.5	1.7	0.3	0.0	0.0	0.0	0.2	0.6	1.2	1.6	2.7	8.9	17.4	33.5	48.0	63.3	98.9	118.0	124.7	-
	胆のう・胆管	C23-C24	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.8	1.5	2.9	8.3	12.4	25.4	35.6	56.9	82.3	115.6	-
	膵臓	C25	30.2	0.3	0.0	0.0	0.0	0.0	0.4	0.7	2.6	4.2	6.6	9.2	24.4	39.8	64.4	90.1	115.0	122.8	144.5	-
	喉頭	C32	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.5	3.2	5.9	10.1	12.0	12.4	12.6	9.1	-
	肺	C33-C34	86.5	0.0	0.0	0.0	0.0	0.2	0.6	1.8	4.3	9.5	14.7	27.8	61.5	112.8	199.4	277.3	341.2	361.6	359.7	-
	皮膚	C43-C44	16.3	0.8	0.0	0.3	0.2	0.4	0.8	1.7	2.0	4.7	6.3	8.6	13.5	12.8	25.3	38.0	48.8	73.6	114.9	-
	乳房	C50	77.4	0.0	0.0	0.0	0.0	0.2	4.7	14.9	37.4	79.7	117.4	121.3	125.5	135.5	135.6	137.1	137.7	135.7	145.5	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	1.2	3.0	4.8	11.6	18.5	29.6	40.8	60.3	78.1	93.5	-
	腎・尿路（膀胱除く）	C64-C66 C68	20.9	0.6	0.3	0.0	0.0	0.0	0.2	3.0	4.0	6.6	10.2	14.6	23.1	37.9	44.0	55.8	69.5	69.4	67.2	-
	脳・中枢神経系	C70-C72	3.9	2.0	1.6	1.8	1.2	0.8	0.4	2.6	3.1	2.6	3.1	3.7	3.8	4.7	7.0	7.5	9.4	7.8	10.4	-
	甲状腺	C73	12.1	0.0	0.0	0.3	2.1	2.5	4.5	9.0	11.2	11.0	15.1	12.3	15.8	20.5	21.5	24.5	20.9	19.2	17.5	-
	悪性リンパ腫	C81-C85 C96	24.9	1.1	2.4	2.1	1.6	2.0	4.3	4.4	5.4	6.5	9.8	15.6	28.9	38.9	53.0	65.4	78.0	83.5	88.3	-
	多発性骨髄腫	C88-C90	5.4	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.5	0.7	1.7	2.6	3.2	6.7	10.6	15.5	20.7	24.3	25.6	-
	白血病	C91-C95	10.2	7.8	4.5	3.1	2.8	2.4	2.5	2.4	4.6	5.7	5.2	6.6	9.0	12.0	17.5	24.0	25.7	33.0	32.1	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	919.9	22.4	8.3	11.6	11.9	9.7	29.1	54.3	78.3	131.8	214.8	397.1	763.3	1,427.9	2,227.6	3,153.2	3,878.1	4,090.8	4,236.0	-	
	食道	C15 D001	38.9	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	1.8	7.0	19.1	34.2	81.0	110.9	144.8	168.6	141.5	116.0	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	185.1	0.0	0.0	0.0	0.5	1.5	3.5	9.2	15.3	38.4	66.5	121.1	197.5	356.7	458.3	621.0	703.3	693.0	665.0	-	
	結腸 *2	C18 D010	121.3	0.0	0.0	0.0	0.0	1.1	1.2	6.4	8.6	21.8	37.5	71.0	118.9	218.6	289.7	417.1	470.0	502.1	495.0	-	
	直腸 *2	C19-C20 D011-D012	63.8	0.0	0.0	0.0	0.5	0.4	2.4	2.8	6.7	16.6	29.0	50.1	78.5	138.1	168.6	204.0	233.3	190.8	170.0	-	
	肺	C33-C34 D021-D022	114.8	0.0	0.0	0.0	0.0	0.4	0.8	1.4	4.2	9.7	16.0	32.8	81.1	148.6	286.2	412.3	521.4	552.1	612.0	-	
	皮膚	C43-C44 D030-D049	19.6	0.5	0.0	0.5	0.0	0.7	0.8	2.5	2.9	4.7	5.0	9.1	18.5	19.0	34.6	49.6	75.2	112.7	154.0	-	
	乳房	C50 D05	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.6	0.7	2.0	1.3	4.0	3.8	6.3	5.0	-
	膀胱	C67 D090	45.7	0.0	0.0	0.0	0.0	0.0	0.4	0.7	1.6	4.5	8.0	17.6	36.0	59.1	98.4	136.9	208.6	247.2	286.0	-	
女	全部位	C00-C96 D00-D09	709.0	22.4	13.5	11.1	14.9	33.5	104.7	216.9	331.3	451.4	591.7	703.9	836.4	981.3	1,203.3	1,447.5	1,644.2	1,862.8	2,056.7	-	
	食道	C15 D001	8.7	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	2.8	2.4	3.9	9.3	17.5	17.3	31.6	20.9	24.1	27.4	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	121.8	0.0	0.5	0.0	0.0	1.7	6.0	8.1	18.7	31.0	47.7	89.1	139.5	183.7	245.6	292.9	357.8	402.1	395.2	-	
	結腸 *2	C18 D010	88.2	0.0	0.5	0.0	0.0	1.2	3.9	4.2	10.5	19.6	28.8	55.3	93.0	116.7	172.9	215.6	275.5	309.4	318.8	-	
	直腸 *2	C19-C20 D011-D012	33.6	0.0	0.0	0.0	0.0	0.4	2.2	3.8	8.2	11.5	18.9	33.8	46.5	67.1	72.6	77.3	82.3	92.7	76.4	-	
	肺	C33-C34 D021-D022	59.5	0.0	0.0	0.0	0.0	0.4	2.3	4.4	9.2	13.3	22.5	42.6	78.9	118.5	164.2	192.4	221.5	239.9	239.9	-	
	皮膚	C43-C44 D030-D049	19.4	1.1	0.0	0.5	1.0	0.0	0.9	1.2	2.4	5.6	8.8	9.6	10.9	12.2	25.2	41.1	44.2	81.2	128.8	-	
	乳房	C50 D05	173.3	0.0	0.0	0.0	0.0	0.8	11.6	35.8	91.2	195.5	286.7	296.8	288.0	297.2	294.2	284.0	273.5	249.2	224.0	-	
	子宮	C53-C55 D06	77.0	0.0	0.0	0.0	0.0	14.0	61.6	127.7	149.0	122.1	116.5	121.5	118.6	84.1	76.0	79.1	58.6	58.1	45.2	-	
子宮頸部	C53 D06	49.3	0.0	0.0	0.0	0.0	12.4	59.9	120.8	139.1	104.5	81.1	51.1	46.9	35.0	33.1	30.5	24.9	14.1	21.6	-		
膀胱	C67 D090	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	3.5	4.8	11.2	11.8	21.9	29.8	39.0	56.0	61.5	-	
総数 *3	全部位	C00-C96 D00-D09	814.2	22.4	10.8	11.4	13.3	21.0	65.2	132.3	201.0	286.9	397.2	543.4	798.7	1,205.1	1,701.9	2,252.4	2,666.4	2,812.9	2,764.3	-	
	食道	C15 D001	23.8	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	2.3	4.8	11.8	22.1	49.3	62.9	85.0	88.5	74.2	56.2	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	153.4	0.0	0.3	0.0	0.2	1.6	4.7	8.7	17.1	34.8	57.4	105.8	169.4	270.4	349.1	447.8	516.1	526.1	482.8	-	
	結腸 *2	C18 D010	104.7	0.0	0.3	0.0	0.0	1.2	2.5	5.4	9.6	20.7	33.3	63.5	106.4	167.7	229.8	310.7	364.7	391.6	376.0	-	
	直腸 *2	C19-C20 D011-D012	48.7	0.0	0.0	0.0	0.2	0.4	2.3	3.3	7.6	14.1	24.1	42.3	63.0	102.6	119.3	137.1	151.4	134.5	106.8	-	
	肺	C33-C34 D021-D022	87.1	0.0	0.0	0.0	0.0	0.2	0.6	1.8	4.3	9.5	14.7	27.9	62.5	113.8	200.2	281.3	342.9	362.5	360.7	-	
	皮膚	C43-C44 D030-D049	19.5	0.8	0.0	0.5	0.5	0.4	0.8	1.8	2.6	5.1	6.8	9.4	14.8	15.6	29.8	45.1	58.4	94.6	137.0	-	
	乳房	C50 D05	87.4	0.0	0.0	0.0	0.0	0.4	5.6	17.2	44.2	95.0	138.8	141.9	139.8	149.3	151.6	151.9	150.1	145.6	152.9	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	29.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.2	2.7	5.8	11.5	24.0	35.5	59.1	80.3	116.6	137.5	134.4	-	

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

## A. 上皮内がんを除く

神奈川県

2017年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	64,766	16.9	31.3	0.1	47.3	4.4
口腔・咽頭	C00-C14	1,532	1.6	22.5	0.1	71.9	4.0
食道	C15	1,914	15.2	32.3	0.1	49.4	3.1
胃	C16	8,223	21.8	34.4	0.0	40.9	2.8
大腸（結腸・直腸）	C18-C20	10,110	19.2	25.2	0.0	51.4	4.2
結腸	C18	6,688	18.6	28.0	0.1	49.3	4.1
直腸	C19-C20	3,422	20.3	19.7	0.0	55.5	4.4
肝および肝内胆管	C22	2,118	4.8	59.2	0.1	29.6	6.4
胆のう・胆管	C23-C24	1,328	4.1	32.8	0.1	60.6	2.4
膵臓	C25	2,672	4.7	32.9	0.1	60.1	2.1
喉頭	C32	317	2.8	18.0	0.0	74.8	4.4
肺	C33-C34	7,627	18.0	40.3	0.1	37.6	4.0
皮膚	C43-C44	1,489	0.3	13.2	0.0	85.3	1.3
乳房	C50	7,020	27.0	15.1	0.0	51.7	6.3
乳房（女性のみ）	C50	6,978	27.1	14.9	0.0	51.7	6.3
子宮	C53-C55	1,966	13.7	19.9	0.0	62.3	4.1
子宮頸部	C53	707	19.8	17.1	0.0	58.4	4.7
子宮体部	C54	1,237	10.4	21.3	0.0	65.3	2.9
卵巣	C56	801	7.0	23.8	0.0	62.8	6.4
前立腺	C61	6,699	29.6	41.2	0.1	22.6	6.6
膀胱	C67	1,416	4.0	24.3	0.1	67.5	4.1
腎・尿路（膀胱除く）	C64-C66 C68	1,878	13.0	46.3	0.1	36.2	4.4
脳・中枢神経系	C70-C72	354	3.1	13.8	0.0	77.7	5.4
甲状腺	C73	1,099	22.3	41.6	0.4	29.5	6.3
悪性リンパ腫	C81-C85 C96	2,248	6.9	28.6	0.3	61.0	3.2
多発性骨髄腫	C88-C90	475	6.7	49.1	0.0	38.7	5.5
白血病	C91-C95	907	9.0	37.7	0.0	48.6	4.6

\*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

## B. 上皮内がんを含む

神奈川県

2017年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	73,120	18.4	31.9	0.1	45.5	4.1
食道	C15 D001	2,154	15.3	35.7	0.0	46.1	2.9
大腸（結腸・直腸）*2	C18-C20 D010-D012	13,835	23.5	28.4	0.0	44.7	3.4
結腸 *2	C18 D010	9,443	23.4	30.9	0.1	42.4	3.3
直腸 *2	C19-C20 D011-D012	4,392	23.7	23.0	0.0	49.6	3.6
肺	C33-C34 D021-D022	7,678	18.1	40.3	0.1	37.5	4.0
皮膚	C43-C44 D030-D049	1,778	0.2	13.9	0.0	84.8	1.1
乳房	C50 D05	7,930	28.9	16.4	0.0	49.0	5.7
乳房（女性のみ）	C50 D05	7,883	29.0	16.2	0.0	49.0	5.7
子宮	C53-C55 D06	3,519	25.3	30.4	0.0	40.7	3.5
子宮頸部	C53 D06	2,260	33.7	35.4	0.0	27.5	3.4
膀胱	C67 D090	2,630	5.1	27.5	0.0	64.3	3.0

\*1 DCOを除く総数

\*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

## A. 上皮内がんを除く

神奈川県

2017年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	63,370	47.6	9.0	13.9	18.2	11.0	22.9
口腔・咽頭	C00-C14	1,532	38.8	15.5	32.0	4.5	9.1	47.5
食道	C15	1,914	42.8	7.7	26.3	15.0	8.2	34.0
胃	C16	8,223	60.4	9.2	8.0	16.0	6.3	17.2
大腸（結腸・直腸）	C18-C20	10,110	46.8	16.1	11.5	17.4	8.2	27.6
結腸	C18	6,688	46.1	15.1	12.6	18.1	8.0	27.8
直腸	C19-C20	3,422	48.2	18.0	9.3	16.0	8.5	27.3
肝および肝内胆管	C22	2,118	54.8	1.7	12.0	11.9	19.6	13.7
胆のう・胆管	C23-C24	1,328	15.6	2.6	44.6	23.0	14.2	47.2
膵臓	C25	2,672	9.4	1.9	32.5	47.3	8.9	34.4
喉頭	C32	317	73.8	7.3	10.1	1.3	7.6	17.4
肺	C33-C34	7,627	33.0	9.1	8.9	38.6	10.5	17.9
皮膚	C43-C44	1,489	81.6	1.4	4.5	1.1	5.6	5.9
乳房	C50	7,020	59.8	20.1	4.2	6.1	9.8	24.2
乳房（女性のみ）	C50	6,978	59.9	20.0	4.2	6.1	9.8	24.2
子宮	C53-C55	1,966	57.0	3.3	22.2	9.5	8.0	25.5
子宮頸部	C53	707	40.2	3.5	35.8	12.2	8.3	39.3
子宮体部	C54	1,237	67.5	3.2	14.8	8.0	6.5	18.0
卵巣	C56	801	20.5	1.2	50.1	16.1	12.1	51.3
前立腺	C61	6,699	60.6	1.0	15.7	11.2	11.4	16.8
膀胱	C67	1,416	60.3	2.8	11.1	5.2	17.3	13.8
腎・尿路（膀胱除く）	C64-C66 C68	1,878	55.3	1.6	17.0	14.7	11.3	18.6
脳・中枢神経系	C70-C72	354	59.0	0.6	9.6	2.5	28.2	10.2
甲状腺	C73	1,099	37.7	34.2	7.3	4.9	15.9	41.5
悪性リンパ腫	C81-C85 C96	2,226	24.3	0.4	15.0	44.1	16.1	15.4
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 DC0、「777：該当せず」を除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

## B. 上皮内がんを含む

神奈川県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	71,724	11.6	42.1	8.0	12.3	16.1	9.9	20.2
食道	C15 D001	2,154	11.0	38.0	6.8	23.4	13.3	7.4	30.2
大腸 (結腸・直腸) *3	C18-C20 D010-D012	13,835	26.8	34.2	11.8	8.4	12.7	6.1	20.2
結腸 *3	C18 D010	9,443	29.1	32.6	10.7	9.0	12.8	5.8	19.7
直腸 *3	C19-C20 D011-D012	4,392	21.9	37.5	14.0	7.3	12.4	6.8	21.3
肺	C33-C34 D021-D022	7,678	0.6	32.8	9.0	8.8	38.4	10.4	17.8
皮膚	C43-C44 D030-D049	1,778	20.0	68.8	1.3	3.8	0.9	5.2	5.1
乳房	C50 D05	7,930	11.2	53.0	17.8	3.7	5.4	9.0	21.5
乳房 (女性のみ)	C50 D05	7,883	11.2	53.0	17.7	3.7	5.4	8.9	21.4
子宮	C53-C55 D06	3,519	43.5	31.8	1.8	12.4	5.3	5.1	14.3
子宮頸部	C53 D06	2,260	67.7	12.6	1.1	11.2	3.8	3.6	12.3
膀胱	C67 D090	2,630	46.5	32.5	1.5	6.0	2.8	10.7	7.5

\*1 DCO、「777:該当せず」を除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

## A. 上皮内がんを除く

神奈川県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	63,371	1.6	47.5	7.0	12.3	17.7	13.9	19.3
口腔・咽頭	C00-C14	1,532	1.0	35.6	14.8	31.6	4.8	12.2	46.4
食道	C15	1,914	4.2	38.7	6.7	26.5	14.8	9.1	33.2
胃	C16	8,223	0.1	62.4	7.7	6.5	14.7	8.6	14.2
大腸（結腸・直腸）	C18-C20	10,110	2.7	41.7	14.3	11.8	16.5	13.0	26.1
結腸	C18	6,688	2.9	40.0	14.1	12.6	17.2	13.3	26.7
直腸	C19-C20	3,422	2.2	45.1	14.7	10.2	15.3	12.4	25.0
肝および肝内胆管	C22	2,118	0.0	54.2	1.8	12.1	11.7	20.3	13.9
胆のう・胆管	C23-C24	1,328	0.2	17.2	2.9	37.3	22.0	20.3	40.2
膵臓	C25	2,672	0.2	12.0	1.2	30.2	46.0	10.4	31.4
喉頭	C32	317	0.6	71.3	7.6	10.1	1.3	9.1	17.7
肺	C33-C34	7,627	0.1	34.1	7.5	8.2	38.4	11.7	15.7
皮膚	C43-C44	1,489	6.7	72.9	1.0	4.1	1.0	14.2	5.1
乳房	C50	7,020	4.2	62.9	12.2	4.3	6.2	10.2	16.5
乳房（女性のみ）	C50	6,978	4.2	62.9	12.2	4.3	6.2	10.2	16.5
子宮	C53-C55	1,966	2.8	56.6	2.2	18.4	8.0	12.1	20.5
子宮頸部	C53	707	7.1	36.4	1.6	34.1	11.3	9.6	35.6
子宮体部	C54	1,237	0.4	69.1	2.6	9.6	6.1	12.1	12.2
卵巣	C56	801	0.1	22.3	1.9	33.7	15.6	26.3	35.6
前立腺	C61	6,699	0.0	64.3	0.9	11.3	11.1	12.4	12.2
膀胱	C67	1,416	10.9	51.1	1.9	10.2	4.9	20.9	12.1
腎・尿路（膀胱除く）	C64-C66 C68	1,878	0.9	56.7	1.9	10.1	14.6	15.8	12.0
脳・中枢神経系	C70-C72	354	0.0	57.9	0.6	10.2	2.5	28.8	10.7
甲状腺	C73	1,099	0.1	51.2	16.6	5.7	4.8	21.6	22.3
悪性リンパ腫	C81-C85 C96	2,226	0.0	23.7	0.5	14.7	43.8	17.2	15.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

\*1 DC0、「777：該当せず」を除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

## B. 上皮内がんを含む

神奈川県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	71,725	9.4	43.4	6.2	10.9	15.6	14.5	17.1
食道	C15 D001	2,154	12.2	36.5	6.0	23.6	13.2	8.5	29.6
大腸 (結腸・直腸) *3	C18-C20 D010-D012	13,835	16.2	34.9	10.5	8.6	12.1	17.6	19.2
結腸 *3	C18 D010	9,443	17.4	33.1	10.0	9.0	12.2	18.3	19.0
直腸 *3	C19-C20 D011-D012	4,392	13.7	38.8	11.5	8.0	11.9	16.1	19.5
肺	C33-C34 D021-D022	7,678	0.4	34.2	7.5	8.2	38.1	11.7	15.6
皮膚	C43-C44 D030-D049	1,778	19.2	62.2	1.0	3.4	0.8	13.4	4.4
乳房	C50 D05	7,930	13.1	57.0	10.8	3.8	5.5	9.8	14.6
乳房 (女性のみ)	C50 D05	7,883	13.1	57.0	10.8	3.8	5.5	9.7	14.6
子宮	C53-C55 D06	3,519	43.1	32.1	1.2	10.3	4.5	8.8	11.5
子宮頸部	C53 D06	2,260	66.9	12.1	0.5	10.7	3.5	6.3	11.2
膀胱	C67 D090	2,630	38.6	34.0	1.1	5.6	2.7	18.1	6.7

\*1 DCO、「777:該当せず」を除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む



表5-3. 進展度・術後 (%) : 部位別

## A. 上皮内がんを除く

神奈川県

2017年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	39,903	55.2	10.3	11.1	4.3	19.0	21.4
口腔・咽頭	C00-C14	933	48.0	10.1	19.2	0.2	22.5	29.3
食道	C15	878	65.5	5.8	7.4	1.3	20.0	13.2
胃	C16	6,366	68.9	9.8	7.0	3.2	11.0	16.8
大腸（結腸・直腸）	C18-C20	8,477	50.2	17.4	11.3	10.1	11.0	28.7
結腸	C18	5,733	49.0	16.6	13.0	10.8	10.6	29.7
直腸	C19-C20	2,744	52.8	19.0	7.6	8.7	12.0	26.5
肝および肝内胆管	C22	781	39.6	0.8	5.4	0.9	53.4	6.1
胆のう・胆管	C23-C24	642	16.5	2.2	54.2	3.9	23.2	56.4
膵臓	C25	870	13.8	4.0	43.9	6.0	32.3	47.9
喉頭	C32	131	55.7	4.6	14.5	0.8	24.4	19.1
肺	C33-C34	3,508	55.0	9.1	6.3	2.9	26.8	15.4
皮膚	C43-C44	1,400	81.9	1.2	4.1	0.7	6.6	5.4
乳房	C50	5,238	66.3	18.0	1.9	0.5	13.3	20.0
乳房（女性のみ）	C50	5,202	66.4	17.9	1.9	0.5	13.3	19.9
子宮	C53-C55	1,591	66.1	3.6	15.0	3.9	11.4	18.6
子宮頸部	C53	433	59.4	4.2	17.3	2.1	17.1	21.5
子宮体部	C54	1,138	69.8	3.4	14.4	4.7	7.7	17.8
卵巣	C56	631	25.2	1.6	50.4	7.9	14.9	52.0
前立腺	C61	2,494	45.6	0.6	15.7	0.5	37.7	16.3
膀胱	C67	1,252	50.7	2.4	6.7	3.0	37.1	9.1
腎・尿路（膀胱除く）	C64-C66 C68	1,480	61.5	0.6	17.8	5.5	14.6	18.4
脳・中枢神経系	C70-C72	253	53.0	0.0	7.9	2.4	36.8	7.9
甲状腺	C73	974	36.0	37.4	6.7	3.5	16.4	44.0
悪性リンパ腫	C81-C85 C96	440	20.9	0.2	5.0	7.0	66.8	5.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

## B. 上皮内がんを含む

神奈川県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	47,939	16.4	45.9	8.6	9.2	3.6	16.2	17.8
食道	C15 D001	1,083	17.6	53.1	4.7	6.0	1.0	17.5	10.7
大腸 (結腸・直腸) *3	C18-C20 D010-D012	12,173	30.2	35.0	12.1	7.9	7.0	7.9	20.0
結腸 *3	C18 D010	8,469	32.2	33.1	11.3	8.8	7.3	7.3	20.1
直腸 *3	C19-C20 D011-D012	3,704	25.6	39.1	14.0	5.6	6.5	9.2	19.7
肺	C33-C34 D021-D022	3,552	1.1	54.3	9.0	6.2	2.8	26.6	15.2
皮膚	C43-C44 D030-D049	1,652	18.6	69.8	1.2	3.5	0.6	6.3	4.7
乳房	C50 D05	6,102	13.5	56.9	15.5	1.7	0.4	12.1	17.1
乳房 (女性のみ)	C50 D05	6,061	13.5	57.0	15.4	1.7	0.4	12.1	17.1
子宮	C53-C55 D06	3,047	45.6	34.5	1.9	7.8	2.0	8.1	9.7
子宮頸部	C53 D06	1,889	73.6	13.6	1.0	4.0	0.5	7.4	4.9
膀胱	C67 D090	2,440	46.8	26.0	1.2	3.4	1.6	20.9	4.7

\*1 DC0、「660:手術なし・術前治療後」、「777:該当せず」を除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2017年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96	64,766	27.9	18.0	9.6	11.3	27.4	11.0	2.3	22.8
口腔・咽頭	C00-C14	1,532	45.6	0.1	4.5	33.8	28.7	0.3	0.4	20.6
食道	C15	1,914	11.3	12.7	26.1	25.3	38.8	0.1	1.1	21.1
胃	C16	8,223	21.9	14.9	36.3	0.4	18.6	0.1	0.5	20.3
大腸（結腸・直腸）	C18-C20	10,110	24.2	44.9	13.0	2.2	27.6	0.1	0.6	16.7
結腸	C18	6,688	26.6	44.5	11.5	0.2	26.2	0.2	0.7	17.2
直腸	C19-C20	3,422	19.5	45.8	16.0	6.1	30.4	0.1	0.5	15.8
肝および肝内胆管	C22	2,118	14.3	4.2	0.2	4.2	26.4	0.1	33.2	39.0
胆のう・胆管	C23-C24	1,328	34.3	4.3	0.4	2.1	24.3	0.2	2.5	44.1
膵臓	C25	2,672	22.4	1.3	0.3	3.1	48.5	0.3	1.9	39.8
喉頭	C32	317	20.2	0.9	11.7	59.9	21.5	0.0	1.6	14.5
肺	C33-C34	7,627	4.9	29.4	0.2	13.9	35.4	0.1	0.9	31.7
皮膚	C43-C44	1,489	89.9	0.3	0.0	1.9	1.5	0.3	2.3	7.9
乳房	C50	7,020	75.1	0.3	0.1	30.8	28.3	52.0	0.5	11.8
乳房（女性のみ）	C50	6,978	75.0	0.3	0.1	30.9	28.3	52.0	0.5	11.8
子宮	C53-C55	1,966	55.1	18.7	0.3	16.0	35.7	1.1	0.3	12.8
子宮頸部	C53	707	44.6	8.9	0.4	41.0	41.3	0.3	0.6	14.7
子宮体部	C54	1,237	62.0	24.7	0.2	1.9	33.1	1.5	0.1	10.2
卵巣	C56	801	74.0	4.9	0.0	0.6	66.0	0.1	0.2	16.4
前立腺	C61	6,699	3.0	21.4	1.3	17.6	1.6	47.3	0.8	22.0
膀胱	C67	1,416	12.1	4.2	75.7	5.6	39.8	1.4	15.3	15.3
腎・尿路（膀胱除く）	C64-C66 C68	1,878	17.4	51.5	1.3	2.4	14.4	0.0	1.3	22.6
脳・中枢神経系	C70-C72	354	57.9	0.3	0.0	50.8	45.2	0.3	0.6	30.8
甲状腺	C73	1,099	76.4	0.6	0.1	7.6	1.5	13.6	0.3	21.9
悪性リンパ腫	C81-C85 C96	2,248	6.7	1.4	0.4	8.8	62.0	1.3	1.3	28.9
多発性骨髄腫	C88-C90	475	0.6	0.0	0.0	3.4	64.4	2.1	3.6	33.5
白血病	C91-C95	907	0.1	0.0	0.0	4.4	71.3	1.2	6.1	27.3

\*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2017年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96 D00-D09	73,120	28.3	16.5	15.2	10.4	25.0	10.0	2.4	20.8
食道	C15 D001	2,154	10.2	11.5	31.9	22.7	34.5	0.1	1.1	20.7
大腸 (結腸・直腸) *2	C18-C20 D010-D012	13,835	18.3	34.0	34.4	1.6	20.2	0.1	0.5	12.6
結腸 *2	C18 D010	9,443	19.5	32.8	35.2	0.1	18.5	0.1	0.6	12.5
直腸 *2	C19-C20 D011-D012	4,392	15.8	36.7	32.6	4.8	23.7	0.1	0.4	12.8
肺	C33-C34 D021-D022	7,678	4.9	29.7	0.2	13.8	35.2	0.1	0.9	31.6
皮膚	C43-C44 D030-D049	1,778	89.1	0.2	0.0	1.7	1.6	0.3	2.5	8.2
乳房	C50 D05	7,930	76.9	0.3	0.1	31.0	25.2	48.2	0.5	11.2
乳房 (女性のみ)	C50 D05	7,883	76.9	0.3	0.1	31.1	25.3	48.2	0.5	11.1
子宮	C53-C55 D06	3,519	66.0	13.8	1.6	9.0	20.0	0.6	0.9	11.1
子宮頸部	C53 D06	2,260	68.7	7.9	2.4	12.9	13.1	0.1	1.3	10.8
膀胱	C67 D090	2,630	7.7	2.6	83.7	3.2	41.6	1.1	14.8	9.8

\*1 DCOを除く総数

\*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

## A. 上皮内がんを除く

神奈川県

2017年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	35,049	88.5	10.3	1.2
口腔・咽頭	C00-C14	768	87.2	11.2	1.6
食道	C15	935	92.5	7.0	0.5
胃	C16	5,819	93.7	5.6	0.7
大腸（結腸・直腸）	C18-C20	7,892	89.5	9.4	1.1
結腸	C18	5,253	89.4	9.5	1.0
直腸	C19-C20	2,639	89.7	9.2	1.1
肝および肝内胆管	C22	396	90.4	9.1	0.5
胆のう・胆管	C23-C24	503	85.3	13.7	1.0
膵臓	C25	637	80.5	17.4	2.0
喉頭	C32	103	75.7	20.4	3.9
肺	C33-C34	2,616	93.5	5.9	0.6
皮膚	C43-C44	1,342	94.7	3.9	1.3
乳房	C50	5,285	93.7	5.6	0.7
乳房（女性のみ）	C50	5,251	93.7	5.6	0.7
子宮	C53-C55	1,439	92.4	6.7	0.9
子宮頸部	C53	371	88.7	9.7	1.6
子宮体部	C54	1,067	93.6	5.7	0.7
卵巣	C56	614	75.4	20.8	3.7
前立腺	C61	1,713	80.7	16.7	2.6
膀胱	C67	1,163	48.0	49.6	2.4
腎・尿路（膀胱除く）	C64-C66 C68	1,311	91.1	7.3	1.6
脳・中枢神経系	C70-C72	206	52.4	43.7	3.9
甲状腺	C73	844	88.0	10.4	1.5
悪性リンパ腫	C81-C85 C96	189	57.1	36.0	6.9
多発性骨髄腫	C88-C90	3	66.7	33.3	0.0
白血病	C91-C95	1	100.0	0.0	0.0

\*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

神奈川県

2017年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	42,908	89.7	8.9	1.3
食道	C15 D001	1,128	93.4	5.9	0.7
大腸（結腸・直腸）*2	C18-C20 D010-D012	11,566	91.8	6.9	1.3
結腸 *2	C18 D010	7,978	92.1	6.7	1.3
直腸 *2	C19-C20 D011-D012	3,588	91.4	7.3	1.3
肺	C33-C34 D021-D022	2,656	93.6	5.8	0.6
皮膚	C43-C44 D030-D049	1,589	94.9	3.7	1.4
乳房	C50 D05	6,117	94.1	5.3	0.7
乳房（女性のみ）	C50 D05	6,078	94.0	5.3	0.7
子宮	C53-C55 D06	2,829	92.7	5.2	2.1
子宮頸部	C53 D06	1,761	92.2	4.9	2.9
膀胱	C67 D090	2,323	70.5	27.9	1.7

\*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

\*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

神奈川県

2017年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.37	0.34	0.36	2.8	3.8	3.2	1.9	2.6	2.2	88.0	87.8	87.9	85.4	85.1	85.3
口腔・咽頭	C00-C14	0.31	0.30	0.30	0.4	3.5	1.3	0.3	3.0	1.0	95.3	92.8	94.6	94.5	90.5	93.3
食道	C15	0.43	0.48	0.44	1.4	3.2	1.7	1.0	2.6	1.3	95.9	93.1	95.4	95.8	93.1	95.3
胃	C16	0.33	0.36	0.34	2.2	3.8	2.6	1.5	2.7	1.9	96.0	93.6	95.3	96.0	93.5	95.2
大腸（結腸・直腸）	C18-C20	0.30	0.32	0.31	2.7	3.6	3.1	1.9	2.4	2.1	93.3	90.3	92.0	93.0	90.1	91.8
結腸	C18	0.31	0.35	0.33	2.8	4.1	3.4	1.9	2.6	2.2	92.8	88.6	90.9	92.7	88.3	90.7
直腸	C19-C20	0.28	0.27	0.28	2.5	2.5	2.5	1.8	1.9	1.8	94.0	94.8	94.2	93.6	94.7	94.0
肝および肝内胆管	C22	0.66	0.69	0.67	6.8	9.7	7.8	4.9	7.0	5.6	35.9	32.8	34.9	34.4	32.0	33.6
胆のう・胆管	C23-C24	0.72	0.78	0.74	5.7	9.1	7.2	3.9	5.2	4.5	76.5	65.3	71.5	65.8	55.4	61.2
膵臓	C25	0.81	0.76	0.79	4.0	7.4	5.6	2.5	4.5	3.4	69.4	61.8	65.8	61.0	53.4	57.4
喉頭	C32	0.18	0.21	0.19	1.4	0.0	1.2	1.4	0.0	1.2	95.1	90.9	94.7	94.4	90.9	94.1
肺	C33-C34	0.62	0.50	0.58	5.1	7.0	5.8	3.1	5.1	3.8	81.2	78.7	80.4	72.1	71.1	71.8
皮膚	C43-C44	0.06	0.07	0.07	0.1	1.0	0.5	0.0	0.8	0.4	99.4	97.7	98.5	99.4	97.7	98.5
乳房	C50	0.21	0.15	0.15	0.0	1.3	1.3	0.0	1.0	1.0	88.1	95.9	95.9	88.1	95.5	95.5
子宮	C53-C55	-	0.23	0.23	-	1.1	1.1	-	0.9	0.9	-	96.7	96.7	-	95.4	95.4
子宮頸部	C53	-	0.24	0.24	-	1.0	1.0	-	0.7	0.7	-	97.2	97.2	-	95.5	95.5
子宮体部	C54	-	0.16	0.16	-	0.8	0.8	-	0.6	0.6	-	97.8	97.8	-	96.8	96.8
卵巣	C56	-	0.42	0.42	-	3.7	3.7	-	2.4	2.4	-	90.5	90.5	-	86.2	86.2
前立腺	C61	0.11	-	0.11	1.3	-	1.3	1.1	-	1.1	91.7	-	91.7	91.5	-	91.5
膀胱	C67	0.33	0.47	0.37	2.1	6.1	3.1	1.6	5.9	2.6	93.2	86.9	91.7	89.8	81.3	87.7
腎・尿路（膀胱除く）	C64-C66 C68	0.28	0.34	0.30	1.7	4.3	2.5	1.3	3.1	1.9	86.3	80.5	84.5	82.1	77.0	80.5
脳・中枢神経系	C70-C72	0.47	0.49	0.48	3.1	1.2	2.2	2.1	1.2	1.7	81.5	75.8	78.9	81.5	75.8	78.9
甲状腺	C73	0.08	0.10	0.09	0.4	1.3	1.1	0.0	1.1	0.8	98.2	97.1	97.4	89.8	86.3	87.2
悪性リンパ腫	C81-C85 C96	0.37	0.31	0.34	2.0	3.8	2.8	1.0	2.3	1.6	95.6	94.1	94.9	93.7	91.6	92.8
多発性骨髄腫	C88-C90	0.57	0.58	0.57	3.5	9.1	6.3	2.4	6.2	4.2	90.2	84.6	87.5	85.1	78.0	81.7
白血病	C91-C95	0.59	0.49	0.55	4.9	6.8	5.7	1.8	4.2	2.8	97.3	94.7	96.2	88.2	85.3	87.0

\*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

## B. 上皮内がんを含む

神奈川県

2017年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.33	0.29	0.32	2.6	3.3	2.9	1.7	2.3	2.0	89.2	89.4	89.3	86.7	87.0	86.8
食道	C15 D001	0.39	0.42	0.39	1.2	2.8	1.5	0.9	2.3	1.1	96.3	94.0	95.9	96.2	94.0	95.8
大腸（結腸・直腸）*2	C18-C20 D010-D012	0.21	0.25	0.23	1.9	2.8	2.3	1.3	1.8	1.5	95.2	92.6	94.1	95.0	92.4	94.0
結腸 *2	C18 D010	0.21	0.26	0.23	1.9	3.1	2.4	1.3	2.0	1.6	95.1	91.3	93.5	95.0	91.1	93.4
直腸 *2	C19-C20 D011-D012	0.22	0.21	0.22	2.0	1.9	2.0	1.4	1.5	1.4	95.2	95.9	95.5	95.0	95.8	95.2
肺	C33-C34 D021-D022	0.62	0.50	0.58	5.1	7.0	5.7	3.0	5.1	3.7	81.3	78.9	80.5	72.2	71.4	71.9
皮膚	C43-C44 D030-D049	0.05	0.06	0.05	0.1	0.8	0.4	0.0	0.7	0.3	99.3	97.9	98.6	99.3	97.9	98.6
乳房	C50 D05	0.19	0.14	0.14	0.0	1.1	1.1	0.0	0.9	0.9	89.4	96.4	96.4	89.4	96.0	95.9
子宮	C53-C55 D06	-	0.13	0.13	-	0.6	0.6	-	0.5	0.5	-	98.2	98.2	-	96.8	96.8
子宮頸部	C53 D06	-	0.08	0.08	-	0.3	0.3	-	0.2	0.2	-	99.1	99.1	-	97.7	97.7
膀胱	C67 D090	0.17	0.29	0.20	1.1	3.8	1.7	0.8	3.6	1.4	96.4	91.9	95.4	93.7	88.1	92.5

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む



表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

神奈川県

2017年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	14,027	9,538	23,565	100.0	100.0	100.0	312.7	211.9	262.2	150.4	85.3	114.2	101.5	59.9	78.4	10.9	6.3	8.5
口腔・咽頭	C00-C14	341	127	468	2.4	1.3	2.0	7.6	2.8	5.2	3.9	1.0	2.4	2.6	0.7	1.6	0.3	0.1	0.2
食道	C15	690	168	858	4.9	1.8	3.6	15.4	3.7	9.5	8.0	1.5	4.5	5.5	1.0	3.1	0.7	0.1	0.4
胃	C16	1,953	875	2,828	13.9	9.2	12.0	43.5	19.4	31.5	20.5	7.0	13.1	13.7	4.9	8.9	1.5	0.5	1.0
大腸（結腸・直腸）	C18-C20	1,818	1,384	3,202	13.0	14.5	13.6	40.5	30.7	35.6	20.3	11.2	15.5	14.0	7.7	10.7	1.6	0.8	1.2
結腸	C18	1,177	1,064	2,241	8.4	11.2	9.5	26.2	23.6	24.9	12.6	8.5	10.3	8.6	5.8	7.1	0.9	0.6	0.7
直腸	C19-C20	641	320	961	4.6	3.4	4.1	14.3	7.1	10.7	7.7	2.8	5.1	5.5	1.9	3.6	0.6	0.2	0.4
肝および肝内胆管	C22	1,008	500	1,508	7.2	5.2	6.4	22.5	11.1	16.8	10.6	3.6	6.8	7.1	2.4	4.6	0.8	0.2	0.5
胆のう・胆管	C23-C24	554	480	1,034	3.9	5.0	4.4	12.3	10.7	11.5	5.6	3.4	4.4	3.7	2.3	2.9	0.4	0.2	0.3
膵臓	C25	1,176	1,003	2,179	8.4	10.5	9.2	26.2	22.3	24.2	13.5	8.2	10.8	9.3	5.5	7.3	1.1	0.6	0.9
喉頭	C32	53	7	60	0.4	0.1	0.3	1.2	0.2	0.7	0.6	0.1	0.3	0.4	0.0	0.2	0.0	0.0	0.0
肺	C33-C34	3,257	1,362	4,619	23.2	14.3	19.6	72.6	30.3	51.4	34.2	11.1	21.6	22.7	7.5	14.4	2.5	0.8	1.6
皮膚	C43-C44	49	49	98	0.3	0.5	0.4	1.1	1.1	1.1	0.5	0.3	0.4	0.3	0.2	0.3	0.0	0.0	0.0
乳房	C50	9	1,084	1,093	0.1	11.4	4.6	0.2	24.1	12.2	0.1	13.8	7.0	0.1	10.3	5.2	0.0	1.2	0.6
子宮	C53-C55	-	447	447	-	4.7	1.9	-	9.9	-	-	5.4	-	-	3.9	-	-	0.4	-
子宮頸部	C53	-	171	171	-	1.8	0.7	-	3.8	-	-	2.3	-	-	1.7	-	-	0.2	-
子宮体部	C54	-	195	195	-	2.0	0.8	-	4.3	-	-	2.3	-	-	1.6	-	-	0.2	-
卵巣	C56	-	343	343	-	3.6	1.5	-	7.6	-	-	4.5	-	-	3.4	-	-	0.4	-
前立腺	C61	735	-	735	5.2	-	3.1	16.4	-	-	6.6	-	-	4.1	-	-	0.3	-	-
膀胱	C67	365	168	533	2.6	1.8	2.3	8.1	3.7	5.9	3.5	1.1	2.1	2.3	0.7	1.4	0.2	0.1	0.1
腎・尿路（膀胱除く）	C64-C66 C68	373	206	579	2.7	2.2	2.5	8.3	4.6	6.4	4.0	1.4	2.6	2.7	0.9	1.7	0.3	0.1	0.2
脳・中枢神経系	C70-C72	91	81	172	0.6	0.8	0.7	2.0	1.8	1.9	1.3	1.0	1.2	1.0	0.9	1.0	0.1	0.1	0.1
甲状腺	C73	23	82	105	0.2	0.9	0.4	0.5	1.8	1.2	0.3	0.5	0.4	0.2	0.4	0.3	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	466	316	782	3.3	3.3	3.3	10.4	7.0	8.7	4.9	2.5	3.6	3.3	1.7	2.4	0.3	0.2	0.2
多発性骨髄腫	C88-C90	145	139	284	1.0	1.5	1.2	3.2	3.1	3.2	1.5	1.0	1.3	1.0	0.7	0.9	0.1	0.1	0.1
白血病	C91-C95	324	186	510	2.3	2.0	2.2	7.2	4.1	5.7	3.8	1.8	2.7	2.7	1.3	2.0	0.3	0.1	0.2

\*1 総数は男女および性別不詳の合計（死亡の場所が不詳及び外国を含む）

表10. 年齢階級別死亡数： 部位別、性別

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	14,027	1	3	6	2	2	9	14	26	87	148	262	474	766	1,928	2,301	2,652	2,635	1,759	784	151	17	0
	口腔・咽頭	C00-C14	341	0	0	0	0	0	0	1	1	3	8	7	13	25	53	58	62	66	26	11	7	0	0
	食道	C15	690	0	0	0	0	0	0	0	1	3	6	15	36	54	119	131	160	86	60	16	3	0	0
	胃	C16	1,953	0	0	0	0	0	0	4	1	13	14	26	55	97	275	335	375	377	246	108	24	3	0
	大腸（結腸・直腸）	C18-C20	1,818	0	0	0	0	1	1	2	5	16	26	43	83	131	273	288	296	309	227	98	15	4	0
	結腸	C18	1,177	0	0	0	0	1	0	0	4	8	17	18	46	67	155	192	190	216	174	75	11	3	0
	直腸	C19-C20	641	0	0	0	0	0	1	2	1	8	9	25	37	64	118	96	106	93	53	23	4	1	0
	肝および肝内胆管	C22	1,008	0	0	0	0	0	0	1	0	2	4	19	28	55	159	165	165	217	126	63	4	0	0
	胆のう・胆管	C23-C24	554	0	0	0	0	0	0	0	0	2	4	4	22	22	63	82	101	120	87	37	9	1	0
	膵臓	C25	1,176	0	0	0	0	0	1	0	1	7	20	37	65	84	169	217	227	197	106	36	7	2	0
	喉頭	C32	53	0	0	0	0	0	0	0	0	0	1	2	2	0	9	8	8	16	5	1	1	0	0
	肺	C33-C34	3,257	0	0	0	0	0	0	0	1	14	25	56	89	159	463	545	675	635	409	154	27	5	0
	皮膚	C43-C44	49	0	0	0	0	0	0	1	0	3	0	0	1	1	2	6	12	9	6	4	4	0	0
	乳房	C50	9	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	3	1	0	0	0	0	0
	前立腺	C61	735	0	0	0	0	0	0	0	0	1	1	2	5	12	44	97	141	175	147	91	18	1	0
	膀胱	C67	365	0	0	0	0	0	0	0	1	1	1	3	5	15	36	40	61	77	72	39	14	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	373	0	0	0	0	0	0	0	1	3	5	6	9	22	46	66	71	70	47	24	2	1	0
	脳・中枢神経系	C70-C72	91	0	0	3	0	0	0	0	5	8	6	8	2	5	14	8	16	7	7	2	0	0	0
	甲状腺	C73	23	0	0	0	0	0	0	0	0	0	0	0	1	6	2	4	2	6	2	0	0	0	0
	悪性リンパ腫	C81-C85 C96	466	0	0	0	1	0	1	0	2	1	8	10	16	21	47	64	90	96	65	37	7	0	0
	多発性骨髄腫	C88-C90	145	0	0	0	0	0	0	0	0	0	2	2	6	3	28	32	21	23	17	11	0	0	0
	白血病	C91-C95	324	1	1	1	0	1	3	0	3	5	7	10	8	13	53	58	58	63	25	12	2	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	9,538	7	2	3	2	3	9	25	43	126	204	257	366	450	1,001	1,146	1,376	1,662	1,549	951	307	49	0
	口腔・咽頭	C00-C14	127	0	0	0	0	1	1	0	0	1	2	2	6	5	9	12	13	24	30	16	4	1	0
	食道	C15	168	0	0	0	0	0	1	0	0	0	3	4	7	5	19	26	33	30	20	15	4	1	0
	胃	C16	875	0	0	0	0	0	1	2	3	6	17	20	23	35	82	106	101	144	163	129	36	7	0
	大腸（結腸・直腸）	C18-C20	1,384	0	0	0	0	1	0	3	2	18	21	29	34	56	146	150	188	258	233	171	66	8	0
	結腸	C18	1,064	0	0	0	0	1	0	3	2	10	18	20	25	40	106	116	144	198	186	135	54	6	0
	直腸	C19-C20	320	0	0	0	0	0	0	0	0	8	3	9	9	16	40	34	44	60	47	36	12	2	0
	肝および肝内胆管	C22	500	2	0	0	0	0	0	0	0	1	2	2	8	18	41	47	81	115	118	52	11	2	0
	胆のう・胆管	C23-C24	480	0	0	0	0	0	0	0	1	3	5	8	6	16	35	38	73	106	93	62	33	1	0
	膵臓	C25	1,003	0	0	0	0	0	0	1	1	2	5	14	28	40	92	171	180	188	177	76	26	2	0
	喉頭	C32	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	0	1	1	0	0	0
	肺	C33-C34	1,362	0	0	0	0	0	1	1	0	8	13	15	33	67	143	192	214	268	224	147	35	1	0
	皮膚	C43-C44	49	0	0	0	0	0	0	0	0	1	0	0	1	1	1	4	6	11	6	12	4	2	0
	乳房	C50	1,084	0	0	0	0	0	1	6	18	35	65	77	100	98	172	118	127	101	72	62	20	12	0
	子宮	C53-C55	447	0	0	0	0	0	0	4	9	11	18	33	38	30	67	50	63	54	43	24	1	2	0
	子宮頸部	C53	171	0	0	0	0	0	0	2	8	9	9	16	11	9	27	20	23	14	12	11	0	0	0
	子宮体部	C54	195	0	0	0	0	0	0	1	0	1	6	13	19	16	31	22	33	26	17	9	1	0	0
	卵巣	C56	343	0	0	0	0	0	0	0	3	22	27	28	36	25	47	30	47	39	33	5	1	0	0
	膀胱	C67	168	0	0	0	0	0	0	0	0	1	1	0	2	4	10	20	19	29	44	25	10	3	0
	腎・尿路（膀胱除く）	C64-C66 C68	206	0	0	0	0	0	0	0	0	1	0	3	2	3	13	22	27	49	46	28	10	2	0
	脳・中枢神経系	C70-C72	81	2	2	1	0	0	0	1	0	3	5	2	3	2	11	16	12	7	8	3	3	0	0
	甲状腺	C73	82	0	0	0	0	0	0	0	0	0	1	0	1	3	3	8	15	10	25	11	5	0	0
	悪性リンパ腫	C81-C85 C96	316	0	0	0	0	1	0	2	2	4	3	0	10	6	30	41	42	71	61	32	10	1	0
	多発性骨髄腫	C88-C90	139	0	0	0	0	0	0	0	1	0	1	0	1	6	12	16	30	28	23	15	4	2	0
	白血病	C91-C95	186	1	0	2	0	0	3	2	0	1	5	3	6	9	12	25	26	39	31	16	5	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	23,565	8	5	9	4	5	18	39	69	213	352	519	840	1,216	2,929	3,447	4,028	4,297	3,308	1,735	458	66	0
	口腔・咽頭	C00-C14	468	0	0	0	0	1	1	1	1	4	10	9	19	30	62	70	75	90	56	27	11	1	0
	食道	C15	858	0	0	0	0	0	1	0	1	3	9	19	43	59	138	157	193	116	80	31	7	1	0
	胃	C16	2,828	0	0	0	0	0	1	6	4	19	31	46	78	132	357	441	476	521	409	237	60	10	0
	大腸（結腸・直腸）	C18-C20	3,202	0	0	0	0	2	1	5	7	34	47	72	117	187	419	438	484	567	460	269	81	12	0
	結腸	C18	2,241	0	0	0	0	2	0	3	6	18	35	38	71	107	261	308	334	414	360	210	65	9	0
	直腸	C19-C20	961	0	0	0	0	0	1	2	1	16	12	34	46	80	158	130	150	153	100	59	16	3	0
	肝および肝内胆管	C22	1,508	2	0	0	0	0	0	1	0	3	6	21	36	73	200	212	246	332	244	115	15	2	0
	胆のう・胆管	C23-C24	1,034	0	0	0	0	0	0	0	1	5	9	12	28	38	98	120	174	226	180	99	42	2	0
	膵臓	C25	2,179	0	0	0	0	0	1	1	2	9	25	51	93	124	261	388	407	385	283	112	33	4	0
	喉頭	C32	60	0	0	0	0	0	0	0	0	0	1	2	2	0	10	10	10	16	6	2	1	0	0
	肺	C33-C34	4,619	0	0	0	0	0	1	1	1	22	38	71	122	226	606	737	889	903	633	301	62	6	0
	皮膚	C43-C44	98	0	0	0	0	0	0	1	0	4	0	0	2	2	3	10	18	20	12	16	8	2	0
	乳房	C50	1,093	0	0	0	0	0	1	6	18	35	65	77	101	100	172	120	130	102	72	62	20	12	0
	子宮	C53-C55	447	0	0	0	0	0	0	4	9	11	18	33	38	30	67	50	63	54	43	24	1	2	0
	子宮頸部	C53	171	0	0	0	0	0	0	2	8	9	9	16	11	9	27	20	23	14	12	11	0	0	0
	子宮体部	C54	195	0	0	0	0	0	0	1	0	1	6	13	19	16	31	22	33	26	17	9	1	0	0
	卵巣	C56	343	0	0	0	0	0	0	0	3	22	27	28	36	25	47	30	47	39	33	5	1	0	0
	前立腺	C61	735	0	0	0	0	0	0	0	0	1	1	2	5	12	44	97	141	175	147	91	18	1	0
	膀胱	C67	533	0	0	0	0	0	0	0	1	2	2	3	7	19	46	60	80	106	116	64	24	3	0
	腎・尿路（膀胱除く）	C64-C66 C68	579	0	0	0	0	0	0	0	1	4	5	9	11	25	59	88	98	119	93	52	12	3	0
	脳・中枢神経系	C70-C72	172	2	2	4	0	0	0	1	5	11	11	10	5	7	25	24	28	14	15	5	3	0	0
	甲状腺	C73	105	0	0	0	0	0	0	0	0	0	1	0	2	9	5	12	17	16	27	11	5	0	0
	悪性リンパ腫	C81-C85 C96	782	0	0	0	1	1	1	2	4	5	11	10	26	27	77	105	132	167	126	69	17	1	0
	多発性骨髄腫	C88-C90	284	0	0	0	0	0	0	0	1	0	3	2	7	9	40	48	51	51	40	26	4	2	0
	白血病	C91-C95	510	2	1	3	0	1	6	2	3	6	12	13	14	22	65	83	84	102	56	28	7	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	312.7	0.6	1.6	3.1	0.9	0.8	3.7	5.2	8.6	23.3	37.5	78.0	174.9	312.7	621.9	916.7	1,262.9	1,868.8	2,738.4	.
	口腔・咽頭	C00-C14	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.8	2.0	2.1	4.8	10.2	17.1	23.1	29.5	46.8	44.4	.
	食道	C15	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.5	4.5	13.3	22.0	38.4	52.2	76.2	61.0	79.8	.
	胃	C16	43.5	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.3	3.5	3.5	7.7	20.3	39.6	88.7	133.5	178.6	267.4	384.8	.
	大腸（結腸・直腸）	C18-C20	40.5	0.0	0.0	0.0	0.0	0.4	0.4	0.7	1.6	4.3	6.6	12.8	30.6	53.5	88.1	114.7	141.0	219.1	347.5	.
	結腸	C18	26.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.3	2.1	4.3	5.4	17.0	27.3	50.0	76.5	90.5	153.2	265.7	.
	直腸	C19-C20	14.3	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.3	2.1	2.3	7.4	13.7	26.1	38.1	38.2	50.5	66.0	81.8	.
	肝および肝内胆管	C22	22.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	1.0	5.7	10.3	22.4	51.3	65.7	78.6	153.9	194.9	.
	胆のう・胆管	C23-C24	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	1.2	8.1	9.0	20.3	32.7	48.1	85.1	135.4	.
	膵臓	C25	26.2	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	1.9	5.1	11.0	24.0	34.3	54.5	86.5	108.1	139.7	152.5	.
	喉頭	C32	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.7	0.0	2.9	3.2	3.8	11.3	7.1	.
	肺	C33-C34	72.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.8	6.3	16.7	32.8	64.9	149.4	217.1	321.4	450.4	601.0	.
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.8	0.0	0.0	0.4	0.4	0.6	2.4	5.7	6.4	14.1	.
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	0.0	0.8	1.4	0.7	0.0	.
	前立腺	C61	16.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.6	1.8	4.9	14.2	38.6	67.1	124.1	259.6	.
	膀胱	C67	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.9	1.8	6.1	11.6	15.9	29.0	54.6	126.3	.
	腎・尿路（膀胱除く）	C64-C66 C68	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.3	1.8	3.3	9.0	14.8	26.3	33.8	49.6	74.7	.
	脳・中枢神経系	C70-C72	2.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	1.6	2.1	1.5	2.4	0.7	2.0	4.5	3.2	7.6	5.0	9.1	.
	甲状腺	C73	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.4	0.6	1.6	1.0	4.3	2.0	.	
	悪性リンパ腫	C81-C85 C96	10.4	0.0	0.0	0.0	0.5	0.0	0.4	0.0	0.7	0.3	2.0	3.0	5.9	8.6	15.2	25.5	42.9	68.1	110.1	.
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	2.2	1.2	9.0	12.7	10.0	16.3	28.3	.
	白血病	C91-C95	7.2	0.6	0.5	0.5	0.0	0.4	1.2	0.0	1.0	1.3	1.8	3.0	3.0	5.3	17.1	23.1	27.6	44.7	39.4	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	211.9	4.1	1.1	1.6	1.0	1.3	4.1	10.0	15.1	36.1	55.6	84.5	144.7	186.0	306.1	407.8	554.8	874.7	1,379.7	.
	口腔・咽頭	C00-C14	2.8	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	0.3	0.5	0.7	2.4	2.1	2.8	4.3	5.2	12.6	24.6	.
	食道	C15	3.7	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.8	1.3	2.8	2.1	5.8	9.3	13.3	15.8	19.3	.
	胃	C16	19.4	0.0	0.0	0.0	0.0	0.0	0.5	0.8	1.1	1.7	4.6	6.6	9.1	14.5	25.1	37.7	40.7	75.8	161.8	.
	大腸（結腸・直腸）	C18-C20	30.7	0.0	0.0	0.0	0.0	0.4	0.0	1.2	0.7	5.2	5.7	9.5	13.4	23.1	44.6	53.4	75.8	135.8	230.9	.
	結腸	C18	23.6	0.0	0.0	0.0	0.0	0.4	0.0	1.2	0.7	2.9	4.9	6.6	9.9	16.5	32.4	41.3	58.1	104.2	184.1	.
	直腸	C19-C20	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.8	3.0	3.6	6.6	12.2	12.1	17.7	31.6	46.9	.
	肝および肝内胆管	C22	11.1	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.7	3.2	7.4	12.5	16.7	32.7	60.5	88.4	.
	胆のう・胆管	C23-C24	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	1.4	2.6	2.4	6.6	10.7	13.5	29.4	55.8	91.3	.
	膵臓	C25	22.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.6	1.4	4.6	11.1	16.5	28.1	60.9	72.6	98.9	135.7	.
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.8	0.0	1.0	.
	肺	C33-C34	30.3	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.0	2.3	3.5	4.9	13.0	27.7	43.7	68.3	86.3	141.1	196.6	.
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.4	0.4	0.3	1.4	2.4	5.8	11.6	.
	乳房	C50	24.1	0.0	0.0	0.0	0.0	0.0	0.5	2.4	6.3	10.0	17.7	25.3	39.5	40.5	52.6	42.0	51.2	53.2	80.2	.
	子宮	C53-C55	9.9	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.2	3.2	4.9	10.9	15.0	12.4	20.5	17.8	25.4	28.4	33.8	.
	子宮頸部	C53	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.8	2.6	2.5	5.3	4.3	3.7	8.3	7.1	9.3	7.4	11.1	.
	子宮体部	C54	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	1.6	4.3	7.5	6.6	9.5	7.8	13.3	13.7	13.0	.
	卵巣	C56	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	6.3	7.4	9.2	14.2	10.3	14.4	10.7	19.0	20.5	18.8	.
	膀胱	C67	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.8	1.7	3.1	7.1	7.7	15.3	39.6	.
	腎・尿路（膀胱除く）	C64-C66 C68	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.0	0.8	1.2	4.0	7.8	10.9	25.8	41.5	.
	脳・中枢神経系	C70-C72	1.8	1.2	1.1	0.5	0.0	0.0	0.0	0.4	0.0	0.9	1.4	0.7	1.2	0.8	3.4	5.7	4.8	3.7	6.8	.
	甲状腺	C73	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	1.2	0.9	2.8	6.0	5.3	19.8	.
	悪性リンパ腫	C81-C85 C96	7.0	0.0	0.0	0.0	0.0	0.4	0.0	0.8	0.7	1.1	0.8	0.0	4.0	2.5	9.2	14.6	16.9	37.4	50.2	.
	多発性骨髄腫	C88-C90	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.0	0.4	2.5	3.7	5.7	12.1	14.7	21.3	.
	白血病	C91-C95	4.1	0.6	0.0	1.1	0.0	0.0	1.4	0.8	0.0	0.3	1.4	1.0	2.4	3.7	3.7	8.9	10.5	20.5	25.1	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

神奈川県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	262.2	2.3	1.3	2.3	1.0	1.0	3.9	7.5	11.7	29.5	46.2	81.1	160.3	249.7	459.8	647.9	879.5	1,298.2	1,819.3	.
	口腔・咽頭	C00-C14	5.2	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.6	1.3	1.4	3.6	6.2	9.7	13.2	16.4	27.2	31.0	.
	食道	C15	9.5	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.4	1.2	3.0	8.2	12.1	21.7	29.5	42.1	35.0	38.9	.
	胃	C16	31.5	0.0	0.0	0.0	0.0	0.0	0.2	1.2	0.7	2.6	4.1	7.2	14.9	27.1	56.0	82.9	103.9	157.4	234.0	.
	大腸（結腸・直腸）	C18-C20	35.6	0.0	0.0	0.0	0.0	0.4	0.2	1.0	1.2	4.7	6.2	11.3	22.3	38.4	65.8	82.3	105.7	171.3	268.6	.
	結腸	C18	24.9	0.0	0.0	0.0	0.0	0.4	0.0	0.6	1.0	2.5	4.6	5.9	13.5	22.0	41.0	57.9	72.9	125.1	210.5	.
	直腸	C19-C20	10.7	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.2	2.2	1.6	5.3	8.8	16.4	24.8	24.4	32.8	46.2	58.2	.
	肝および肝内胆管	C22	16.8	0.6	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.8	3.3	6.9	15.0	31.4	39.8	53.7	100.3	122.9	.
	胆のう・胆管	C23-C24	11.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	1.2	1.9	5.3	7.8	15.4	22.6	38.0	68.3	105.6	.
	膵臓	C25	24.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	1.2	3.3	8.0	17.7	25.5	41.0	72.9	88.9	116.3	141.2	.
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.4	0.0	1.6	1.9	2.2	4.8	2.9	.
	肺	C33-C34	51.4	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	3.0	5.0	11.1	23.3	46.4	95.1	138.5	194.1	272.8	327.5	.
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.0	0.0	0.4	0.4	0.5	1.9	3.9	6.0	12.4	.
	乳房	C50	12.2	0.0	0.0	0.0	0.0	0.0	0.2	1.2	3.1	4.8	8.5	12.0	19.3	20.5	27.0	22.6	28.4	30.8	54.2	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.5	1.3	3.9	7.2	11.3	17.5	32.0	67.6	.
	腎・尿路（膀胱除く）	C64-C66 C68	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.7	1.4	2.1	5.1	9.3	16.5	21.4	36.0	52.3	.
	脳・中枢神経系	C70-C72	1.9	0.6	0.5	1.0	0.0	0.0	0.0	0.2	0.9	1.5	1.4	1.6	1.0	1.4	3.9	4.5	6.1	4.2	7.5	.
	甲状腺	C73	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.4	1.8	0.8	2.3	3.7	4.8	14.1	.
	悪性リンパ腫	C81-C85 C96	8.7	0.0	0.0	0.0	0.2	0.2	0.2	0.4	0.7	0.7	1.4	1.6	5.0	5.5	12.1	19.7	28.8	50.5	69.6	.
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.3	1.3	1.8	6.3	9.0	11.1	15.4	23.5	.
	白血病	C91-C95	5.7	0.6	0.3	0.8	0.0	0.2	1.3	0.4	0.5	0.8	1.6	2.0	2.7	4.5	10.2	15.6	18.3	30.8	29.7	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表42. 市町村別罹患数：部位別、性別  
A. 上皮内がんを除く

																神奈川県						2017年								
市区町村	全部位 C00-C96			胃 C16		大腸(結腸・直腸) C18-C20			結腸 C18			直腸 C19-C20			肝および胆管 C22			肺 C33-C34			乳癌 C50			子宮 C53-C55		子宮頸部 C53		子宮体部 C54		前立腺 C61
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1
神奈川県	38,035	28,186	66,222	5,936	2,445	8,381	6,043	4,280	10,324	3,762	3,076	6,838	2,281	1,204	3,486	1,519	725	2,244	5,221	2,705	7,926	42	7,049	7,091	1,983	712	1,245	6,773		
神奈川県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
横浜市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
横浜市 鶴見区	1,244	862	2,106	162	48	210	215	137	352	118	96	214	97	41	138	60	30	90	181	79	260	2	210	212	65	20	42	208		
横浜市 神奈川区	963	763	1,726	138	64	202	161	127	288	103	96	199	58	31	89	43	17	60	137	85	222	2	180	182	56	23	32	158		
横浜市 西区	358	282	640	57	24	81	54	49	103	37	34	71	17	15	32	16	4	20	52	24	76	0	70	70	22	8	14	64		
横浜市 中区	698	512	1,210	112	56	168	106	79	185	62	63	125	44	16	60	34	18	52	101	43	144	1	123	124	34	14	19	120		
横浜市 南区	884	638	1,522	153	59	212	160	105	265	90	77	167	70	28	98	41	17	58	136	59	195	0	153	153	51	20	31	133		
横浜市 保土ヶ谷区	888	655	1,543	121	55	176	146	101	247	95	75	170	51	26	77	44	20	64	133	69	202	1	153	154	38	19	18	147		
横浜市 磯子区	744	577	1,321	102	55	157	131	84	215	87	59	146	44	25	69	30	15	45	118	60	178	2	129	131	32	12	20	114		
横浜市 金沢区	904	715	1,619	127	56	183	123	119	242	72	86	158	51	33	84	36	15	51	126	75	201	0	184	184	44	14	29	187		
横浜市 港北区	1,162	949	2,111	145	68	213	173	127	300	112	85	197	61	42	103	34	20	54	168	68	236	2	274	276	83	34	49	220		
横浜市 戸塚区	1,187	800	1,987	190	71	261	189	115	304	124	87	211	65	28	93	48	25	73	149	69	218	0	197	197	45	13	32	203		
横浜市 港南区	960	702	1,662	167	77	244	155	103	258	89	71	160	66	32	98	44	16	60	128	64	192	1	169	170	45	11	31	166		
横浜市 旭区	1,114	865	1,979	161	71	232	165	127	292	95	94	189	70	33	103	42	27	69	162	87	249	3	214	217	53	14	38	237		
横浜市 緑区	703	509	1,212	90	48	138	94	66	160	61	47	108	33	19	52	23	11	34	100	50	150	0	128	128	34	17	17	158		
横浜市 瀬谷区	563	414	977	96	48	144	94	60	154	54	49	103	40	11	51	15	5	20	81	43	124	0	112	112	24	8	16	106		
横浜市 栄区	582	394	976	103	37	140	90	52	142	71	42	113	19	10	29	23	11	34	77	35	112	0	111	111	21	8	13	99		
横浜市 泉区	678	466	1,144	97	45	142	108	79	187	72	56	128	36	23	59	29	13	42	86	43	129	0	112	112	30	10	18	126		
横浜市 青葉区	1,153	878	2,031	157	70	227	167	123	290	102	90	192	65	33	98	46	14	60	140	77	217	1	260	261	73	25	48	214		
横浜市 都筑区	640	558	1,198	89	32	121	114	92	206	74	65	139	40	27	67	25	13	38	84	37	121	1	163	164	39	22	17	123		
川崎市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
川崎市 川崎市	1,168	759	1,927	200	78	278	199	119	318	97	81	178	102	38	140	45	21	66	191	95	286	0	171	171	48	23	25	147		
川崎市 幸区	662	525	1,187	121	49	170	119	76	195	76	57	133	43	19	62	24	13	37	83	48	131	0	136	136	25	13	12	104		
川崎市 中原区	732	660	1,392	122	48	170	128	104	232	86	70	156	42	34	76	23	12	35	89	54	143	0	178	178	45	16	29	107		
川崎市 高津区	754	597	1,351	123	58	181	120	79	199	71	59	130	49	20	69	26	10	36	106	55	161	0	146	146	42	20	22	119		
川崎市 磯子区	741	602	1,343	112	39	151	112	102	214	74	71	145	38	31	69	38	12	50	103	61	164	1	179	180	40	12	27	118		
川崎市 宮前区	784	637	1,421	135	49	184	128	86	214	79	61	140	49	25	74	25	14	39	90	61	151	0	172	172	41	19	22	131		
川崎市 麻生区	690	487	1,177	91	39	130	113	70	183	61	49	110	52	21	73	20	11	31	93	40	133	4	141	145	32	9	23	131		
相模原市	735	484	1,219	154	38	192	112	74	186	70	53	123	42	21	63	20	13	33	110	52	162	0	113	113	39	11	28	124		
相模原市 中央区	977	744	1,721	190	78	268	156	106	262	102	72	174	54	34	88	35	25	60	162	86	248	1	166	167	58	20	37	152		
相模原市 南区	1,098	847	1,946	170	75	245	184	132	317	118	93	211	66	39	106	44	16	60	159	86	245	2	207	209	57	19	36	196		
横浜県	1,959	1,403	3,362	200	120	410	299	206	505	198	143	341	101	63	164	93	44	137	278	151	429	3	337	340	98	38	59	353		
平塚市	1,152	795	1,947	159	62	221	202	124	326	129	97	226	73	27	100	57	22	79	161	69	230	2	188	190	62	23	39	198		
鎌倉市	897	687	1,584	133	59	192	117	95	212	72	80	152	45	15	60	28	16	44	117	65	182	2	176	178	57	14	41	191		
藤沢市	1,685	1,275	2,960	262	112	374	242	178	420	154	130	284	88	48	136	63	33	96	220	112	332	0	337	337	104	41	63	349		
小田原市	837	638	1,475	143	57	200	151	103	254	96	75	171	55	28	83	43	17	60	104	75	179	2	146	148	52	19	32	141		
茅ヶ崎市	1,012	737	1,749	183	61	244	131	96	229	80	77	157	51	21	72	50	23	73	121	70	191	1	202	203	47	16	31	180		
逗子市	313	257	570	38	16	54	43	51	94	32	43	76	10	8	18	17	9	26	37	19	56	1	55	56	22	3	18	81		
相模原市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
三浦市	275	211	486	39	26	65	34	46	80	20	31	51	14	15	29	7	3	10	31	14	45	0	49	49	10	4	8	63		
厚木市	708	482	1,190	116	41	157	112	80	192	75	61	136	37	19	56	24	14	38	90	51	141	1	108	107	39	14	24	136		
厚木市	905	586	1,501	155	52	205	120	99	219	72	64	136	46	35	83	41	12	53	129	53	182	2	158	158	38	12	24	158		
大和市	982	704	1,686	184	72	256	161	99	260	107	88	175	54	31	85	30	26	56	142	63	205	1	180	181	46	11	34	155		
伊勢原市	431	263	694	73	26	99	80	48	128	57	31	88	23	17	40	15	9	24	54	29	83	0	59	59	14	6	8	73		
海老名市	520	361	881	72	28	100	90	52	142	55	33	88	35	19	54	23	10	33	53	35	88	0	86	86	27	12	15	107		
座間市	573	418	991	69	28	97	104	59	163	69	38	107																		



表42. 市町村別罹患数：部位別、性別

B. 上皮がんを除く

神奈川県 2017年

市区町村	全部位			大腸(結腸・直腸)※2			結腸※2			直腸※2			肺			乳房			子宮	子宮頸部
	C00-C96	D00-D09	総数※1	C18-C20	D010-D012	総数※1	C18	D010	総数※1	C19-C20	D011-D012	総数※1	C33-C34	D021-D022	総数※1	C50	D05	総数※1	女	女
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	女	女
神奈川	42,029	32,545	74,576	8,458	5,589	14,049	5,543	4,049	9,593	2,915	1,540	4,456	5,246	2,731	7,977	47	7,954	8,001	3,536	2,265
神奈川県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
横浜市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
横浜市 鶴見区	1,361	1,031	2,392	288	174	462	177	123	300	111	51	162	182	79	261	2	241	243	144	99
横浜市 神奈川区	1,062	888	1,950	225	178	403	154	132	286	71	46	117	138	85	223	2	198	200	96	63
横浜市 西区	405	341	746	84	65	149	60	47	107	24	18	42	53	24	77	0	85	85	45	31
横浜市 中区	784	586	1,370	163	104	267	105	81	186	58	23	81	101	43	144	1	130	131	65	45
横浜市 南区	1,011	743	1,754	242	149	391	159	114	273	83	35	118	137	62	199	0	171	171	82	51
横浜市 保土ヶ谷区	991	775	1,766	217	152	369	149	114	263	68	38	106	133	69	202	2	176	178	69	50
横浜市 磯子区	839	651	1,491	187	108	296	132	78	211	55	30	85	120	64	184	2	144	146	48	28
横浜市 金沢区	1,034	802	1,836	195	145	340	131	105	236	64	40	104	130	78	208	0	199	199	72	42
横浜市 港北区	1,285	1,121	2,406	246	159	405	160	108	268	86	51	137	168	68	236	2	316	318	159	110
横浜市 戸塚区	1,284	941	2,225	236	151	387	158	113	271	78	38	116	151	70	221	0	238	238	86	54
横浜市 港南区	1,097	822	1,919	243	148	391	164	101	265	79	47	126	128	66	194	1	197	198	76	42
横浜市 旭区	1,227	975	2,202	240	165	405	147	124	271	93	41	134	162	87	249	4	240	244	82	43
横浜市 緑区	773	576	1,349	135	77	212	90	56	146	45	21	66	100	51	151	0	147	147	60	43
横浜市 瀬谷区	621	480	1,101	129	83	212	72	69	141	57	14	71	81	43	124	0	125	125	44	28
横浜市 栄区	626	443	1,069	112	71	183	89	54	143	23	17	40	78	36	114	0	126	126	31	18
横浜市 泉区	755	523	1,278	144	95	239	101	69	170	43	26	69	86	44	130	0	125	125	47	27
横浜市 青葉区	1,267	1,040	2,307	231	160	391	144	120	264	87	40	127	140	78	218	1	309	310	130	82
横浜市 都筑区	702	642	1,344	147	107	254	94	76	170	53	31	84	84	37	121	1	185	186	77	60
川崎市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
川崎市 川崎区	1,274	874	2,148	264	152	416	141	105	246	123	47	170	192	96	288	0	188	188	101	76
川崎市 幸区	738	628	1,366	163	106	269	101	80	181	62	26	88	83	49	132	1	164	165	61	49
川崎市 中原区	826	776	1,602	184	131	315	124	87	211	60	44	104	89	54	143	0	197	197	102	73
川崎市 高津区	833	701	1,534	160	100	260	100	77	177	60	23	83	107	55	162	0	166	166	90	68
川崎市 多摩区	812	703	1,515	155	126	281	106	91	197	49	35	84	104	61	165	1	205	206	80	52
川崎市 宮前区	861	754	1,615	167	120	287	108	83	191	59	37	96	90	61	151	0	196	196	90	68
川崎市 麻生区	754	555	1,309	154	88	242	89	60	149	65	28	93	93	40	133	4	159	163	53	30
相模原市 緑区	809	564	1,373	155	103	258	98	76	174	57	27	84	110	52	162	0	127	127	66	38
相模原市 中央区	1,056	870	1,926	208	147	355	139	106	245	69	41	110	162	86	248	1	195	196	105	67
相模原市 南区	1,251	975	2,227	284	187	472	197	132	329	87	55	143	159	86	245	2	220	222	105	67
横須賀市	2,195	1,633	3,828	452	298	750	322	207	529	130	91	221	280	153	433	3	363	366	173	113
平塚市	1,247	949	2,196	256	151	407	165	117	282	91	34	125	163	69	232	4	210	214	148	109
鎌倉市	1,010	775	1,785	195	124	319	135	99	234	60	25	85	117	65	182	2	205	207	70	27
藤沢市	1,864	1,483	3,347	361	239	600	246	176	422	115	63	178	220	113	333	0	392	392	166	103
小田原市	889	705	1,594	179	120	299	115	87	202	64	33	97	104	75	179	2	162	164	79	46
茅ヶ崎市	1,091	853	1,944	178	127	305	111	100	211	67	27	94	121	71	192	1	221	222	94	63
逗子市	355	279	634	72	57	129	50	47	97	22	10	32	37	19	56	1	59	60	29	10
相模原市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
三浦市	313	233	546	56	55	111	33	39	72	23	16	39	31	14	45	0	49	49	21	15
秦野市	779	548	1,327	154	106	260	101	80	181	53	26	79	91	52	143	1	116	117	58	33
厚木市	993	668	1,661	176	122	298	114	79	193	62	43	105	130	53	183	2	166	168	66	40
大和市	1,086	805	1,891	215	124	339	147	90	237	68	34	102	143	64	207	1	209	210	82	47
伊勢原市	469	310	779	104	65	169	76	41	117	28	24	52	54	29	83	0	73	73	21	13
海老名市	570	411	981	120	74	194	74	51	125	46	23	69	53	35	88	0	92	92	46	31
座間市	634	491	1,125	148	87	235	103	59	162	45	28	73	81	51	132	0	105	105	61	35
南足柄市	218	150	368	32	33	65	15	21	36	17	12	29	22	15	37	1	33	34	9	4
綾瀬市	413	291	704	85	48	133	49	34	83	36	14	50	44	32	76	1	69	70	24	12
三浦郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
三浦郡 葉山町	164	142	306	39	25	64	24	17	41	15	8	23	14	6	20	0	41	41	13	6
高座郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
高座郡 寒川町	222	180	402	40	32	72	24	23	47	16	9	25	26	11	37	1	44	45	24	10
中郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
中郡 大磯町	160	141	301	22	20	42	13	7	20	9	13	22	15	16	31	0	29	29	15	7
中郡 二宮町	142	98	240	30	17	47	19	12	31	11	5	16	18	7	25	0	29	29	6	2
足柄上郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
足柄上郡 中井町	53	48	101	7	10	17	4	7	11	3	3	6	7	7	14	0	7	7	5	3
足柄上郡 大井町	80	48	128	21	4	25	12	1	13	9	3	12	10	4	14	0	9	9	6	5
足柄上郡 松田町	67	54	121	10	8	18	8	7	15	2	1	3	8	6	14	0	10	10	6	2
足柄上郡 山北町	85	41	126	19	12	31	13	8	21	6	4	10	6	1	7	0	9	9	3	3
足柄上郡 開成町	89	57	146	21	9	30	16	6	22	5	3	8	7	4	11	0	13	13	7	4
足柄下郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
足柄下郡 箱根町	73	68	141	11	14															

表62. 医療圏別、保健所別罹患数：部位別、性別

A. 上皮内がんを除く

神奈川県 2017年

市区町村	全部位 C00-C96			胃 C16			大腸(結腸・直腸) C18-C20			結腸 C18			直腸 C19-C20			肝および肝内胆管 C22			肺 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53	子宮体部 C54	前立腺 C61	
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	女	女	女	男	
神奈川	38,035	28,186	66,222	5,936	2,445	8,381	6,043	4,280	10,324	3,762	3,076	6,838	2,281	1,204	3,486	1,519	725	2,244	5,221	2,705	7,926	42	7,049	7,091	1,983	712	1,245	6,773	
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
横浜北部	5,865	4,519	10,384	781	330	1,111	924	672	1,596	570	479	1,049	354	193	547	231	105	336	810	396	1,206	8	1,215	1,223	350	141	205	1,081	
横浜西部	4,788	3,482	8,270	722	314	1,036	756	531	1,287	477	395	872	279	136	415	194	94	288	663	335	998	4	858	862	212	72	136	883	
横浜南部	4,772	3,538	8,310	764	340	1,104	765	542	1,307	471	398	869	294	144	438	208	92	300	686	336	1,022	4	869	873	227	79	143	819	
川崎北部	2,969	2,323	5,292	461	185	646	473	337	810	285	240	525	188	97	285	109	47	156	392	217	609	5	638	643	155	60	94	499	
川崎南部	2,562	1,944	4,506	443	175	618	446	299	745	259	208	467	187	91	278	92	46	138	363	197	560	0	485	485	118	52	66	358	
横須賀・三浦	3,591	2,693	6,284	516	228	744	519	415	934	337	308	645	182	107	289	148	75	223	477	255	732	6	657	663	196	61	131	727	
湘南東部	2,905	2,176	5,081	480	192	672	408	307	715	254	230	484	154	77	231	119	60	179	367	193	560	2	579	581	168	60	108	565	
湘南西部	2,570	1,755	4,325	399	153	552	432	283	715	281	205	486	151	78	229	108	51	159	338	172	510	3	405	408	131	47	83	457	
県央	3,527	2,453	5,980	563	224	787	580	366	946	364	242	606	216	124	340	137	67	204	480	240	720	4	595	599	181	58	120	617	
相模原	2,810	2,075	4,886	514	191	705	452	312	765	290	218	508	162	94	257	99	54	153	431	224	655	3	486	489	154	50	101	472	
県西	1,676	1,228	2,904	293	113	406	288	216	504	174	153	327	114	63	177	74	34	108	214	140	354	3	262	265	91	32	58	295	
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
相模原市	2,810	2,075	4,886	514	191	705	452	312	765	290	218	508	162	94	257	99	54	153	431	224	655	3	486	489	154	50	101	472	
川崎	1,168	759	1,927	200	78	278	199	119	318	97	81	178	102	38	140	45	21	66	191	95	286	0	171	171	48	23	25	147	
幸	662	525	1,187	121	49	170	119	76	195	76	57	133	43	19	62	24	13	37	83	48	131	0	136	136	25	13	12	104	
中原	732	660	1,392	122	48	170	128	104	232	86	70	156	42	34	76	23	12	35	89	54	143	0	178	178	45	16	29	107	
高津	754	597	1,351	123	58	181	120	79	199	71	59	130	49	20	69	26	10	36	106	55	161	0	146	146	42	20	22	119	
宮前	784	637	1,421	135	49	184	128	86	214	79	61	140	49	25	74	25	14	39	90	61	151	0	172	172	41	19	22	131	
多摩	741	602	1,343	112	39	151	112	102	214	74	71	145	38	31	69	38	12	50	103	61	164	1	179	180	40	12	27	118	
麻生	690	487	1,177	91	39	130	113	70	183	61	49	110	52	21	73	20	11	31	93	40	133	4	141	145	32	9	23	131	
横浜市	15,425	11,539	26,964	2,267	984	3,251	2,445	1,745	4,190	1,518	1,272	2,790	927	473	1,400	633	291	924	2,159	1,067	3,226	16	2,942	2,958	789	292	484	2,783	
横須賀市	1,959	1,403	3,362	290	120	410	299	206	505	198	143	341	101	63	164	93	44	137	278	151	429	3	337	340	98	38	59	353	
藤沢市	1,685	1,275	2,960	262	112	374	242	178	420	154	130	284	88	48	136	63	33	96	220	112	332	0	337	337	104	41	63	349	
平塚	2,570	1,755	4,325	399	153	552	432	283	715	281	205	486	151	78	229	108	51	159	338	172	510	3	405	408	131	47	83	457	
鎌倉	1,632	1,290	2,922	226	108	334	220	209	429	139	165	304	81	44	125	55	31	86	199	104	303	3	320	323	98	23	72	374	
小田原	1,676	1,228	2,904	293	113	406	288	216	504	174	153	327	114	63	177	74	34	108	214	140	354	3	262	265	91	32	58	295	
厚木	3,527	2,453	5,980	563	224	787	580	366	946	364	242	606	216	124	340	137	67	204	480	240	720	4	595	599	181	58	120	617	
茅ヶ崎	1,220	901	2,121	218	80	298	166	129	295	100	100	200	66	29	95	56	27	83	147	81	228	2	242	244	64	19	45	216	

※1 総数は男女および性別不詳の合計

表62. 医療圏別、保健所別罹患数：部位別、性別

B. 上皮内がんを含む

神奈川県

2017年

市区町村	全部位			大腸(結腸・直腸)※2			結腸※2			直腸※2			肺			乳房			子宮		子宮頸部
	C00-C96 D00-D09			C18-C20 D010-D012			C18 D010			C19-C20 D011-D012			C33-C34 D021-D022			C50 D05			C53-C55 D06		C53 D06
	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	男	女	総数※1	女	女	
神奈川	42,029	32,545	74,576	8,458	5,589	14,049	5,543	4,049	9,593	2,915	1,540	4,456	5,246	2,731	7,977	47	7,954	8,001	3,536	2,265	
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
横浜北部	6,450	5,298	11,748	1,272	855	2,127	819	615	1,434	453	240	693	812	398	1,210	8	1,396	1,404	666	457	
横浜西部	5,283	4,035	9,318	1,050	711	1,761	687	536	1,223	363	175	538	666	337	1,003	6	989	995	373	233	
横浜南部	5,391	4,047	9,439	1,142	725	1,868	780	533	1,314	362	192	554	694	349	1,043	4	967	971	374	226	
川崎北部	3,260	2,713	5,973	636	434	1,070	403	311	714	233	123	356	394	217	611	5	726	731	313	218	
川崎南部	2,838	2,278	5,116	611	389	1,000	366	272	638	245	117	362	364	199	563	1	549	550	264	198	
横須賀・三浦	4,037	3,062	7,099	814	559	1,373	564	409	973	250	150	400	479	257	736	6	717	723	306	171	
湘南東部	3,177	2,516	5,693	579	398	977	381	299	680	198	99	297	367	195	562	2	657	659	284	176	
湘南西部	2,797	2,046	4,843	566	359	925	374	257	631	192	102	294	341	173	514	5	457	462	248	164	
県央	3,885	2,795	6,680	791	480	1,271	517	331	848	274	149	423	484	242	726	4	665	669	294	171	
相模原	3,116	2,409	5,526	647	437	1,085	434	314	748	213	123	337	431	224	655	3	542	545	276	172	
県西	1,795	1,346	3,141	350	242	592	218	172	390	132	70	202	214	140	354	3	289	292	138	79	
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
相模原市	3,116	2,409	5,526	647	437	1,085	434	314	748	213	123	337	431	224	655	3	542	545	276	172	
川崎	1,274	874	2,148	264	152	416	141	105	246	123	47	170	192	96	288	0	188	188	101	76	
幸	738	628	1,366	163	106	269	101	80	181	62	26	88	83	49	132	1	164	165	61	49	
中原	826	776	1,602	184	131	315	124	87	211	60	44	104	89	54	143	0	197	197	102	73	
高津	833	701	1,534	160	100	260	100	77	177	60	23	83	107	55	162	0	166	166	90	68	
宮前	861	754	1,615	167	120	287	108	83	191	59	37	96	90	61	151	0	196	196	90	68	
多摩	812	703	1,515	155	126	281	106	91	197	49	35	84	104	61	165	1	205	206	80	52	
麻生	754	555	1,309	154	88	242	89	60	149	65	28	93	93	40	133	4	159	163	53	30	
横浜市	17,124	13,380	30,505	3,464	2,291	5,756	2,286	1,684	3,971	1,178	607	1,785	2,172	1,084	3,256	18	3,352	3,370	1,413	916	
横須賀市	2,195	1,633	3,828	452	298	750	322	207	529	130	91	221	280	153	433	3	363	366	173	113	
藤沢市	1,864	1,483	3,347	361	239	600	246	176	422	115	63	178	220	113	333	0	392	392	166	103	
平塚	2,797	2,046	4,843	566	359	925	374	257	631	192	102	294	341	173	514	5	457	462	248	164	
鎌倉	1,842	1,429	3,271	362	261	623	242	202	444	120	59	179	199	104	303	3	354	357	133	58	
小田原	1,795	1,346	3,141	350	242	592	218	172	390	132	70	202	214	140	354	3	289	292	138	79	
厚木	3,885	2,795	6,680	791	480	1,271	517	331	848	274	149	423	484	242	726	4	665	669	294	171	
茅ヶ崎	1,313	1,033	2,346	218	159	377	135	123	258	83	36	119	147	82	229	2	265	267	118	73	

※1 総数は男女および性別不詳の合計

※2 粘膜がんを含む

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

神奈川県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率			累積罹患率(0-74歳)					
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1			
		日本人人口			世界人口														
全部位	000-C96 000-D47	43,192	34,053	77,247	100.0	100.0	100.0	945.3	741.9	843.4	521.1	448.4	474.3	369.0	340.7	348.0	44.0	36.7	39.9
全部位	000-C96	38,035	28,186	66,222	88.1	82.8	85.7	832.5	614.1	723.0	453.3	350.0	392.8	319.2	262.6	285.2	38.2	29.0	33.2
口唇	000	2	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	28	12	40	0.1	0.0	0.1	0.6	0.3	0.4	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
その他および部位不明の舌	002	248	134	382	0.6	0.4	0.5	5.4	2.9	4.2	3.5	1.8	2.6	2.6	1.4	2.0	0.3	0.1	0.2
歯肉	003	98	102	200	0.2	0.3	0.3	2.1	2.2	2.2	1.1	0.8	0.9	0.8	0.5	0.7	0.1	0.1	0.1
口腔底	004	42	17	59	0.1	0.0	0.1	0.9	0.4	0.6	0.6	0.2	0.4	0.4	0.2	0.3	0.1	0.0	0.0
口蓋	005	32	7	39	0.1	0.0	0.1	0.7	0.2	0.4	0.4	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
その他および部位不明の口腔	006	32	24	56	0.1	0.1	0.1	0.7	0.5	0.6	0.4	0.2	0.3	0.2	0.1	0.2	0.0	0.0	0.0
耳下腺	007	56	37	93	0.1	0.1	0.1	1.2	0.8	1.0	0.8	0.5	0.7	0.6	0.4	0.5	0.1	0.0	0.1
その他および部位不明の大唾液腺	008	29	11	40	0.1	0.0	0.1	0.6	0.2	0.4	0.4	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0
扁桃	009	47	9	56	0.1	0.0	0.1	1.0	0.2	0.6	0.6	0.1	0.4	0.4	0.1	0.3	0.1	0.0	0.0
中咽頭	C10	131	32	163	0.3	0.1	0.2	2.9	0.7	1.8	1.7	0.5	1.1	1.3	0.3	0.8	0.2	0.0	0.1
鼻<上>咽頭	C11	44	17	61	0.1	0.0	0.1	1.0	0.4	0.7	0.7	0.3	0.5	0.5	0.2	0.4	0.1	0.0	0.0
梨状陥凹<洞>	C12	171	11	182	0.4	0.0	0.2	3.7	0.2	2.0	2.1	0.2	1.1	1.5	0.1	0.8	0.2	0.0	0.1
下咽頭	C13	152	15	167	0.4	0.0	0.2	3.3	0.3	1.8	1.9	0.2	1.0	1.3	0.1	0.7	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	6	0	6	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	C15	1,591	348	1,939	3.7	1.0	2.5	34.8	7.6	21.2	19.5	3.9	11.3	13.8	2.8	8.1	1.8	0.4	1.1
胃	C16	5,936	2,445	8,381	13.7	7.2	10.8	129.9	53.3	91.5	67.5	23.8	44.1	46.1	16.7	30.5	5.7	2.0	3.7
小腸	C17	157	84	241	0.4	0.2	0.3	3.4	1.8	2.6	2.1	1.1	1.5	1.5	0.8	1.1	0.2	0.1	0.1
結腸	C18	3,762	3,076	6,838	8.7	9.0	8.9	82.3	67.0	74.7	44.7	30.8	37.3	31.3	21.8	26.3	3.7	2.5	3.1
直腸S状結腸移行部	C19	598	308	906	1.4	0.9	1.2	13.1	6.7	9.9	7.6	4.0	5.7	5.5	3.0	4.2	0.7	0.4	0.5
直腸	C20	1,683	896	2,580	3.9	2.6	3.3	36.8	19.5	28.2	22.3	10.9	16.4	16.3	8.1	12.1	2.0	1.0	1.5
肛門および肛門管	C21	44	33	77	0.1	0.1	0.1	1.0	0.7	0.8	0.5	0.3	0.4	0.3	0.3	0.3	0.0	0.0	0.0
肝および肝内胆管	C22	1,519	725	2,244	3.5	2.1	2.9	33.2	15.8	24.5	17.3	6.4	11.5	11.9	4.5	8.0	1.4	0.4	0.9
胆のう	C23	228	266	494	0.5	0.8	0.6	5.0	5.8	5.4	2.5	2.4	2.4	1.7	1.6	1.6	0.2	0.2	0.2
その他および部位不明の胆道	C24	545	351	896	1.3	1.0	1.2	11.9	7.6	9.8	5.5	2.5	3.9	3.7	1.6	2.5	0.4	0.1	0.3
膵臓	C25	1,452	1,315	2,767	3.4	3.9	3.6	31.8	28.6	30.2	17.3	12.1	14.6	12.1	8.3	10.2	1.5	1.0	1.2
その他および部位不明の消化器	C26	234	180	414	0.5	0.5	0.5	5.1	3.9	4.5	3.2	2.1	2.6	2.3	1.5	1.9	0.3	0.2	0.2
鼻腔および中耳	C30	40	24	64	0.1	0.1	0.1	0.9	0.5	0.7	0.6	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
副鼻腔	C31	51	25	76	0.1	0.1	0.1	1.1	0.5	0.8	0.6	0.3	0.5	0.4	0.3	0.3	0.1	0.0	0.0
喉頭	C32	288	33	321	0.7	0.1	0.4	6.3	0.7	3.5	3.4	0.3	1.8	2.4	0.2	1.3	0.3	0.0	0.2
気管	C33	3	0	3	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	5,218	2,705	7,923	12.1	7.9	10.3	114.2	58.9	86.5	59.1	26.6	41.6	40.4	18.6	28.8	4.9	2.2	3.5
胸腺	C37	68	44	112	0.2	0.1	0.1	1.5	1.0	1.2	1.0	0.7	0.8	0.7	0.5	0.6	0.1	0.1	0.1
心臓、縦隔および胸膜	C38	32	11	43	0.1	0.0	0.1	0.7	0.2	0.5	0.5	0.1	0.3	0.5	0.1	0.3	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	18	14	32	0.0	0.0	0.0	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	25	25	50	0.1	0.1	0.1	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	64	53	117	0.1	0.2	0.2	1.4	1.2	1.3	0.9	0.7	0.8	0.6	0.5	0.6	0.1	0.1	0.1
皮膚のその他	C44	706	672	1,378	1.6	2.0	1.8	15.5	14.6	15.0	8.1	6.1	7.0	5.6	4.4	5.0	0.6	0.5	0.5
中皮腫	C45	115	15	130	0.3	0.0	0.2	2.5	0.3	1.4	1.3	0.1	0.7	0.9	0.1	0.5	0.1	0.0	0.1
カポジ肉腫	C46	3	1	4	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	0	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	42	105	147	0.1	0.3	0.2	0.9	2.3	1.6	0.7	1.4	1.1	0.5	1.1	0.8	0.1	0.1	0.1
その他の結合組織および軟部組織	C49	134	93	227	0.3	0.3	0.3	2.9	2.0	2.5	1.9	1.3	1.6	1.5	1.1	1.3	0.2	0.1	0.1
乳房	C50	42	7,049	7,091	0.1	20.7	9.2	0.9	153.6	77.4	0.5	108.5	54.2	0.3	83.3	41.5	0.0	9.1	4.5
外陰	C51	-	60	60	-	0.2	0.1	-	1.3	-	-	0.6	-	-	0.5	-	-	0.0	-
陰	C52	-	24	24	-	0.1	0.0	-	0.5	-	-	0.3	-	-	0.2	-	-	0.0	-
子宮頸部	C53	-	712	712	-	2.1	0.9	-	15.5	-	-	12.4	-	-	9.7	-	-	1.0	-
子宮体部	C54	-	1,245	1,245	-	3.7	1.6	-	27.1	-	-	20.2	-	-	15.6	-	-	1.8	-
子宮部位不明	C55	-	26	26	-	0.1	0.0	-	0.6	-	-	0.2	-	-	0.2	-	-	0.0	-
卵巣	C56	-	821	821	-	2.4	1.1	-	17.9	-	-	13.5	-	-	10.8	-	-	1.1	-
その他および部位不明の女性性器	C57	-	51	51	-	0.1	0.1	-	1.1	-	-	0.8	-	-	0.6	-	-	0.1	-
胎盤	C58	-	4	4	-	0.0	0.0	-	0.1	-	-	0.1	-	-	0.1	-	-	0.0	-
陰茎	C60	26	-	26	0.1	-	0.0	0.6	-	-	0.3	-	-	0.2	-	-	0.0	-	-
前立腺	C61	6,773	-	6,773	15.7	-	8.8	148.2	-	-	75.4	-	-	51.0	-	-	6.6	-	-
精巣	C62	168	-	168	0.4	-	0.2	3.7	-	-	3.8	-	-	3.3	-	-	0.3	-	-
その他および部位不明の男性性器	C63	25	-	25	0.1	-	0.0	0.5	-	-	0.3	-	-	0.2	-	-	0.0	-	-
腎盂を除く腎	C64	961	427	1,388	2.2	1.3	1.8	21.0	9.3	15.2	13.4	5.1	9.2	10.0	3.8	6.9	1.2	0.5	0.8
腎盂	C65	178	81	259	0.4	0.2	0.3	3.9	1.8	2.8	1.9	0.7	1.3	1.3	0.5	0.8	0.1	0.0	0.1
尿管	C66	161	85	246	0.4	0.2	0.3	3.5	1.9	2.7	1.7	0.6	1.1	1.1	0.4	0.8	0.1	0.0	0.1
膀胱	C67	1,096	358	1,454	2.5	1.1	1.9	24.0	7.8	15.9	12.1	3.0	7.2	8.2	2.1	4.9	0.9	0.2	0.6
その他および部位不明の泌尿器	C68	9	12	21	0.0	0.0	0.0	0.2	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
眼および付属器	C69	16	10	26	0.0	0.0	0.0	0.4	0.2	0.3	0.3	0.1	0.2	0.4	0.1				

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

神奈川県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	3,994	4,359	8,354	9.2	12.8	10.8	87.4	95.0	91.2	50.8	75.5	61.8	36.1	59.3	46.7	4.5	5.8	5.1
口腔、食道および胃	D00	250	72	322	0.6	0.2	0.4	5.5	1.6	3.5	3.1	0.8	1.9	2.1	0.6	1.3	0.3	0.1	0.2
食道	D001	188	52	240	0.4	0.2	0.3	4.1	1.1	2.6	2.2	0.6	1.3	1.5	0.4	0.9	0.2	0.1	0.1
その他および部位不明の消化器	D01	2,486	1,352	3,839	5.8	4.0	5.0	54.4	29.5	41.9	33.2	17.2	24.9	24.0	12.6	18.1	3.1	1.5	2.3
結腸	D010	1,781	973	2,755	4.1	2.9	3.6	39.0	21.2	30.1	23.7	12.3	17.8	17.1	9.0	12.9	2.2	1.1	1.6
直腸S状結腸移行部	D011	163	80	243	0.4	0.2	0.3	3.6	1.7	2.7	2.2	1.1	1.6	1.5	0.8	1.2	0.2	0.1	0.1
直腸	D012	471	256	727	1.1	0.8	0.9	10.3	5.6	7.9	6.4	3.3	4.8	4.7	2.4	3.5	0.6	0.3	0.4
中耳および呼吸器系	D02	42	28	70	0.1	0.1	0.1	0.9	0.6	0.8	0.5	0.3	0.4	0.3	0.2	0.3	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	25	26	51	0.1	0.1	0.1	0.5	0.6	0.6	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
上皮内黒色腫	D03	9	13	22	0.0	0.0	0.0	0.2	0.3	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.0	0.0	0.0
皮膚のその他	D04	115	152	267	0.3	0.4	0.3	2.5	3.3	2.9	1.3	1.2	1.2	0.9	0.8	0.8	0.1	0.1	0.1
乳房	D05	5	905	910	0.0	2.7	1.2	0.1	19.7	9.9	0.1	15.5	7.7	0.1	12.1	6.0	0.0	1.3	0.6
子宮頸部	D06	-	1,553	1,553	-	4.6	2.0	-	33.8	-	-	37.2	-	-	30.7	-	-	2.6	-
その他および部位不明の性器	D07	15	36	51	0.0	0.1	0.1	0.3	0.8	0.6	0.2	0.5	0.4	0.2	0.4	0.3	0.0	0.0	0.0
その他および部位不明	D09	1,072	248	1,320	2.5	0.7	1.7	23.5	5.4	14.4	12.4	2.6	7.2	8.5	1.8	5.0	1.0	0.2	0.6
膀胱	D090	993	221	1,214	2.3	0.6	1.6	21.7	4.8	13.3	11.5	2.3	6.6	7.9	1.6	4.6	0.9	0.2	0.6
良性腫瘍	D32-D35	435	742	1,177	1.0	2.2	1.5	9.5	16.2	12.9	6.9	11.5	9.1	5.4	9.1	7.2	0.6	1.0	0.8
髄膜	D32	188	472	660	0.4	1.4	0.9	4.1	10.3	7.2	2.5	6.5	4.5	1.8	4.9	3.4	0.2	0.6	0.4
脳および中枢神経系	D33	112	110	222	0.3	0.3	0.3	2.5	2.4	2.4	2.1	2.0	2.0	1.8	1.7	1.8	0.2	0.2	0.2
下垂体	D352	134	160	294	0.3	0.5	0.4	2.9	3.5	3.2	2.2	3.0	2.6	1.8	2.4	2.1	0.2	0.2	0.2
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	660	516	1,176	1.5	1.5	1.5	14.4	11.2	12.8	8.7	6.4	7.4	6.7	5.2	5.9	0.6	0.5	0.5
髄膜	D42	25	40	65	0.1	0.1	0.1	0.5	0.9	0.7	0.3	0.5	0.4	0.2	0.4	0.3	0.0	0.0	0.0
脳および中枢神経系	D43	110	111	221	0.3	0.3	0.3	2.4	2.4	2.4	2.0	1.8	1.9	2.0	1.5	1.7	0.1	0.1	0.1
下垂体	D443	6	10	16	0.0	0.0	0.0	0.1	0.2	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.0	0.0	0.0
頭蓋咽頭管	D444	14	17	31	0.0	0.0	0.0	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.0	0.0	0.0
松果体	D445	2	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	38	20	58	0.1	0.1	0.1	0.8	0.4	0.6	0.5	0.2	0.4	0.4	0.2	0.3	0.0	0.0	0.0
骨髄異形成症候群	D46	353	206	559	0.8	0.6	0.7	7.7	4.5	6.1	3.9	1.9	2.8	2.6	1.4	2.0	0.3	0.1	0.2
慢性骨髄増殖性疾患	D471	23	23	46	0.1	0.1	0.1	0.5	0.5	0.5	0.3	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	64	81	145	0.1	0.2	0.2	1.4	1.8	1.6	0.9	1.0	1.0	0.7	0.8	0.8	0.1	0.1	0.1

\*1 総数は男女および性別不詳の合計



付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

神奈川県

2017年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D32-D35	9	16	25	0.1	0.2	0.1	0.2	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
髄膜	D32	7	16	23	0.0	0.2	0.1	0.2	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
脳および中枢神経系	D33	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D352	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	274	201	475	1.9	2.0	2.0	6.1	4.5	5.3	2.7	1.4	1.9	1.8	0.9	1.3	0.1	0.1	0.1
髄膜	D42	1	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	63	66	129	0.4	0.7	0.5	1.4	1.5	1.4	0.7	0.5	0.6	0.5	0.3	0.4	0.0	0.0	0.0
下垂体	D443	3	2	5	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	4	5	9	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	178	104	282	1.2	1.1	1.2	4.0	2.3	3.1	1.7	0.6	1.1	1.1	0.4	0.7	0.1	0.0	0.1
慢性骨髄増殖性疾患	D471	6	6	12	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	7	4	11	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

神奈川県

2017年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	-その他 *	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96	64,766	26.5	7.4	0.9	2.7	15.1	3.6	0.7	1.2	13.9	0.4	3.6	1.2	22.8
口腔・咽頭	C00-C14	1,532	34.4	3.4	0.1	7.1	4.0	17.9	0.1	5.2	3.5	0.1	3.5	0.3	20.6
食道	C15	1,914	8.0	24.2	0.8	5.8	7.0	16.6	0.0	0.4	12.6	0.2	2.4	0.9	21.1
胃	C16	8,223	24.4	33.8	2.1	0.2	8.2	0.1	0.0	0.0	10.2	0.1	0.0	0.4	20.3
大腸（結腸・直腸）	C18-C20	10,110	42.3	9.4	3.2	0.2	4.2	0.6	0.0	0.2	21.5	0.2	1.3	0.4	16.7
結腸	C18	6,688	44.9	8.0	3.1	0.0	3.9	0.0	0.0	0.0	22.0	0.2	0.1	0.5	17.2
直腸	C19-C20	3,422	37.2	12.0	3.2	0.5	4.8	1.6	0.1	0.4	20.4	0.2	3.6	0.2	15.8
肝および肝内胆管	C22	2,118	15.8	0.2	0.0	2.9	7.0	0.4	16.6	0.0	1.5	0.8	0.0	15.8	39.0
胆のう・胆管	C23-C24	1,328	27.9	0.3	0.1	0.7	14.8	0.8	0.0	0.2	8.4	0.5	0.3	2.0	44.1
膵臓	C25	2,672	9.2	0.2	0.0	0.7	32.2	1.6	0.5	0.1	13.7	0.1	0.6	1.3	39.8
喉頭	C32	317	13.9	9.5	0.3	32.8	1.3	17.7	0.0	6.3	0.3	0.3	1.9	1.3	14.5
肺	C33-C34	7,627	25.3	0.1	0.0	6.4	20.3	6.5	0.1	0.3	7.8	0.0	0.7	0.7	31.7
皮膚	C43-C44	1,489	86.8	0.0	0.0	0.6	0.4	0.4	0.0	0.7	0.8	1.6	0.1	0.7	7.9
乳房	C50	7,020	10.4	0.0	0.0	0.7	11.6	0.5	0.1	5.2	35.1	0.0	24.2	0.4	11.8
乳房（女性のみ）	C50	6,978	10.4	0.0	0.0	0.7	11.6	0.5	0.1	5.2	35.0	0.0	24.3	0.4	11.8
子宮	C53-C55	1,966	44.8	0.1	0.2	3.5	3.0	7.4	0.1	1.8	23.0	0.1	3.1	0.2	12.8
子宮頸部	C53	707	30.6	0.3	0.1	8.3	4.0	20.4	0.0	4.0	9.1	0.1	8.1	0.4	14.7
子宮体部	C54	1,237	53.7	0.0	0.2	0.8	2.5	0.2	0.1	0.6	31.4	0.0	0.3	0.0	10.2
卵巣	C56	801	16.9	0.0	0.0	0.2	6.6	0.0	0.0	0.2	59.3	0.0	0.1	0.2	16.4
前立腺	C61	6,699	21.6	0.7	0.1	7.0	34.6	10.2	0.2	0.1	2.7	0.0	0.3	0.6	22.0
膀胱	C67	1,416	3.5	24.2	3.3	0.6	1.4	0.2	0.1	2.5	31.5	9.4	2.2	5.8	15.3
腎・尿路（膀胱除く）	C64-C66 C68	1,878	59.9	0.6	0.1	1.0	5.5	0.4	0.1	0.4	7.8	0.4	0.5	0.8	22.6
脳・中枢神経系	C70-C72	354	14.1	0.0	0.0	3.4	1.4	6.2	0.0	5.9	2.8	0.0	34.7	0.6	30.8
甲状腺	C73	1,099	58.3	0.1	0.0	0.0	1.2	0.1	0.0	4.5	10.6	0.2	3.0	0.1	21.9
悪性リンパ腫	C81-C85 C96	2,248	3.2	0.1	0.0	3.8	54.4	3.3	0.4	0.4	3.6	0.0	1.0	0.9	28.9
多発性骨髄腫	C88-C90	475	0.6	0.0	0.0	1.3	58.9	2.1	3.4	0.0	0.0	0.0	0.0	0.2	33.5
白血病	C91-C95	907	0.1	0.0	0.0	0.2	65.3	1.0	2.1	0.0	0.0	0.0	0.0	4.0	27.3

\*1 DCOを除く総数

\*2 外科的、鏡視下治療のいずれかが「1:あり」

\*3 化学療法、内分泌療法のいずれかが「1:あり」

\*4 その他治療が「1:あり」

\*5 左記以外の治療組合せ



付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

神奈川県

2017年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	-その他 *	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96 D00-D09	73,120	27.0	12.3	0.8	2.4	13.4	3.2	0.6	1.4	13.1	0.5	3.3	1.2	20.8
食道	C15 D001	2,154	7.4	30.1	0.8	5.3	6.2	14.8	0.0	0.4	11.2	0.2	2.1	0.9	20.7
大腸 (結腸・直腸) *4	C18-C20 D010-D012	13,835	32.6	31.5	2.4	0.1	3.1	0.4	0.0	0.1	15.7	0.2	0.9	0.3	12.6
結腸 *4	C18 D010	9,443	33.6	32.5	2.3	0.0	2.8	0.0	0.0	0.0	15.6	0.2	0.1	0.4	12.5
直腸 *4	C19-C20 D011-D012	4,392	30.4	29.3	2.7	0.4	3.7	1.2	0.0	0.3	15.9	0.2	2.8	0.2	12.8
肺	C33-C34 D021-D022	7,678	25.7	0.1	0.0	6.3	20.2	6.4	0.1	0.3	7.7	0.0	0.7	0.7	31.6
皮膚	C43-C44 D030-D049	1,778	86.3	0.0	0.0	0.6	0.6	0.3	0.1	0.6	0.8	1.4	0.1	1.0	8.2
乳房	C50 D05	7,930	14.8	0.0	0.0	0.7	10.4	0.4	0.1	7.4	32.4	0.1	22.3	0.4	11.2
乳房 (女性のみ)	C50 D05	7,883	14.7	0.0	0.0	0.7	10.4	0.4	0.1	7.4	32.2	0.1	22.4	0.4	11.1
子宮	C53-C55 D06	3,519	63.0	1.5	0.1	2.0	1.7	4.1	0.1	1.1	12.9	0.1	1.7	0.7	11.1
子宮頸部	C53 D06	2,260	68.7	2.3	0.1	2.7	1.2	6.4	0.1	1.3	2.8	0.1	2.5	1.0	10.8
膀胱	C67 D090	2,630	2.9	31.7	1.8	0.3	0.8	0.2	0.0	1.4	35.0	9.2	1.3	5.5	9.8

\*1 DCOを除く総数

\*2 外科的、鏡視下治療のいずれかが「1:あり」

\*3 化学療法、内分泌療法のいずれかが「1:あり」

\*4 その他治療が「1:あり」

\*5 左記以外の治療組合せ