

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	854.7	16.4	15.3	10.7	14.0	19.6	35.1	46.8	69.9	120.1	191.4	350.4	645.3	1,224.3	1,977.4	2,760.6	3,436.7	3,817.9	4,076.3	-
	口腔・咽頭	C00-C14	26.1	0.0	0.5	0.5	0.5	0.0	0.7	1.9	2.3	7.2	12.3	18.3	30.7	50.6	74.8	79.9	85.2	75.5	79.8	-
	食道	C15	36.2	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.7	6.2	16.6	30.7	71.3	102.6	115.3	146.7	145.7	132.5	-
	胃	C16	121.2	0.0	0.0	0.0	0.5	0.4	0.0	0.7	5.4	12.1	15.8	30.2	70.6	141.7	276.7	409.9	528.4	627.2	643.9	-
	大腸（結腸・直腸）	C18-C20	133.0	0.0	0.0	0.0	0.5	1.1	4.9	5.6	17.4	23.3	40.2	78.5	127.0	226.3	321.1	419.7	477.3	555.0	523.7	-
	結腸	C18	84.4	0.0	0.0	0.0	0.5	0.4	2.6	1.5	7.4	12.4	22.7	36.0	70.6	121.9	185.2	271.5	326.6	399.3	405.3	-
	直腸	C19-C20	48.6	0.0	0.0	0.0	0.0	0.7	2.2	4.1	10.0	10.9	17.5	42.5	56.4	104.5	135.9	148.2	150.7	155.6	118.4	-
	肝および肝内胆管	C22	33.1	1.1	0.0	0.0	0.0	0.4	0.7	0.4	1.0	2.3	5.4	13.4	28.0	52.6	84.8	88.0	125.8	166.9	181.6	-
	胆のう・胆管	C23-C24	16.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.7	4.1	7.4	14.2	23.7	42.3	77.7	113.2	125.4	-
	膵臓	C25	33.3	0.0	0.0	0.0	0.5	0.4	0.7	0.4	2.3	3.7	9.4	17.4	24.7	47.8	73.7	109.9	128.8	136.4	181.6	-
	喉頭	C32	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	1.6	6.1	6.9	20.7	21.5	25.3	23.2	25.4	-
	肺	C33-C34	117.0	0.0	0.0	0.0	0.5	0.7	0.0	3.0	2.7	8.6	19.8	33.2	75.0	138.9	280.7	395.3	517.0	543.7	615.8	-
	皮膚	C43-C44	18.3	0.0	0.0	0.5	0.0	0.4	0.4	2.2	3.0	2.9	4.0	6.8	11.8	19.4	26.3	45.3	67.7	94.7	171.1	-
	乳房	C50	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.0	0.8	2.0	1.6	1.5	0.7	6.6	8.6	7.0	-
	前立腺	C61	161.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	4.4	26.7	81.1	235.6	405.6	643.1	772.5	731.1	649.1	-
	膀胱	C67	25.4	0.0	0.0	0.0	0.5	0.0	0.7	0.0	0.0	1.7	3.2	8.7	13.5	29.1	45.9	80.7	96.1	131.8	204.4	-
	腎・尿路（膀胱除く）	C64-C66 C68	31.2	0.0	0.0	0.0	0.0	0.0	0.7	1.1	3.3	10.1	12.8	24.5	36.8	51.8	63.3	89.4	103.9	123.2	141.2	-
	脳・中枢神経系	C70-C72	4.7	1.1	3.2	2.0	0.9	2.2	3.7	1.9	2.0	4.6	3.7	4.1	5.7	5.7	6.7	8.8	11.8	7.9	13.2	-
	甲状腺	C73	7.5	0.0	0.5	0.0	0.0	2.6	0.7	3.3	4.3	8.3	8.1	9.0	11.8	13.4	13.3	15.0	13.5	19.2	12.3	-
	悪性リンパ腫	C81-C85 C96	28.5	0.6	1.1	3.1	2.3	1.8	4.5	3.0	6.7	5.2	12.1	15.8	30.4	48.2	57.8	69.0	105.7	116.6	132.5	-
	多発性骨髄腫	C88-C90	6.1	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.3	1.1	1.2	2.7	4.1	5.3	13.7	18.2	22.7	35.8	33.3	-
	白血病	C91-C95	12.2	6.8	6.3	2.6	4.2	2.2	3.7	4.8	4.7	5.5	6.9	9.3	10.5	16.2	19.6	31.0	29.3	47.7	43.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	626.3	20.7	10.6	15.0	12.7	25.4	39.7	101.2	181.5	319.8	485.5	588.2	689.1	880.9	1,096.8	1,286.3	1,497.8	1,756.6	1,874.8	-
	口腔・咽頭	C00-C14	10.7	0.0	0.0	0.0	0.5	0.8	2.5	1.6	2.5	7.6	7.5	8.3	11.6	16.6	16.7	18.0	26.5	29.3	37.4	-
	食道	C15	7.3	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.6	2.9	4.1	9.5	14.9	17.7	16.0	19.3	21.7	22.2	-
	胃	C16	49.8	0.0	0.0	0.0	0.0	0.0	0.8	3.2	5.3	8.5	13.0	20.1	27.6	51.0	94.7	124.2	155.6	198.0	200.0	-
	大腸（結腸・直腸）	C18-C20	97.2	0.0	0.0	0.0	1.0	1.2	2.5	5.2	11.0	20.7	37.4	58.6	90.2	131.5	182.3	209.2	267.3	352.5	377.0	-
	結腸	C18	69.8	0.0	0.0	0.0	0.5	0.8	1.7	2.8	7.1	11.6	20.0	33.7	60.0	81.7	120.2	154.2	202.2	270.2	301.7	-
	直腸	C19-C20	27.4	0.0	0.0	0.0	0.5	0.4	0.8	2.4	3.9	9.1	17.4	24.9	30.2	49.8	62.1	54.9	65.1	82.3	75.2	-
	肝および肝内胆管	C22	13.9	1.2	0.0	0.0	0.0	0.4	0.4	0.0	0.4	1.8	2.1	3.0	5.8	11.6	19.9	22.5	47.3	70.2	75.7	-
	胆のう・胆管	C23-C24	12.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.2	1.6	1.5	3.6	8.3	13.8	22.2	43.3	48.5	84.8	-
	膵臓	C25	30.3	0.0	0.0	0.5	1.0	1.2	0.0	0.4	1.4	5.2	5.7	12.1	19.6	29.0	46.8	73.2	97.5	124.2	136.5	-
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.0	1.4	0.3	2.5	3.5	2.6	-
	肺	C33-C34	56.5	0.0	0.0	0.0	0.0	0.0	0.4	2.4	2.5	7.3	11.2	24.6	39.3	71.4	93.6	155.2	189.5	216.2	205.7	-
	皮膚	C43-C44	17.6	0.0	0.0	0.0	0.0	0.0	0.4	1.6	4.6	3.7	6.0	10.1	9.5	19.1	23.4	37.9	46.5	56.1	101.7	-
	乳房	C50	160.0	0.0	0.0	0.0	0.0	0.8	6.3	28.2	70.1	158.2	249.6	240.8	237.5	266.0	294.7	292.8	261.1	263.1	237.0	-
	子宮	C53-C55	44.5	0.0	0.0	0.0	0.0	1.2	7.1	19.4	34.2	44.2	63.4	88.8	91.6	83.8	67.0	67.0	53.5	55.1	42.2	-
	子宮頸部	C53	15.8	0.0	0.0	0.0	0.0	0.0	5.9	14.1	23.1	22.3	24.4	25.7	22.9	24.9	15.2	21.9	18.2	18.7	18.7	-
	子宮体部	C54	28.1	0.0	0.0	0.0	0.0	1.2	1.3	5.2	11.0	21.6	38.7	62.4	68.0	58.5	51.1	44.4	34.5	33.8	19.6	-
	卵巣	C56	17.2	0.0	1.1	1.1	2.5	3.2	3.3	5.6	10.0	10.7	26.5	31.4	39.6	32.8	27.7	23.9	21.1	19.7	20.9	-
	膀胱	C67	7.5	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.6	1.8	3.3	1.8	5.4	11.7	15.4	21.5	28.3	49.1	-
	腎・尿路（膀胱除く）	C64-C66 C68	13.3	0.0	0.0	0.0	0.0	0.4	0.0	0.8	2.5	4.3	6.8	8.0	9.8	15.4	23.0	31.0	37.8	51.0	46.1	-
	脳・中枢神経系	C70-C72	3.8	3.0	3.3	0.5	0.5	0.8	0.8	2.4	1.4	1.8	2.6	1.2	2.9	4.6	7.4	7.5	8.0	8.6	12.2	-
	甲状腺	C73	19.9	0.0	0.0	1.6	1.5	9.3	7.1	18.1	22.8	22.9	18.2	30.2	26.5	28.2	31.9	38.6	27.6	23.2	19.1	-
	悪性リンパ腫	C81-C85 C96	23.3	1.2	0.0	2.1	2.0	2.0	2.5	5.2	5.7	4.9	9.9	13.3	22.2	32.0	46.5	50.3	71.6	75.3	68.7	-
	多発性骨髄腫	C88-C90	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	1.8	2.9	7.1	11.7	10.1	19.6	15.7	19.1	-
	白血病	C91-C95	8.3	8.3	5.0	5.9	2.0	2.0	2.9	3.6	1.8	4.0	4.9	6.8	8.0	10.8	12.1	15.0	14.9	19.7	23.5	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

神奈川県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	740.1	18.5	13.0	12.8	13.4	22.4	37.3	72.9	124.0	217.0	334.7	464.4	666.4	1,054.7	1,527.5	1,982.8	2,378.8	2,648.4	2,604.4	-
	口腔・咽頭	C00-C14	18.4	0.0	0.3	0.3	0.5	0.4	1.6	1.7	2.4	7.4	10.0	13.5	21.5	33.8	45.1	47.2	53.2	49.3	51.5	-
	食道	C15	21.7	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	1.2	4.6	10.6	20.5	43.4	59.2	62.9	77.2	75.4	58.7	-
	胃	C16	85.4	0.0	0.0	0.0	0.2	0.2	0.4	1.9	5.3	10.4	14.4	25.4	49.9	96.9	183.7	259.1	325.0	383.7	347.1	-
	大腸（結腸・直腸）	C18-C20	115.0	0.0	0.0	0.0	0.7	1.2	3.7	5.4	14.3	22.0	38.9	68.9	109.3	179.5	250.2	308.6	362.7	440.1	425.6	-
	結腸	C18	77.1	0.0	0.0	0.0	0.5	0.6	2.2	2.1	7.2	12.0	21.4	34.9	65.5	102.0	152.0	209.7	258.7	326.1	336.0	-
	直腸	C19-C20	37.9	0.0	0.0	0.0	0.2	0.6	1.6	3.3	7.1	10.1	17.5	34.0	43.8	77.5	98.2	99.0	104.0	114.0	89.5	-
	肝および肝内胆管	C22	23.5	1.2	0.0	0.0	0.0	0.4	0.6	0.2	0.7	2.1	3.8	8.4	17.3	32.4	51.6	53.4	82.9	112.0	110.8	-
	胆のう・胆管	C23-C24	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.2	1.6	2.8	5.6	11.3	18.7	31.7	58.9	76.5	98.3	-
	膵臓	C25	31.8	0.0	0.0	0.3	0.7	0.8	0.4	0.4	1.9	4.4	7.6	14.9	22.2	38.5	60.0	90.5	111.7	129.5	151.5	-
	喉頭	C32	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.9	3.3	3.5	10.9	10.3	12.9	12.0	10.2	-
	肺	C33-C34	86.6	0.0	0.0	0.0	0.2	0.4	0.2	2.7	2.6	8.0	15.6	29.1	57.8	105.5	185.1	268.6	338.3	357.9	341.6	-
	皮膚	C43-C44	18.0	0.0	0.0	0.3	0.0	0.2	0.4	1.9	3.8	3.3	4.9	8.4	10.7	19.3	24.8	41.4	56.2	72.8	124.7	-
	乳房	C50	80.9	0.0	0.0	0.0	0.0	0.4	3.0	13.7	34.0	76.9	121.6	115.9	115.4	132.2	151.3	154.8	145.4	153.0	160.8	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	16.4	0.0	0.0	0.0	0.2	0.2	0.4	0.0	0.2	1.2	2.5	6.1	7.9	17.4	28.4	46.2	55.4	73.1	100.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	22.2	0.0	0.0	0.0	0.0	0.2	0.4	1.0	2.9	7.2	9.9	16.6	23.8	33.8	42.8	58.6	67.9	82.2	77.6	-
	脳・中枢神経系	C70-C72	4.3	2.0	3.3	1.3	0.7	1.5	2.4	2.1	1.7	3.3	3.2	2.7	4.4	5.1	7.1	8.1	9.7	8.3	12.5	-
	甲状腺	C73	13.7	0.0	0.3	0.8	0.7	5.8	3.7	10.4	13.3	15.4	13.0	19.1	18.9	20.7	22.8	27.4	21.2	21.5	16.9	-
	悪性リンパ腫	C81-C85 C96	25.9	0.9	0.5	2.6	2.1	1.9	3.6	4.1	6.2	5.0	11.0	14.6	26.4	40.2	52.0	59.1	87.1	93.1	89.8	-
	多発性骨髄腫	C88-C90	5.5	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.9	1.3	2.3	3.5	6.1	12.7	14.0	21.0	24.4	23.8	-
	白血病	C91-C95	10.2	7.5	5.7	4.2	3.1	2.1	3.4	4.3	3.3	4.7	5.9	8.1	9.3	13.5	15.8	22.6	21.4	31.8	29.9	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計