

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

神奈川県

2021年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
男	全部位	C00-C97	326.3	1.9	3.3	2.1	3.9	0.8	4.0	5.3	9.0	21.3	35.1	68.4	149.5	269.3	537.6	872.1	1,244.5	1,770.4	1,701.5	.	.	.	.
	口腔・咽頭	C00-C14	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	2.8	4.8	10.2	20.7	22.1	37.4	45.1	36.8	.	.	.	.
	食道	C15	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.8	3.6	12.5	18.1	29.8	50.3	62.1	71.0	59.4	.	.	.	.
	胃	C16	39.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.4	2.2	3.9	5.4	10.5	25.6	69.0	96.3	165.9	218.5	218.0	.	.	.	.
	大腸（結腸・直腸）	C18-C20	43.2	0.0	0.0	0.0	0.0	0.0	0.4	0.4	1.4	3.2	6.8	12.9	26.2	47.2	76.9	122.1	146.9	204.3	207.5	.	.	.	.
	結腸	C18	28.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.2	4.2	6.9	16.3	27.6	43.4	73.5	93.8	139.5	160.2	.	.	.	.
	直腸	C19-C20	14.7	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	1.0	2.6	5.9	9.9	19.7	33.5	48.7	53.1	64.8	47.4	.	.	.	.
	肝および肝内胆管	C22	21.4	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.3	1.0	3.3	12.8	22.8	42.6	56.0	79.6	105.6	123.3	.	.	.	.
	胆のう・胆管	C23-C24	13.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.3	4.8	5.5	21.1	30.2	53.1	87.7	90.2	.	.	.	.
	膵臓	C25	28.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.6	4.2	9.8	20.8	26.4	61.6	93.3	106.2	159.9	102.3	.	.	.	.
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.8	3.0	3.3	3.7	4.5	.	.	.	.
	肺	C33-C34	74.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.1	3.8	4.2	12.6	24.0	59.8	110.3	214.4	319.4	401.2	392.5	.	.	.	.
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.8	0.6	0.4	1.7	2.7	5.2	8.6	6.8	.	.	.	.
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.4	0.3	0.9	0.6	0.8	.	.	.	.
	前立腺	C61	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.3	5.1	16.9	34.2	68.7	134.6	150.4	.	.	.	.
	膀胱	C67	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	1.0	1.6	6.7	12.8	16.1	28.9	44.4	71.4	.	.	.	.	
	腎・尿路（膀胱除く）	C64-C66 C68	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.8	1.8	4.5	9.4	12.8	18.5	28.9	58.0	46.6	.	.	.	.
	脳・中枢神経系	C70-C72	2.7	0.0	1.1	0.5	0.5	0.0	1.6	0.0	1.4	2.2	2.3	2.3	3.8	5.1	3.7	4.7	4.3	11.1	4.5	.	.	.	.
	甲状腺	C73	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	3.0	2.8	6.8	4.5	.	.	.	.
	悪性リンパ腫	C81-C85 C96	11.9	0.0	0.0	0.0	1.0	0.0	0.4	1.2	0.4	1.0	1.6	1.0	4.8	8.7	16.9	30.2	41.7	68.5	70.7	.	.	.	.
	多発性骨髄腫	C88-C90	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	2.2	2.4	5.4	11.7	10.9	24.1	14.3	.	.	.	.	
	白血病	C91-C95	7.9	1.3	0.5	0.0	0.5	0.0	0.4	1.2	1.1	1.6	1.3	2.3	6.1	4.7	14.5	22.5	27.5	46.3	28.6	.	.	.	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

神奈川県

2021年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
女	全部位	C00-C97	224.9	1.3	1.7	0.0	1.5	1.7	3.0	7.9	15.8	30.4	50.8	84.2	135.9	182.2	298.0	403.3	579.2	802.8	678.6	.	.	.	.
	口腔・咽頭	C00-C14	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.3	0.8	2.8	2.5	2.8	3.6	8.1	13.8	12.2	.	.	.	.
	食道	C15	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.4	1.0	5.0	6.5	9.0	8.1	10.6	9.9	.	.	.	.
	胃	C16	18.6	0.0	0.0	0.0	0.0	0.0	0.4	0.9	2.3	1.0	1.6	4.4	8.0	9.9	19.8	27.1	47.9	63.1	66.8	.	.	.	.
	大腸（結腸・直腸）	C18-C20	35.8	0.0	0.0	0.0	0.0	0.4	0.4	0.4	1.2	4.1	7.4	8.0	16.0	24.8	53.6	54.2	99.2	119.8	114.9	.	.	.	.
	結腸	C18	28.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	1.2	2.7	5.2	6.1	11.1	17.4	38.7	41.3	78.8	91.7	92.4	.	.	.	.
	直腸	C19-C20	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.2	1.9	4.9	7.4	14.9	13.0	20.5	28.1	22.5	.	.	.	.
	肝および肝内胆管	C22	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.8	0.8	2.4	5.0	12.9	18.1	24.3	39.2	43.1	.	.	.	.
	胆のう・胆管	C23-C24	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.8	1.9	3.1	4.5	9.7	16.6	29.0	44.2	38.9	.	.	.	.
	膵臓	C25	26.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.7	5.0	10.8	20.2	35.5	57.2	80.7	110.6	83.2	.	.	.	.
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.3	0.8	0.0	0.8	.	.	.	.
	肺	C33-C34	33.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.2	0.3	3.8	5.8	9.4	20.7	39.5	68.4	101.5	137.8	101.9	.	.	.	.
	皮膚	C43-C44	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.5	1.1	1.7	0.4	1.2	1.5	0.4	2.3	2.3	.	.	.	.
	乳房	C50	25.3	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.7	11.5	16.2	23.0	34.1	33.5	46.8	50.0	51.0	60.4	46.6	.	.	.	.
	子宮	C53-C55	10.0	0.0	0.0	0.0	0.0	0.0	0.4	1.3	2.3	3.7	6.9	11.9	15.7	17.8	16.5	16.3	19.3	27.2	12.6	.	.	.	.
	子宮頸部	C53	4.2	0.0	0.0	0.0	0.0	0.0	0.4	1.9	2.7	4.4	5.0	7.0	6.6	6.9	5.7	6.2	10.6	5.7	.	.	.	.	
	子宮体部	C54	3.9	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.0	1.1	4.2	4.9	7.0	6.5	7.5	11.2	11.5	4.2	.	.	.	.
	卵巣	C56	7.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	1.5	2.7	4.9	7.2	13.6	15.7	14.5	12.7	12.4	15.2	8.0	.	.	.	.
	膀胱	C67	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.6	0.0	0.8	2.4	3.6	9.7	12.0	19.1	.	.	.	.
	腎・尿路（膀胱除く）	C64-C66 C68	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.1	0.3	2.1	5.6	9.3	12.4	19.8	19.5	.	.	.	.
	脳・中枢神経系	C70-C72	2.0	0.0	1.1	0.0	0.5	0.4	0.9	1.3	0.8	1.0	1.4	1.9	1.7	1.7	3.2	3.6	4.2	6.0	3.4	.	.	.	.
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.4	2.4	1.5	4.6	5.1	3.8	.	.	.	.
	悪性リンパ腫	C81-C85 C96	7.8	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.5	1.9	4.5	3.3	7.7	12.7	17.4	34.1	30.5	.	.	.	.
	多発性骨髄腫	C88-C90	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	2.9	1.6	5.1	10.0	11.1	11.5	.	.	.	.
	白血病	C91-C95	4.0	0.0	0.6	0.0	0.0	0.0	0.4	0.0	0.8	0.3	0.5	0.8	3.1	2.9	2.0	9.0	8.5	21.2	13.4	.	.	.	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

神奈川県

2021年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
総数 *2	全部位	C00-C97	275.3	1.6	2.5	1.1	2.8	1.2	3.5	6.5	12.3	25.7	42.7	76.0	143.0	226.8	416.3	625.1	877.9	1,216.4	1,023.0	.	.	.	.
	口腔・咽頭	C00-C14	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.7	0.7	1.9	3.8	6.5	11.6	12.4	21.3	27.2	20.5	.	.	.	.
	食道	C15	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.1	2.5	7.0	11.7	18.0	28.6	32.3	36.4	26.6	.	.	.	.
	胃	C16	28.8	0.0	0.0	0.0	0.0	0.0	0.2	0.8	1.9	1.6	2.8	4.9	9.3	17.9	44.1	59.8	100.9	129.6	117.7	.	.	.	.
	大腸（結腸・直腸）	C18-C20	39.5	0.0	0.0	0.0	0.0	0.2	0.4	0.4	1.3	3.6	7.1	10.5	21.3	36.3	65.1	86.3	120.6	155.9	146.1	.	.	.	.
	結腸	C18	28.3	0.0	0.0	0.0	0.0	0.2	0.2	0.2	1.1	2.5	4.7	6.5	13.8	22.6	41.0	56.5	85.5	112.1	115.2	.	.	.	.
	直腸	C19-C20	11.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	1.1	2.4	4.0	7.5	13.7	24.1	29.8	35.1	43.8	30.9	.	.	.	.
	肝および肝内胆管	C22	15.6	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.3	0.9	2.1	7.8	14.1	27.6	36.0	49.1	67.5	70.1	.	.	.	.
	胆のう・胆管	C23-C24	12.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.1	2.1	4.0	5.0	15.3	23.0	39.8	62.8	56.2	.	.	.	.
	膵臓	C25	27.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.1	3.5	7.5	16.0	23.4	48.4	74.3	92.1	131.7	89.6	.	.	.	.
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.4	1.6	1.9	1.6	2.0	.	.	.	.
	肺	C33-C34	53.5	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.1	2.1	4.0	9.3	17.0	40.7	74.5	137.5	199.4	250.4	199.7	.	.	.	.
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.9	1.2	0.4	1.4	2.1	2.6	5.0	3.8	.	.	.	.
	乳房	C50	12.9	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.3	5.6	7.9	11.1	16.5	16.7	23.9	26.5	28.5	34.8	31.1	.	.	.	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.8	0.8	3.8	7.6	9.5	18.3	25.9	36.7	.	.	.	.
	腎・尿路（膀胱除く）	C64-C66 C68	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.7	0.4	1.5	2.5	5.8	9.2	13.7	19.8	36.1	28.6	.	.	.	.
	脳・中枢神経系	C70-C72	2.3	0.0	1.1	0.3	0.5	0.2	1.2	0.6	1.1	1.6	1.9	2.1	2.8	3.4	3.5	4.1	4.3	8.2	3.8	.	.	.	.
	甲状腺	C73	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.5	0.2	1.2	2.2	3.8	5.8	4.1	.	.	.	.
	悪性リンパ腫	C81-C85 C96	9.8	0.0	0.0	0.0	0.5	0.0	0.4	0.6	0.2	0.7	1.1	1.5	4.7	6.0	12.2	21.0	28.3	48.8	44.1	.	.	.	.
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	1.3	2.6	3.5	8.3	10.4	16.6	12.4	.	.	.	.
	白血病	C91-C95	6.0	0.6	0.6	0.0	0.3	0.0	0.4	0.6	0.9	1.0	0.9	1.6	4.7	3.8	8.2	15.4	17.0	31.9	18.5	.	.	.	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計