

平成15年度空間放射線測定結果

		データ取得年	平成15年度(H15.4.1~H16.3.31)																	
		測定項目・検出器	空間線量率・2" x 2"NaI(Tl)シンチレーション検出器																	
	測定局	集計項目	単位	平成15年												平成16年			平成15年度 年間値	平成14年度 年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
川 崎	千島局	1時間最大値	n Gy / h	45.1	49.7	39.3	51.7	45.0	45.7	52.5	52.0	74.7	38.0	44.2	44.4	74.7	61.4			
		1時間最小値	n Gy / h	28.1	28.0	27.8	27.8	27.9	27.1	28.4	28.2	28.6	29.2	29.2	28.6	27.1	28.5			
		月平均値	n Gy / h	30.1	29.7	29.4	29.8	29.9	29.8	30.5	30.5	30.7	30.5	30.4	30.6	30.2	30.8			
		積算値	n Gy / m	21,608.0	21,318.4	21,173.2	22,108.1	22,237.4	21,401.5	22,370.8	21,934.7	22,816.6	21,255.4	21,122.3	22,727.7	262,788.2	267,945.9			
		調整時間	時間	1	3	1	1	1	2	10	1	1	46	2	2	71	70			
市 内	浮島局	1時間最大値	n Gy / h	49.8	77.0	210.4	49.4	50.2	45.5	103.0	49.2	67.8	40.9	90.9	46.5	210.4	72.9			
		1時間最小値	n Gy / h	33.6	33.3	32.8	33.4	33.2	32.5	32.0	32.4	32.5	32.4	32.4	31.9	31.9	33.4			
		月平均値	n Gy / h	35.4	35.3	36.9	35.2	35.2	35.1	34.6	34.5	34.4	33.9	33.9	33.8	34.9	37.0			
		積算値	n Gy / m	25,398.9	25,358.6	26,520.6	26,111.0	26,122.7	25,212.0	25,584.8	24,781.5	24,887.2	25,217.2	23,587.3	25,145.7	304,762.8	322,802.0			
		調整時間	時間	3	2	1	2	2	1	4	1	21	1	1	1	40	42			
(株)	殿町局	1時間最大値	n Gy / h	43.2	40.2	31.7	49.3	43.8	41.0	59.9	69.1	55.1	38.5	51.9	37.3	69.1	353.7			
		1時間最小値	n Gy / h	26.4	26.4	26.2	26.1	26.3	26.5	26.4	26.5	26.7	27.1	27.2	26.9	26.1	26.7			
		月平均値	n Gy / h	27.8	27.5	27.3	27.4	27.6	27.4	28.2	28.8	28.2	28.1	28.3	28.2	27.9	28.7			
		積算値	n Gy / m	19,955.6	19,687.2	19,613.8	20,373.2	20,492.1	19,690.3	20,834.0	20,727.1	20,494.1	20,906.1	19,649.1	20,950.2	244,029.1	249,567.1			
		調整時間	時間	1	3	1	1	1	2	4	1	18	1	1	2	36	61			
東 芝 対 象	塩浜局	1時間最大値	n Gy / h	50.6	53.4	45.8	50.5	51.6	51.7	54.4	53.9	68.5	45.2	48.5	49.8	68.5	59.2			
		1時間最小値	n Gy / h	38.2	37.7	37.7	35.3	35.2	37.9	36.6	36.4	35.8	35.7	35.8	35.7	35.2	36.1			
		月平均値	n Gy / h	40.2	39.8	39.5	39.2	39.0	39.6	40.2	40.4	40.0	39.2	39.1	39.1	39.6	41.0			
		積算値	n Gy / m	28,938.7	28,594.0	28,376.1	29,097.4	28,907.2	28,450.7	29,738.4	29,001.4	29,035.4	29,146.5	27,150.4	29,030.2	346,418.3	357,826.1			
		調整時間	時間	1	2	2	2	2	2	5	2	19	1	1	1	40	43			
象	大島局	1時間最大値	n Gy / h	49.4	53.6	43.8	50.4	52.1	49.2	53.1	48.6	65.8	42.7	48.0	49.9	65.8	61.5			
		1時間最小値	n Gy / h	34.5	34.0	33.5	34.1	34.0	33.7	33.9	34.5	34.7	34.6	34.4	34.2	33.5	33.9			
		月平均値	n Gy / h	36.9	36.4	36.2	36.6	36.3	36.2	36.5	36.9	36.5	36.4	36.3	36.7	36.5	37.9			
		積算値	n Gy / m	26,327.0	26,100.1	26,023.4	27,210.7	27,004.6	26,031.7	26,955.5	26,519.6	26,415.9	27,030.3	25,247.2	27,226.0	318,972.2	330,377.7			
		調整時間	時間	7	2	1	1	1	1	6	1	21	1	1	2	45	39			

平成15年度空間放射線測定結果

		データ取得年	平成15年度(H15.4.1~H16.3.31)																	
		測定項目・検出器	空間線量率・2" x 2"NaI(Tl)シンチレーション検出器																	
	測定局	集計項目	単位	平成15年												平成16年			平成15年度 年間値	平成14年度 年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
横須賀市内(株)GNJ対象	久里浜局	1時間最大値	n Gy / h	33.4	33.8	31.6	40.7	31.3	31.2	42.2	42.0	38.3	31.2	36.1	39.9	42.2	51.5			
		1時間最小値	n Gy / h	18.0	17.9	17.7	17.6	17.7	17.9	17.9	17.9	18.0	18.3	18.6	18.4	18.2	17.6	18.0		
		月平均値	n Gy / h	19.7	19.1	19.0	19.2	19.2	19.4	20.0	20.1	20.0	20.0	19.7	19.7	19.9	19.6	19.9		
		積算値	n Gy / m	14,137.8	13,680.7	13,642.3	14,282.0	14,257.6	13,920.3	14,772.0	14,443.5	14,821.9	13,956.1	13,640.1	14,808.9	170,837.9	173,733.8			
		調整時間	時間	1	3	2	2	2	2	2	6	2	2	34	2	1	59	43		
	舟倉局	1時間最大値	n Gy / h	42.4	41.9	42.1	50.6	41.5	42.8	51.4	52.1	46.6	40.6	45.2	50.4	52.1	55.6			
		1時間最小値	n Gy / h	27.6	27.8	27.8	27.8	27.7	27.7	28.5	28.1	28.3	29.0	28.9	27.8	27.6	27.5			
		月平均値	n Gy / h	30.4	30.0	30.0	30.5	30.2	30.2	30.9	31.0	30.7	30.8	30.9	31.1	30.6	31.5			
		積算値	n Gy / m	21,876.9	21,505.0	21,557.3	22,680.0	22,410.9	21,705.5	22,889.9	22,300.4	22,802.8	22,370.7	21,485.8	23,076.2	267,393.1	274,146.7			
		調整時間	時間	1	2	1	1	1	1	4	1	1	17	1	1	32	46			
	佐原局	1時間最大値	n Gy / h	38.7	39.1	38.1	45.6	36.6	38.3	47.3	49.8	43.1	37.0	41.9	46.3	49.8	57.2			
		1時間最小値	n Gy / h	24.5	24.4	24.3	24.1	24.3	24.6	24.6	24.5	24.7	25.1	25.0	24.6	24.1	24.6			
		月平均値	n Gy / h	26.2	25.8	25.7	25.8	25.8	26.1	26.6	26.6	26.4	26.2	26.2	26.5	26.2	27.3			
		積算値	n Gy / m	18,812.1	18,473.2	18,448.1	19,154.9	19,146.0	18,795.6	19,676.2	19,137.1	19,629.7	19,067.2	18,183.2	19,686.9	228,839.2	238,210.9			
		調整時間	時間	1	3	1	1	1	1	4	1	1	17	1	2	34	36			
	浦賀局	1時間最大値	n Gy / h	37.2	35.4	36.7	41.6	34.1	37.3	43.8	42.6	39.1	35.2	37.3	41.4	43.8	48.9			
		1時間最小値	n Gy / h	24.6	24.4	24.6	24.3	24.4	24.5	24.6	24.8	25.0	24.7	24.6	24.5	24.3	24.7			
		月平均値	n Gy / h	26.1	25.5	25.5	25.7	25.6	25.6	26.2	26.4	26.2	25.9	25.6	25.9	25.8	26.5			
		積算値	n Gy / m	18,736.3	18,294.8	18,321.3	19,052.4	19,027.5	18,432.4	19,284.3	18,973.0	19,452.0	19,052.0	17,515.3	19,241.8	226,003.2	230,802.6			
		調整時間	時間	1	2	1	2	1	1	8	1	1	9	11	2	40	40			
ハイランド局	1時間最大値	n Gy / h	38.1	39.0	35.2	48.7	36.5	38.6	46.8	47.8	40.2	37.9	43.2	47.3	48.7	55.9				
	1時間最小値	n Gy / h	23.6	23.3	23.4	23.0	23.1	23.5	23.7	23.5	23.7	24.1	23.9	23.2	23.0	23.6				
	月平均値	n Gy / h	25.3	25.0	24.7	24.8	24.9	25.5	26.0	25.7	25.5	25.5	25.2	25.4	25.3	26.1				
	積算値	n Gy / m	18,207.0	18,502.3	17,757.0	18,411.2	18,505.7	18,313.9	19,204.6	18,493.8	18,931.8	18,920.8	17,162.1	18,872.0	221,282.3	227,637.6				
	調整時間	時間	1	3	2	1	1	1	4	1	1	1	16	1	33	54				
日の出町局	1時間最大値	n Gy / h	39.4	40.2	33.9	41.0	39.7	34.1	37.0	37.5	39.2	35.8	39.7	36.3	41.0	45.4				
	1時間最小値	n Gy / h	29.1	29.0	29.1	29.0	28.6	28.9	29.2	29.2	29.4	29.5	29.4	29.1	28.6	29.3				
	月平均値	n Gy / h	30.2	29.9	29.9	30.0	29.9	29.8	30.3	30.4	30.4	30.3	30.2	30.2	30.1	31.5				
	積算値	n Gy / m	21,739.3	21,444.5	21,480.1	22,251.6	22,190.5	21,437.9	22,392.9	21,888.3	22,575.0	22,511.4	20,504.4	22,413.8	263,557.3	274,692.7				
	調整時間	時間	1	3	1	2	1	1	4	1	1	1	17	1	34	47				
西逸見局	1時間最大値	n Gy / h	35.8	37.3	39.7	42.4	37.9	40.3	44.8	42.7	42.7	34.7	39.6	39.1	44.8	48.4				
	1時間最小値	n Gy / h	25.6	25.3	25.2	25.1	25.2	25.6	25.6	25.8	25.9	25.9	26.2	26.2	25.1	25.8				
	月平均値	n Gy / h	26.9	26.5	26.3	26.5	26.6	26.7	27.3	27.4	27.1	26.9	27.2	27.4	26.9	27.9				
	積算値	n Gy / m	19,348.9	19,030.3	18,937.9	19,629.0	19,745.0	19,189.1	20,178.0	19,619.8	20,157.1	19,992.9	18,448.5	20,339.8	235,254.9	243,569.3				
	調整時間	時間	2	3	1	4	1	2	4	3	1	17	2	2	41	32				
長沢局	1時間最大値	n Gy / h	42.8	44.4	40.0	49.5	44.1	43.7	48.8	50.2	45.6	43.7	47.0	51.3	51.3	59.1				
	1時間最小値	n Gy / h	32.5	32.6	32.5	32.2	32.0	32.7	32.7	32.4	32.8	33.5	33.4	32.7	32.0	32.7				
	月平均値	n Gy / h	34.1	34.0	33.8	33.7	33.7	34.1	34.4	34.2	34.3	34.4	34.3	34.4	34.1	34.7				
	積算値	n Gy / m	24,504.7	24,396.6	24,268.5	25,017.7	25,056.9	24,536.7	25,343.4	24,606.8	25,486.7	25,568.9	23,490.0	25,566.2	298,660.9	302,430.2				
	調整時間	時間	2	2	1	1	1	1	8	1	1	1	12	1	32	42				

平成15年度空間放射線測定結果

		データ取得年	平成15年度(H15.4.1~H16.3.31)																	
		測定項目・検出器	空間線量率・2" x2"NaI(Tl)シンチレーション検出器																	
	測定局	集計項目	単位	平成15年												平成16年			平成15年度 年間値	平成14年度 年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
横須賀市	長坂局	1時間最大値	nGy/h	44.9	43.6	35.7	43.1	40.8	36.3	44.0	49.8	42.7	38.7	45.4	45.6	49.8	60.2			
		1時間最小値	nGy/h	28.7	28.4	28.2	28.2	28.2	28.2	28.2	28.2	28.5	28.7	29.3	29.5	28.8	28.2	28.5		
		月平均値	nGy/h	30.2	30.0	29.7	29.8	29.7	29.9	30.3	30.4	30.4	30.4	30.5	30.6	30.7	30.2	31.8		
		積算値	nGy/m	21,719.1	21,449.3	21,329.2	22,147.8	22,067.9	21,449.9	22,362.2	21,806.2	22,540.8	21,577.3	21,303.1	22,787.6	263,257.4	276,493.1			
		調整時間	時間	2	4	1	2	1	2	7	2	2	37	0	2	62	69			
立教大学 対象	芦名局	1時間最大値	nGy/h	33.6	31.8	26.7	33.3	30.6	27.8	34.5	38.5	34.0	29.8	35.8	37.9	38.5	52.8			
		1時間最小値	nGy/h	19.8	19.7	19.4	19.5	19.6	19.3	19.7	20.0	20.2	20.2	20.2	20.2	20.2	19.3	19.9		
		月平均値	nGy/h	20.9	20.6	20.5	20.8	20.6	20.6	21.1	21.4	21.2	21.0	21.1	21.5	20.9	23.7			
		積算値	nGy/m	15,029.1	14,791.7	14,756.4	15,421.0	15,305.3	14,784.3	15,608.9	15,372.1	15,746.0	15,588.7	14,379.1	15,948.2	183,236.1	206,516.7			
		調整時間	時間	2	2	1	2	2	1	5	1	1	1	16	2	36	43			
立教大学 対象	武局	1時間最大値	nGy/h	43.7	44.9	39.7	52.5	43.1	45.8	52.2	54.0	47.2	43.8	47.6	50.2	54.0	63.7			
		1時間最小値	nGy/h	28.8	28.6	27.9	27.9	27.3	27.5	29.1	29.0	29.1	29.4	29.4	28.8	27.3	28.5			
		月平均値	nGy/h	31.6	31.3	30.9	31.1	31.3	30.8	31.9	31.6	31.6	32.0	31.3	31.6	31.4	32.6			
		積算値	nGy/m	22,662.2	22,427.8	22,217.6	23,073.9	23,274.0	20,945.7	23,504.0	22,676.3	23,472.3	23,778.5	21,138.1	23,441.4	273,375.2	283,838.5			
		調整時間	時間	2	4	1	2	1	41	7	2	2	1	21	1	85	56			
立教大学 対象	長井局	1時間最大値	nGy/h	31.6	32.5	24.4	34.8	29.3	26.6	36.4	43.1	33.7	29.1	35.2	38.2	43.1	52.0			
		1時間最小値	nGy/h	14.7	14.6	14.3	14.4	14.4	14.9	14.8	14.9	15.2	15.3	15.4	15.1	14.3	14.9			
		月平均値	nGy/h	16.3	15.9	15.9	16.1	16.0	16.1	16.8	16.9	16.7	16.5	16.6	17.1	16.4	16.9			
		積算値	nGy/m	11,735.9	11,386.4	11,325.3	11,957.5	11,857.4	11,598.8	12,438.2	12,174.1	12,426.4	12,295.3	11,233.6	12,679.1	143,499.4	147,197.3			
		調整時間	時間	2	2	9	1	1	1	4	1	1	1	21	1	45	46			
立教大学 対象	湘南国際村局	1時間最大値	nGy/h	42.5	45.9	44.0	49.1	45.6	45.0	53.9	51.7	51.8	44.3	49.9	51.7	53.9	60.4			
		1時間最小値	nGy/h	30.6	32.2	31.4	31.1	31.7	32.2	32.5	32.4	33.0	32.2	33.4	32.4	30.6	31.8			
		月平均値	nGy/h	34.1	34.0	33.6	33.8	33.9	34.2	34.8	34.8	34.8	34.5	34.4	35.2	34.4	35.0			
		積算値	nGy/m	24,509.8	23,942.8	24,183.9	25,090.1	25,194.4	24,618.1	25,693.9	25,053.6	25,732.1	25,650.0	23,468.6	26,190.3	300,149.4	304,774.0			
		調整時間	時間	2	15	1	1	1	1	5	1	5	1	13	1	47	51			