

## 平成20年度空間放射線測定結果

		データ取得年	平成20年度(H20.4.1~H21.3.31)																	
		測定項目・検出器	空間線量率・2" × 2"Nal(Tl)シンチレーション検出器																	
	測定局	集計項目	単位	平成20年												平成21年			平成20年度年間値	平成18~19年度年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
川	千島局	1時間最大値	n Gy / h	35.6	32.3	76.1	34.8	220.2	38.3	44.1	39.2	41.5	44.3	37.6	36.5	220.2	33.1~340.9			
		1時間最小値	n Gy / h	20.9	20.2	20.0	20.0	20.2	20.2	20.3	20.6	20.6	21.0	21.4	21.0	20.0	20.4~29.2			
		月平均値	n Gy / h	22.3	22.2	22.2	21.7	23.7	22.2	22.2	22.7	22.4	22.9	23.0	22.4	22.5	22.5~31.2			
		積算値	n Gy / m	16,039.9	16,489.2	15,984.2	16,107.7	17,619.1	15,951.0	16,473.1	16,272.2	16,616.7	17,044.1	14,424.8	16,542.6	195,564.7	0.22~0.26mG/y			
		調整時間	時間	2	1	1	2	1	1	1	1	4	1	1	44	4	63	57~64h/y		
市	浮島局	1時間最大値	n Gy / h	104.2	109.3	47.5	46.2	43.9	48.7	55.2	49.2	49.9	55.4	65.0	68.7	109.3	41.4~721.0			
		1時間最小値	n Gy / h	31.7	31.4	31.4	31.6	31.8	31.7	32.0	32.2	32.3	32.8	32.5	32.3	31.4	31.6~33.3			
		月平均値	n Gy / h	33.7	33.9	33.5	33.3	33.6	33.7	33.9	34.2	33.9	34.4	34.4	33.8	33.9	33.6~35.3			
		積算値	n Gy / m	24,161.8	25,212.4	24,095.9	24,766.7	24,943.3	24,244.4	25,190.6	24,525.3	25,152.9	24,751.8	23,042.4	25,103.5	295,191.0	0.30~0.30mG/y			
		調整時間	時間	2	1	1	1	1	1	1	3	2	25	2	2	42	36~36h/y			
(株)	殿町局	1時間最大値	n Gy / h	97.6	42.2	45.1	50.8	92.6	75.8	44.8	37.5	41.6	39.8	38.4	39.8	97.6	35.6~184.6			
		1時間最小値	n Gy / h	26.3	26.1	26.0	25.9	26.0	26.1	26.3	26.6	26.5	26.6	26.6	26.6	25.9	26.2~27.4			
		月平均値	n Gy / h	30.1	27.3	27.4	27.2	27.4	27.8	27.4	27.8	27.7	27.9	28.0	27.7	27.8	27.7~34.9			
		積算値	n Gy / m	21,635.7	20,310.1	19,673.8	20,186.3	20,354.1	19,981.2	20,363.2	19,966.1	20,563.5	20,334.2	18,510.5	20,601.5	242,480.3	0.25~0.26mG/y			
		調整時間	時間	1	1	1	1	2	1	2	3	1	15	10	1	39	30~30h/y			
東	塩浜局	1時間最大値	n Gy / h	52.5	50.2	54.3	52.1	52.0	55.2	58.3	55.2	57.7	57.1	52.8	53.4	58.3	48.8~64.0			
		1時間最小値	n Gy / h	39.4	39.7	39.0	38.7	39.6	39.0	39.1	38.6	39.1	39.4	38.7	37.3	37.3	37.6~40.7			
		月平均値	n Gy / h	42.5	42.4	42.3	41.8	42.0	42.3	42.5	42.7	42.6	42.2	41.9	41.5	42.2	41.6~43.1			
		積算値	n Gy / m	30,576.1	31,475.3	30,418.6	31,091.9	31,230.3	30,442.8	31,551.2	30,588.9	31,651.0	30,660.0	28,106.6	30,820.7	368,613.3	0.36~0.37mG/y			
		調整時間	時間	1	1	1	1	1	1	1	3	1	18	1	1	31	32~33h/y			
芝	大島局	1時間最大値	n Gy / h	48.6	45.6	53.2	47.9	48.7	51.2	57.2	51.4	55.7	55.5	50.8	48.2	57.2	43.7~60.7			
		1時間最小値	n Gy / h	35.0	34.7	34.5	34.7	34.8	35.0	35.0	34.6	34.8	33.7	33.9	33.0	33.0	33.3~35.9			
		月平均値	n Gy / h	37.0	36.7	37.0	36.6	36.7	37.0	37.1	37.7	37.7	37.4	37.0	36.1	37.0	36.1~38.8			
		積算値	n Gy / m	26,570.9	27,290.7	26,636.9	27,204.3	27,277.6	26,589.1	27,585.3	27,052.3	27,968.4	27,103.2	24,855.8	26,822.0	322,956.5	0.33~0.33mG/y			
		調整時間	時間	2	1	1	1	1	1	1	2	2	19	1	1	33	29~31h/y			
対	象	1時間最大値	n Gy / h	48.6	45.6	53.2	47.9	48.7	51.2	57.2	51.4	55.7	55.5	50.8	48.2	57.2	43.7~60.7			
		1時間最小値	n Gy / h	35.0	34.7	34.5	34.7	34.8	35.0	35.0	34.6	34.8	33.7	33.9	33.0	33.0	33.3~35.9			
		月平均値	n Gy / h	37.0	36.7	37.0	36.6	36.7	37.0	37.1	37.7	37.7	37.4	37.0	36.1	37.0	36.1~38.8			
		積算値	n Gy / m	26,570.9	27,290.7	26,636.9	27,204.3	27,277.6	26,589.1	27,585.3	27,052.3	27,968.4	27,103.2	24,855.8	26,822.0	322,956.5	0.33~0.33mG/y			
		調整時間	時間	2	1	1	1	1	1	1	2	2	19	1	1	33	29~31h/y			

# 平成20年度空間放射線測定結果

		データ取得年	平成20年度(H20.4.1~H21.3.31)																	
		測定項目・検出器	空間線量率・2" x 2"NaI(Tl)シンチレーション検出器																	
	測定局	集計項目	単位	平成20年												平成21年			平成20年度年間値	平成18~19年度年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
横須賀市	久里浜局	1時間最大値	nGy/h	34.9	30.8	35.7	28.6	43.9	39.7	38.3	44.7	44.9	0.0	0.0	42.1	44.9	30.3~46.2			
		1時間最小値	nGy/h	19.1	18.9	19.0	19.0	19.2	19.2	19.3	19.8	19.4	0.0	0.0	24.8	18.9	18.7~19.9			
		月平均値	nGy/h	20.9	20.8	20.8	20.3	20.8	21.2	21.0	21.7	21.6	0.0	0.0	26.8	21.3	20.2~21.8			
		積算値	nGy/m	14,970.0	15,467.2	14,918.9	15,057.8	15,419.2	15,217.6	15,591.4	15,506.5	7,511.3	0.0	0.0	11,665.5	141,325.6	0.18~0.18mG/y			
		調整時間	時間	2	1	2	2	1	1	2	5	397	744	672	309	2,138	61~72h/y			
横須賀市	舟倉局	1時間最大値	nGy/h	44.2	41.3	45.5	38.4	53.9	48.8	48.1	50.0	51.2	49.6	52.6	45.1	53.9	40.3~56.8			
		1時間最小値	nGy/h	29.0	29.1	28.9	28.9	29.2	29.7	29.9	29.7	29.5	29.8	29.7	29.4	28.9	28.7~29.9			
		月平均値	nGy/h	31.4	31.4	31.4	30.6	31.0	31.9	31.8	32.2	31.7	32.3	32.3	31.8	31.7	30.8~32.3			
		積算値	nGy/m	22,564.0	23,354.0	22,575.4	22,764.4	23,069.1	22,913.7	23,646.5	23,081.9	23,578.0	23,432.9	21,656.8	23,570.2	276,207.0	0.28~0.28mG/y			
		調整時間	時間	1	1	1	1	1	1	1	3	1	18	2	2	33	26~34h/y			
横須賀市	佐原局	1時間最大値	nGy/h	38.5	34.6	39.4	31.6	49.3	44.9	40.4	44.7	46.8	46.8	47.6	40.3	49.3	35.9~48.8			
		1時間最小値	nGy/h	24.5	24.2	24.1	24.1	24.3	24.6	24.5	25.0	24.9	24.9	24.9	24.7	24.1	24.1~25.4			
		月平均値	nGy/h	25.9	25.8	25.8	25.5	26.3	26.3	26.0	26.6	26.3	26.6	26.8	26.2	26.2	25.5~27.2			
		積算値	nGy/m	18,616.7	19,206.1	18,559.3	18,967.1	19,530.2	18,901.6	19,338.2	19,093.3	19,541.1	19,733.9	17,566.0	19,490.4	228,543.9	0.23~0.23mG/y			
		調整時間	時間	1	1	1	1	1	1	1	3	1	3	17	1	32	28~32h/y			
横須賀市	浦賀局	1時間最大値	nGy/h	37.1	33.3	36.1	32.0	45.9	39.6	38.9	46.1	43.6	46.0	42.8	36.8	46.1	32.3~46.9			
		1時間最小値	nGy/h	24.6	24.3	24.5	24.4	24.6	24.7	24.6	24.9	24.8	24.9	25.1	24.7	24.3	24.3~25.3			
		月平均値	nGy/h	25.9	25.7	25.7	25.1	25.4	25.9	25.8	26.3	26.1	26.4	26.5	26.1	25.9	25.2~26.6			
		積算値	nGy/m	18,602.6	19,114.2	18,481.6	18,669.7	18,907.0	18,650.4	19,194.1	18,851.6	19,377.2	19,585.2	17,346.8	19,388.7	226,169.1	0.23~0.23mG/y			
		調整時間	時間	1	1	1	1	1	1	1	2	1	3	18	1	32	31~32h/y			
横須賀市	ハイランド局	1時間最大値	nGy/h	38.4	33.3	39.3	29.7	44.5	44.1	40.1	47.8	50.2	51.5	50.6	40.1	51.5	36.3~50.6			
		1時間最小値	nGy/h	22.8	22.2	22.2	22.4	22.8	22.8	22.5	23.4	23.0	23.3	22.9	22.8	22.2	22.1~23.4			
		月平均値	nGy/h	24.3	24.2	24.1	24.0	24.8	24.9	24.5	25.4	24.8	25.3	25.1	24.5	24.6	23.9~25.4			
		積算値	nGy/m	17,505.2	17,952.2	17,323.9	17,796.7	18,414.9	17,927.2	18,171.0	18,184.1	18,446.5	18,406.4	16,833.6	18,173.5	215,135.4	0.21~0.22mG/y			
		調整時間	時間	1	1	1	1	1	1	1	4	1	17	2	1	32	33~198h/y			
横須賀市	日の出町局	1時間最大値	nGy/h	33.4	36.6	40.2	35.8	33.9	38.6	42.9	37.5	35.1	39.9	38.2	43.1	43.1	33.6~47.7			
		1時間最小値	nGy/h	29.2	29.4	29.4	29.2	29.3	29.4	29.4	29.4	29.6	29.7	29.7	29.2	29.2	28.8~29.6			
		月平均値	nGy/h	30.3	30.3	30.4	29.9	30.0	30.3	30.5	30.6	30.6	30.7	30.6	30.5	30.4	29.5~30.6			
		積算値	nGy/m	21,805.5	22,521.4	21,846.8	22,224.1	22,307.5	21,796.4	22,627.9	21,916.5	22,704.6	22,259.4	20,553.3	22,637.8	265,201.3	0.26~0.26mG/y			
		調整時間	時間	1	1	1	1	1	1	2	3	1	19	1	1	33	30~44h/y			
横須賀市	西逸見局	1時間最大値	nGy/h	36.8	33.3	39.4	30.0	35.3	37.6	38.6	39.7	44.6	44.8	42.1	37.4	44.8	36.2~59.6			
		1時間最小値	nGy/h	25.0	24.8	24.7	24.6	24.8	25.0	25.2	25.7	25.5	25.8	25.8	25.7	24.6	24.0~26.0			
		月平均値	nGy/h	26.4	26.2	26.2	25.8	26.4	26.5	26.4	26.9	26.7	27.1	27.3	26.9	26.6	25.9~27.2			
		積算値	nGy/m	18,980.9	19,458.0	18,806.3	19,185.0	19,598.7	19,060.3	19,620.7	19,291.9	19,858.7	19,704.0	17,957.3	19,900.0	231,421.7	0.23~0.23mG/y			
		調整時間	時間	1	1	1	1	1	1	1	3	1	17	15	3	46	30~38h/y			
横須賀市	長沢局	1時間最大値	nGy/h	43.5	40.6	47.8	38.6	47.2	46.9	44.0	47.3	49.8	49.0	51.2	44.5	51.2	41.2~51.2			
		1時間最小値	nGy/h	32.3	32.1	31.9	31.8	32.4	32.3	32.5	32.9	32.5	32.7	32.3	32.0	31.8	31.4~33.4			
		月平均値	nGy/h	33.6	33.6	33.6	33.4	34.1	34.0	33.8	34.4	34.0	34.4	34.1	33.3	33.9	33.1~34.6			
		積算値	nGy/m	24,146.9	24,958.2	24,133.7	24,796.0	24,842.0	24,180.7	25,112.9	24,672.5	25,251.3	25,507.2	22,314.2	24,724.5	294,640.1	0.29~0.30mG/y			
		調整時間	時間	2	1	1	2	16	9	1	3	1	3	17	2	58	33~96h/y			