

平成23年度空間放射線測定結果

| | |
|----------|--------------------------------|
| データ取得年 | 平成23年度(H23. 4. 1~H24. 3. 31) |
| 測定項目・検出器 | 空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器 |

| | 測定局 | 集計項目 | 単位 | 平成23年 | | | | | | | | | 平成24年 | | | 平成23年度年間値 | 平成21~22年度年間値(参考) |
|--|--------|--------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------------|------------------|
| | | | | 4月 | 5月 | 6月 | 7月 | 8月 | 9月 | 10月 | 11月 | 12月 | 1月 | 2月 | 3月 | | |
| 川 崎 市 内 ▼ (株) 東 芝 対 象 | 千島局 | 1時間最大値 | n Gy/h | 100.2 | 68.6 | 63.8 | 71.1 | 85.4 | 80.2 | 58.8 | 56.5 | 65.5 | 80.7 | 60.2 | 66.2 | 100.2 | 25.8~202.2 |
| | | 1時間最小値 | n Gy/h | 58.3 | 50.5 | 48.8 | 48.0 | 45.8 | 44.9 | 44.0 | 43.8 | 43.2 | 43.0 | 41.6 | 41.1 | 41.1 | 19.9~21.0 |
| | | 月平均値 | n Gy/h | 71.9 | 55.5 | 51.1 | 50.1 | 49.1 | 46.9 | 46.1 | 45.7 | 45.2 | 44.9 | 44.3 | 43.8 | 49.5 | 21.8~67.4 |
| | | 積算値 | n Gy/m | 51,696.0 | 41,266.2 | 36,723.6 | 37,203.8 | 36,483.2 | 33,752.6 | 34,232.4 | 32,640.6 | 33,599.7 | 31,493.9 | 30,764.4 | 32,511.6 | 0.43mGy/y | 0.20~0.23mGy/y |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 1 | 43 | 1 | 1 | 58 |
| | 浮島局 | 1時間最大値 | n Gy/h | 112.9 | 84.0 | 81.4 | 87.8 | 97.7 | 99.1 | 75.1 | 84.1 | 79.1 | 86.6 | 73.3 | 75.8 | 112.9 | 37.8~217.3 |
| | | 1時間最小値 | n Gy/h | 74.2 | 67.8 | 66.5 | 65.7 | 63.4 | 61.9 | 60.9 | 60.7 | 57.6 | 57.2 | 54.7 | 54.4 | 54.4 | 31.5~33.0 |
| | | 月平均値 | n Gy/h | 86.5 | 72.5 | 69.0 | 67.8 | 66.7 | 64.7 | 63.5 | 63.1 | 61.1 | 59.5 | 58.1 | 56.9 | 65.8 | 33.2~80.1 |
| | | 積算値 | n Gy/m | 62,212.1 | 53,872.8 | 49,614.6 | 50,356.5 | 49,582.5 | 46,539.6 | 47,205.7 | 45,257.7 | 45,393.5 | 42,690.7 | 40,392.6 | 42,269.3 | 0.58mGy/y | 0.30~0.33mGy/y |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 27 | 1 | 1 | 40 |
| | 殿町局 | 1時間最大値 | n Gy/h | 74.3 | 55.0 | 50.6 | 53.9 | 64.2 | 62.5 | 75.4 | 46.5 | 53.7 | 58.2 | 44.7 | 48.2 | 75.4 | 32.6~154.2 |
| | | 1時間最小値 | n Gy/h | 48.8 | 43.5 | 41.4 | 40.7 | 39.6 | 38.5 | 36.9 | 35.7 | 35.8 | 35.0 | 34.0 | 34.3 | 34.0 | 26.1~27.4 |
| | | 月平均値 | n Gy/h | 57.4 | 47.0 | 43.4 | 42.1 | 41.4 | 40.1 | 39.1 | 37.6 | 37.1 | 36.4 | 35.5 | 35.9 | 41.1 | 27.4~57.6 |
| | | 積算値 | n Gy/m | 41,260.7 | 34,898.9 | 31,236.8 | 31,271.0 | 30,792.1 | 28,801.7 | 29,080.5 | 26,976.9 | 27,455.1 | 26,282.1 | 24,623.0 | 26,697.5 | 0.36mGy/y | 0.25~0.27mGy/y |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 21 | 3 | 1 | 38 |
| 塩浜局 | 1時間最大値 | n Gy/h | 87.4 | 72.6 | 69.3 | 75.3 | 84.2 | 86.1 | 64.7 | 63.4 | 72.0 | 83.2 | 66.2 | 70.3 | 87.4 | 44.2~177.1 | |
| | 1時間最小値 | n Gy/h | 62.8 | 58.2 | 57.2 | 56.5 | 55.2 | 54.4 | 54.0 | 53.7 | 53.8 | 52.8 | 52.4 | 51.0 | 51.0 | 37.2~40.5 | |
| | 月平均値 | n Gy/h | 71.3 | 62.1 | 59.6 | 58.4 | 57.9 | 56.5 | 56.2 | 56.0 | 55.9 | 55.3 | 54.6 | 54.3 | 58.2 | 40.8~68.4 | |
| | 積算値 | n Gy/m | 51,246.2 | 46,080.0 | 42,884.4 | 43,374.8 | 43,020.0 | 40,653.8 | 41,770.9 | 40,221.7 | 41,518.7 | 40,177.9 | 37,945.6 | 40,375.1 | 0.51mGy/y | 0.36~0.39mGy/y | |
| | 調整時間 | 時間 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 18 | 1 | 1 | 31 | 32~39h/y |
| 大島局 | 1時間最大値 | n Gy/h | 91.6 | 72.8 | 72.0 | 79.8 | 94.3 | 85.9 | 63.4 | 62.5 | 72.4 | 83.7 | 63.5 | 68.5 | 94.3 | 39.3~161.3 | |
| | 1時間最小値 | n Gy/h | 62.7 | 58.2 | 55.1 | 53.8 | 52.8 | 50.9 | 51.4 | 50.9 | 50.1 | 50.0 | 48.8 | 47.2 | 47.2 | 32.6~36.3 | |
| | 月平均値 | n Gy/h | 71.8 | 62.2 | 59.2 | 57.7 | 56.4 | 53.9 | 53.5 | 53.2 | 52.7 | 52.1 | 51.4 | 50.9 | 56.2 | 35.2~67.2 | |
| | 積算値 | n Gy/m | 51,611.6 | 46,215.8 | 42,532.6 | 42,872.7 | 41,889.6 | 38,747.2 | 39,749.3 | 38,114.7 | 39,099.3 | 37,906.1 | 35,712.0 | 37,808.3 | 0.49mGy/y | 0.32~0.34mGy/y | |
| | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 2 | 16 | 1 | 1 | 30 | 29~39h/y |

平成23年度空間放射線測定結果

| | | データ取得年 | 平成23年度(H23. 4. 1~H24. 3. 31) | | | | | | | | | | | | | | | | | |
|----------------|--------|----------|--------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------------|----------------|--|-----------|------------------|
| | | 測定項目・検出器 | 空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器 | | | | | | | | | | | | | | | | | |
| | 測定局 | 集計項目 | 単位 | 平成23年 | | | | | | | | | | | | 平成24年 | | | 平成23年度年間値 | 平成21~22年度年間値(参考) |
| | | | | 4月 | 5月 | 6月 | 7月 | 8月 | 9月 | 10月 | 11月 | 12月 | 1月 | 2月 | 3月 | | | | | |
| 横須賀市内(縦)GNFJ対象 | 久里浜局 | 1時間最大値 | n Gy/h | 81.1 | 67.8 | 66.6 | 65.4 | 83.8 | 71.8 | 57.8 | 59.8 | 60.6 | 56.2 | 57.9 | 57.7 | 83.8 | 31.1~162.0 | | | |
| | | 1時間最小値 | n Gy/h | 53.2 | 47.9 | 46.7 | 46.1 | 44.2 | 43.1 | 42.5 | 39.5 | 41.5 | 39.1 | 39.3 | 38.7 | 38.7 | 24.5~25.6 | | | |
| | | 月平均値 | n Gy/h | 62.3 | 51.9 | 48.8 | 47.7 | 46.5 | 45.1 | 44.4 | 43.7 | 43.0 | 42.0 | 42.0 | 41.8 | 46.7 | 25.8~58.7 | | | |
| | | 積算値 | n Gy/m | 44,797.8 | 38,541.3 | 35,072.7 | 35,458.2 | 34,574.3 | 32,456.6 | 33,000.9 | 31,289.9 | 31,865.3 | 31,230.3 | 29,203.4 | 25,688.2 | 0.40mGy/y | 0.23~0.26mGy/y | | | |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 3 | 1 | 1 | 129 | 145 | 79~83h/y | | | |
| | 舟倉局 | 1時間最大値 | n Gy/h | 78.6 | 69.6 | 64.6 | 66.2 | 81.3 | 72.7 | 59.8 | 62.0 | 62.3 | 61.7 | 61.3 | 61.7 | 81.3 | 34.6~164.1 | | | |
| | | 1時間最小値 | n Gy/h | 55.0 | 51.1 | 49.2 | 48.3 | 47.0 | 46.5 | 45.8 | 45.4 | 44.6 | 44.7 | 44.1 | 43.0 | 43.0 | 29.0~30.0 | | | |
| | | 月平均値 | n Gy/h | 63.2 | 55.1 | 52.0 | 50.8 | 50.0 | 48.7 | 48.2 | 48.0 | 47.4 | 47.3 | 47.0 | 46.5 | 50.4 | 30.7~58.1 | | | |
| | | 積算値 | n Gy/m | 45,442.9 | 40,848.3 | 37,404.1 | 37,745.4 | 37,121.5 | 35,023.9 | 35,837.1 | 34,405.4 | 35,191.3 | 35,126.7 | 32,662.7 | 31,919.6 | 0.44mGy/y | 0.28~0.30mGy/y | | | |
| | | 調整時間 | 時間 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 57 | 71 | 36~54h/y | | | |
| | 佐原局 | 1時間最大値 | n Gy/h | 85.4 | 66.4 | 64.0 | 63.5 | 81.0 | 66.6 | 58.3 | 58.7 | 60.8 | 58.7 | 59.0 | 58.0 | 85.4 | 30.0~184.9 | | | |
| | | 1時間最小値 | n Gy/h | 54.8 | 49.4 | 47.7 | 47.6 | 46.0 | 45.4 | 44.2 | 44.2 | 43.8 | 43.0 | 42.6 | 41.9 | 41.9 | 24.1~25.2 | | | |
| | | 月平均値 | n Gy/h | 64.5 | 53.0 | 49.8 | 49.4 | 48.3 | 46.9 | 46.2 | 45.8 | 45.3 | 44.9 | 44.6 | 44.2 | 48.6 | 25.4~61.3 | | | |
| | | 積算値 | n Gy/m | 46,398.4 | 39,396.9 | 35,814.6 | 36,690.0 | 35,853.5 | 33,714.1 | 34,323.5 | 32,833.7 | 33,611.0 | 33,375.1 | 30,986.8 | 30,397.5 | 0.42mGy/y | 0.23~0.26mGy/y | | | |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 2 | 1 | 1 | 57 | 71 | 38~81h/y | | | |
| | 浦賀局 | 1時間最大値 | n Gy/h | 98.8 | 72.7 | 69.1 | 67.6 | 80.9 | 65.4 | 63.4 | 64.7 | 66.7 | 61.4 | 61.0 | 62.4 | 98.8 | 28.2~161.7 | | | |
| | | 1時間最小値 | n Gy/h | 64.5 | 59.0 | 56.6 | 55.3 | 53.6 | 52.4 | 50.8 | 50.4 | 49.9 | 49.1 | 48.1 | 47.0 | 47.0 | 24.3~25.0 | | | |
| | | 月平均値 | n Gy/h | 75.5 | 62.6 | 58.6 | 57.1 | 55.5 | 53.7 | 52.6 | 51.8 | 51.2 | 50.6 | 50.0 | 49.0 | 55.7 | 25.0~66.6 | | | |
| | | 積算値 | n Gy/m | 54,304.0 | 46,502.4 | 42,114.3 | 42,397.9 | 41,229.0 | 38,598.3 | 39,059.9 | 37,162.5 | 37,952.6 | 37,631.4 | 34,783.9 | 32,566.2 | 0.48mGy/y | 0.22~0.25mGy/y | | | |
| | | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 1 | 1 | 80 | 95 | 49~72h/y | | | |
| ハイランド局 | 1時間最大値 | n Gy/h | 105.4 | 74.6 | 71.8 | 65.3 | 79.7 | 68.5 | 59.3 | 65.0 | 64.6 | 60.7 | 64.3 | 63.0 | 105.4 | 30.3~212.8 | | | | |
| | 1時間最小値 | n Gy/h | 61.1 | 53.7 | 50.5 | 49.6 | 47.7 | 46.7 | 45.3 | 45.1 | 44.8 | 45.1 | 44.9 | 44.3 | 44.3 | 21.9~23.7 | | | | |
| | 月平均値 | n Gy/h | 75.0 | 58.2 | 53.8 | 51.8 | 50.7 | 49.0 | 47.7 | 47.0 | 46.5 | 47.0 | 47.4 | 46.9 | 51.8 | 23.6~74.2 | | | | |
| | 積算値 | n Gy/m | 53,940.3 | 43,271.0 | 38,684.2 | 38,500.1 | 37,632.8 | 35,234.9 | 35,420.0 | 33,689.4 | 34,440.1 | 34,895.2 | 32,951.3 | 32,271.2 | 0.45mGy/y | 0.21~0.25mGy/y | | | | |
| | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 1 | 1 | 56 | 71 | 36~41h/y | | | | |
| 日の出町局 | 1時間最大値 | n Gy/h | 55.7 | 47.8 | 47.9 | 48.9 | 45.7 | 54.0 | 42.5 | 48.0 | 42.4 | 43.2 | 47.7 | 43.0 | 55.7 | 32.2~123.1 | | | | |
| | 1時間最小値 | n Gy/h | 41.6 | 39.6 | 38.4 | 38.2 | 37.6 | 37.1 | 36.5 | 36.8 | 36.5 | 36.4 | 35.6 | 35.4 | 35.4 | 26.4~29.6 | | | | |
| | 月平均値 | n Gy/h | 46.3 | 41.2 | 39.8 | 39.0 | 38.6 | 38.0 | 37.7 | 37.7 | 37.5 | 37.2 | 37.1 | 36.8 | 38.9 | 27.8~45.5 | | | | |
| | 積算値 | n Gy/m | 33,271.4 | 30,644.2 | 28,651.1 | 28,981.7 | 28,646.0 | 27,296.1 | 28,046.9 | 27,058.8 | 27,848.6 | 27,656.2 | 25,797.7 | 25,215.6 | 0.34mGy/y | 0.26~0.27mGy/y | | | | |
| | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 58 | 71 | 32~39h/y | | | | |
| 西逸見局 | 1時間最大値 | n Gy/h | 75.7 | 60.0 | 54.8 | 58.1 | 70.2 | 62.5 | 52.1 | 58.1 | 55.4 | 58.2 | 51.7 | 53.7 | 75.7 | 30.5~155.6 | | | | |
| | 1時間最小値 | n Gy/h | 49.9 | 44.5 | 43.3 | 42.8 | 41.7 | 41.4 | 40.4 | 40.5 | 40.3 | 40.1 | 38.5 | 37.7 | 37.7 | 24.7~25.8 | | | | |
| | 月平均値 | n Gy/h | 58.2 | 48.5 | 44.9 | 44.2 | 43.6 | 42.7 | 42.2 | 41.9 | 41.7 | 41.5 | 41.2 | 40.5 | 44.3 | 25.9~55.8 | | | | |
| | 積算値 | n Gy/m | 41,819.4 | 36,025.5 | 32,296.7 | 32,867.3 | 32,404.2 | 30,679.9 | 31,318.2 | 30,031.3 | 30,867.6 | 30,842.6 | 28,633.4 | 27,859.3 | 0.39mGy/y | 0.23~0.26mGy/y | | | | |
| | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 3 | 1 | 1 | 56 | 72 | 31~38h/y | | | | |
| 長沢局 | 1時間最大値 | n Gy/h | 57.1 | 53.4 | 47.9 | 50.9 | 64.5 | 51.2 | 46.1 | 52.8 | 50.4 | 50.3 | 50.2 | 50.3 | 64.5 | 35.8~142.3 | | | | |
| | 1時間最小値 | n Gy/h | 42.6 | 40.3 | 39.4 | 39.3 | 38.3 | 38.1 | 37.9 | 38.2 | 38.1 | 38.0 | 37.8 | 37.6 | 37.6 | 31.2~32.7 | | | | |
| | 月平均値 | n Gy/h | 47.5 | 42.3 | 40.8 | 41.0 | 40.7 | 40.0 | 39.7 | 39.6 | 39.6 | 39.7 | 39.6 | 39.4 | 40.8 | 32.6~49.7 | | | | |
| | 積算値 | n Gy/m | 34,118.8 | 31,405.0 | 29,362.2 | 30,437.9 | 30,203.9 | 28,749.0 | 29,516.4 | 28,398.8 | 29,404.9 | 29,506.5 | 27,512.7 | 27,332.3 | 0.36mGy/y | 0.29~0.30mGy/y | | | | |
| | 調整時間 | 時間 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 51 | 63 | 33~48h/y | | | | |