

平成25年度空間放射線量率測定結果

データ取得年	平成25年度(H25. 4. 1~H26. 3. 31)
測定項目・検出器	空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器

	測定局	集計項目	単位	平成25年												平成26年			平成25年度 年間値	平成14~24年度 年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
川 崎 市 内 ▼ (株) 東 芝 対 象	千鳥局*	1時間最大値	n Gy/h	52.9	48.9	45.9	63.2	52.5	56.0	51.3	48.1	46.0	73.2	48.4	51.2	73.2	24.2~340.9			
		1時間最小値	n Gy/h	34.9	34.7	33.4	33.4	33.8	33.0	32.3	32.9	32.7	32.5	27.3	32.1	27.3	17.6~58.3			
		月平均値	n Gy/h	36.8	36.1	35.9	35.6	36.1	34.8	34.4	34.6	34.8	34.3	33.5	33.9	35.1	18.9~71.9			
		積算値	n Gy/m	26,516.8	26,868.7	25,879.4	26,483.5	26,833.9	25,027.0	25,598.9	24,788.8	25,864.9	24,171.4	22,540.3	25,240.0	0.31mGy/y	0.20~0.43mGy/y			
		調整時間	時間	0	0	0	0	0	0	0	0	4	0	40	0	0	44	49~87h/y		
	浮島局	1時間最大値	n Gy/h	64.1	60.5	57.9	72.6	64.0	66.7	62.3	58.9	58.1	58.5	56.7	61.9	72.6	37.8~721.0			
		1時間最小値	n Gy/h	48.0	47.9	46.7	46.6	46.4	45.8	45.6	45.9	45.1	45.6	40.3	44.5	40.3	31.4~74.2			
		月平均値	n Gy/h	50.0	49.2	49.1	48.8	49.0	47.8	47.6	47.7	47.6	47.4	46.7	46.8	48.1	33.2~86.5			
		積算値	n Gy/m	36,019.4	36,639.2	35,320.6	36,298.9	36,440.9	34,430.9	35,401.7	34,221.3	35,421.8	34,141.8	31,368.6	34,810.3	0.42mGy/y	0.29~0.58mGy/y			
		調整時間	時間	0	0	0	0	0	0	0	0	2	0	23	0	0	25	33~68h/y		
	殿町局	1時間最大値	n Gy/h	42.4	41.0	39.7	47.2	42.6	45.7	42.5	40.9	44.4	39.3	41.7	43.1	47.2	31.7~353.7			
		1時間最小値	n Gy/h	32.3	31.4	31.2	31.0	31.1	30.7	30.8	31.3	31.2	31.1	28.8	30.8	28.8	25.8~48.8			
		月平均値	n Gy/h	33.5	32.5	32.3	32.1	32.1	31.9	32.2	32.3	32.6	32.2	31.8	32.0	32.3	27.2~57.6			
		積算値	n Gy/m	24,114.0	24,215.3	23,284.9	23,879.6	23,913.6	22,981.7	23,921.8	23,190.1	24,268.3	23,430.2	21,401.3	23,839.6	0.28mGy/y	0.24~0.36mGy/y			
		調整時間	時間	0	0	0	0	0	0	0	0	2	0	16	0	0	18	29~68h/y		
塩浜局	1時間最大値	n Gy/h	61.0	59.4	58.2	65.4	61.2	63.2	59.5	58.6	59.4	57.5	59.0	61.4	65.4	44.2~177.1				
	1時間最小値	n Gy/h	48.0	47.7	42.8	47.6	47.2	47.2	46.2	47.4	47.0	46.5	42.5	46.5	42.5	34.1~62.8				
	月平均値	n Gy/h	50.0	49.4	49.5	49.1	49.1	48.6	48.6	48.8	48.6	48.4	48.1	48.5	48.9	39.0~71.3				
	積算値	n Gy/m	36,032.3	36,731.7	35,608.2	36,559.8	36,540.9	34,989.6	36,172.7	34,960.7	36,164.1	35,263.0	32,292.8	36,064.7	0.43mGy/y	0.35~0.51mGy/y				
	調整時間	時間	0	0	0	0	0	0	0	0	3	0	16	0	0	19	29~86h/y			
大島局	1時間最大値	n Gy/h	60.5	58.0	54.9	57.5	59.2	59.9	53.7	54.0	61.3	53.9	56.5	58.7	61.3	39.3~161.3				
	1時間最小値	n Gy/h	44.0	43.8	43.4	43.3	43.4	42.6	42.8	43.4	42.1	41.6	34.6	42.7	34.6	32.6~62.7				
	月平均値	n Gy/h	46.1	45.6	45.4	45.0	45.2	44.5	44.6	44.7	44.6	44.1	43.4	44.4	44.8	35.2~71.8				
	積算値	n Gy/m	33,190.0	33,925.8	32,713.6	33,475.3	33,601.5	32,043.6	33,173.6	32,071.4	33,165.1	32,119.5	29,194.5	33,012.5	0.39mGy/y	0.31~0.49mGy/y				
	調整時間	時間	0	0	0	0	0	0	0	0	2	0	16	0	0	18	28~88h/y			

* 千鳥局は、川崎区千鳥町12-1から平成19年9月に川崎区千鳥1-1へ移設した。

平成25年度空間放射線量率測定結果

データ取得年	平成25年度(H25.4.1~H26.3.31)
測定項目・検出器	空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器

測定局	集計項目	単位	平成25年										平成26年			平成25年度年間値	平成14~24年度年間値(参考)
			4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月			
横須賀市	久里浜局*	1時間最大値	n Gy/h	56.4	52.6	51.2	46.3	52.2	47.0	55.3	60.2	48.2	56.5	50.0	58.6	60.2	24.2~162
		1時間最小値	n Gy/h	34.6	33.4	33.6	32.4	34.5	33.4	33.7	33.9	33.3	33.3	27.6	32.9	27.6	17.6~53.2
		月平均値	n Gy/h	37.5	36.0	35.9	35.5	36.2	35.4	35.5	35.5	35.0	34.8	34.3	34.9	35.6	18.9~62.3
		積算値	n Gy/m	27,024.2	26,818.0	25,813.4	26,398.4	26,938.5	25,459.1	26,484.9	25,433.9	26,043.8	25,798.1	21,455.0	25,992.2	0.31mGy/y	0.17~0.40mGy/y
		調整時間	時間	0	0	1	0	0	0	0	4	0	3	47	0	55	21~2138h/y
須賀市	舟倉局	1時間最大値	n Gy/h	57.9	56.0	52.9	48.8	55.5	50.8	54.4	61.4	49.5	59.4	53.5	59.7	61.4	34.6~164.1
		1時間最小値	n Gy/h	38.3	38.1	37.7	37.5	38.1	37.4	36.7	37.0	36.9	37.2	32.7	35.5	32.7	27.5~55.0
		月平均値	n Gy/h	41.4	40.5	40.4	39.9	40.3	39.5	39.7	39.7	39.2	39.3	38.6	38.8	39.8	30.0~63.2
		積算値	n Gy/m	29,818.4	30,116.2	29,053.8	29,682.1	29,970.7	28,471.7	29,505.4	28,473.5	29,140.9	29,230.0	25,317.0	28,893.8	0.35mGy/y	0.27~0.44mGy/y
		調整時間	時間	0	0	0	0	0	0	0	2	0	0	16	0	18	19~71h/y
市内	佐原局	1時間最大値	n Gy/h	56.5	52.7	51.1	48.2	52.6	49.1	53.3	60.9	48.7	59.9	52.7	57.3	60.9	30.0~184.9
		1時間最小値	n Gy/h	37.5	37.3	36.2	36.3	37.6	36.0	35.7	36.0	35.7	35.7	29.5	34.6	29.5	24.0~54.8
		月平均値	n Gy/h	39.4	38.5	38.3	38.3	39.2	37.5	37.4	37.4	37.2	37.0	35.9	36.3	37.7	25.4~64.5
		積算値	n Gy/m	28,361.5	28,654.5	27,593.5	28,531.1	29,183.0	27,007.5	27,860.8	26,794.9	27,673.4	27,514.6	23,538.4	27,002.2	0.33mGy/y	0.22~0.42mGy/y
		調整時間	時間	0	0	0	0	0	0	0	3	0	0	16	0	19	30~81h/y
磯	浦賀局	1時間最大値	n Gy/h	57.6	52.5	51.7	46.4	52.8	50.7	49.6	55.8	48.9	50.6	50.4	54.6	57.6	28.2~161.7
		1時間最小値	n Gy/h	40.7	40.0	39.2	39.2	39.3	38.4	37.7	37.9	37.7	37.2	34.5	36.0	34.5	24.1~64.5
		月平均値	n Gy/h	42.3	41.3	40.9	40.3	40.5	39.7	39.4	39.0	38.8	38.5	37.7	37.6	39.7	25.0~75.5
		積算値	n Gy/m	30,421.0	30,705.0	29,422.5	30,008.8	30,168.0	28,552.6	29,328.6	27,975.8	28,865.8	28,617.3	24,788.2	27,961.0	0.35mGy/y	0.22~0.48mGy/y
		調整時間	時間	0	0	0	0	0	0	0	3	0	0	15	0	18	19~95h/y
GN	ハイランド局	1時間最大値	n Gy/h	58.6	56.2	53.5	52.5	58.0	50.8	54.0	63.1	52.0	61.2	53.1	60.0	63.1	29.7~212.8
		1時間最小値	n Gy/h	38.8	38.1	37.6	37.4	38.8	36.8	36.6	37.0	36.6	36.9	27.4	35.4	27.4	21.9~61.1
		月平均値	n Gy/h	41.2	40.1	39.8	39.9	40.9	39.1	38.7	38.7	38.6	38.4	36.5	37.5	39.2	23.6~75.0
		積算値	n Gy/m	29,643.4	29,834.8	28,670.4	29,701.9	30,464.9	28,168.3	28,816.6	27,760.6	28,741.0	28,571.3	23,995.1	27,925.6	0.34mGy/y	0.21~0.45mGy/y
		調整時間	時間	0	0	0	0	0	0	0	2	0	0	15	0	17	19~201h/y
J	日の出町局	1時間最大値	n Gy/h	42.3	41.4	42.0	41.2	40.9	37.2	37.4	45.6	40.1	42.1	39.7	41.8	45.6	32.2~123.1
		1時間最小値	n Gy/h	33.6	33.3	33.3	33.1	33.1	33.0	32.9	33.3	33.4	33.2	31.4	32.8	31.4	26.4~41.6
		月平均値	n Gy/h	34.7	34.4	34.3	34.1	34.0	33.9	33.9	34.2	34.1	34.1	33.6	33.8	34.1	27.8~46.3
		積算値	n Gy/m	24,988.4	25,564.1	24,695.1	25,346.4	25,306.9	24,385.4	25,240.1	24,535.5	25,345.5	25,081.3	22,327.0	25,134.6	0.30mGy/y	0.26~0.34mGy/y
		調整時間	時間	0	0	0	0	0	0	0	2	0	8	8	0	18	20~71h/y
対象	西逸見局	1時間最大値	n Gy/h	50.8	48.7	47.5	47.7	50.8	43.0	47.8	59.2	41.9	44.9	45.6	52.1	59.2	30.0~155.6
		1時間最小値	n Gy/h	35.5	35.1	34.3	34.1	34.8	33.9	33.9	30.3	33.9	33.7	27.2	33.2	27.2	24.0~49.9
		月平均値	n Gy/h	37.1	36.2	36.0	35.8	36.3	35.3	35.3	35.2	35.1	35.0	33.3	34.6	35.4	25.8~58.2
		積算値	n Gy/m	26,698.8	26,950.9	25,888.2	26,629.5	27,014.7	25,399.1	26,252.8	25,099.8	26,118.2	25,539.4	22,346.8	25,752.1	0.31mGy/y	0.23~0.39mGy/y
		調整時間	時間	0	0	0	0	0	0	0	7	0	15	0	0	22	21~72h/y
対象	長沢局	1時間最大値	n Gy/h	51.7	51.7	48.2	45.0	51.7	45.4	46.4	54.4	46.1	50.6	52.1	52.3	54.4	35.8~142.3
		1時間最小値	n Gy/h	37.0	36.8	36.5	36.3	37.2	36.3	36.4	36.7	37.0	36.8	32.6	36.3	32.6	31.2~42.6
		月平均値	n Gy/h	38.6	38.1	38.0	38.1	38.8	37.7	37.8	37.9	38.0	38.0	37.4	37.7	38.0	32.6~49.7
		積算値	n Gy/m	27,809.8	28,310.3	27,361.6	28,248.0	28,900.8	27,089.9	28,120.5	27,155.2	28,248.3	28,238.9	24,579.1	28,085.0	0.33mGy/y	0.29~0.36mGy/y
		調整時間	時間	0	0	0	2	0	2	0	3	0	0	15	0	22	19~96h/y

* 久里浜局は、久里浜1-2-15から平成21年3月に内川2-4-10へ移設した。