

平成26年度空間放射線量率測定結果

データ取得年	平成26年度(H26. 4. 1~H27. 3. 31)
測定項目・検出器	空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器

	測定局	集計項目	単位	平成26年												平成27年			平成26年度 年間値	平成14~25年度 年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
川	千鳥局*	1時間最大値	nGy/h	53.1	48.4	66.0	78.9	41.4	41.5	94.2	59.2	44.4	48.4	45.2	49.6	94.2	24.2~340.9			
		1時間最小値	nGy/h	32.1	30.9	30.7	30.9	30.6	30.5	30.3	30.5	30.7	29.6	29.5	29.1	29.1	17.6~58.3			
		月平均値	nGy/h	33.6	33.3	33.1	32.7	32.8	32.4	32.8	32.7	32.1	32.2	31.3	31.2	32.5	18.9~71.9			
		積算値	nGy/m	24,175.1	24,804.5	23,838.5	24,331.6	24,432.2	23,313.0	24,379.0	23,456.4	22,579.2	23,919.9	21,005.1	23,216.3	0.28mGy/y	0.20~0.43mGy/y			
		調整時間	時間	1	0	0	0	0	0	0	0	3	41	0	0	0	45	44~87h/y		
市	浮島局	1時間最大値	nGy/h	63.2	58.1	140.7	75.5	55.8	52.6	103.0	68.1	57.2	62.1	59.2	60.7	140.7	37.8~721.0			
		1時間最小値	nGy/h	44.4	43.8	43.3	43.6	43.5	43.3	43.0	43.2	43.2	41.2	41.0	40.5	40.5	31.4~74.2			
		月平均値	nGy/h	46.4	46.1	46.5	45.5	45.3	45.2	45.6	45.5	45.0	44.6	43.0	42.5	45.1	33.2~86.5			
		積算値	nGy/m	33,329.9	34,262.8	33,471.1	33,857.1	33,735.3	32,543.1	33,946.2	31,598.0	32,398.9	32,157.8	28,877.1	31,594.0	0.39mGy/y	0.29~0.58mGy/y			
		調整時間	時間	1	0	0	0	0	0	0	0	26	24	23	0	0	74	25~68h/y		
(機)	殿町局	1時間最大値	nGy/h	44.2	41.0	61.5	50.1	37.4	36.6	65.1	48.5	38.9	42.8	40.8	42.7	65.1	31.7~353.7			
		1時間最小値	nGy/h	30.5	30.4	30.1	30.0	29.7	30.0	29.9	30.4	30.3	30.3	29.9	30.1	29.7	25.8~48.8			
		月平均値	nGy/h	31.6	31.4	31.4	31.1	30.9	31.1	31.6	31.6	31.5	31.6	31.2	31.3	31.4	27.2~57.6			
		積算値	nGy/m	22,719.6	23,393.6	22,606.3	23,130.7	22,954.2	22,373.5	23,517.3	22,682.3	23,450.4	22,990.2	20,959.7	23,304.7	0.27mGy/y	0.24~0.36mGy/y			
		調整時間	時間	1	0	0	0	0	0	0	0	2	0	16	0	0	19	18~68h/y		
東	塩浜局	1時間最大値	nGy/h	65.0	59.2	61.4	80.1	54.2	54.1	93.3	70.6	57.6	61.4	58.4	60.2	93.3	44.2~177.1			
		1時間最小値	nGy/h	46.5	46.5	46.2	45.6	45.5	44.7	45.7	45.9	45.5	43.4	42.1	43.1	42.1	34.1~62.8			
		月平均値	nGy/h	48.1	48.0	47.8	47.6	47.4	47.5	48.0	48.2	47.8	47.7	46.9	47.1	47.7	39.0~71.3			
		積算値	nGy/m	34,607.0	35,716.4	34,442.8	35,389.5	35,233.1	34,231.7	35,738.2	34,573.6	34,735.5	35,465.8	31,513.1	35,049.0	0.42mGy/y	0.35~0.51mGy/y			
		調整時間	時間	1	0	0	0	0	0	0	0	3	18	1	0	0	23	19~86h/y		
対	大島局	1時間最大値	nGy/h	59.3	56.7	57.4	76.9	49.7	51.1	83.6	69.6	52.4	56.2	54.3	58.5	83.6	39.3~161.3			
		1時間最小値	nGy/h	42.3	42.2	41.4	41.7	40.4	39.8	39.7	41.3	41.5	41.3	38.8	40.0	38.8	32.6~62.7			
		月平均値	nGy/h	43.8	43.6	43.4	43.1	42.7	42.8	43.3	43.2	43.0	43.0	42.1	41.9	43.0	35.2~71.8			
		積算値	nGy/m	31,512.2	32,431.9	31,228.2	32,076.4	31,772.5	30,808.0	32,204.0	30,876.5	31,317.1	31,998.1	28,269.9	31,164.1	0.38mGy/y	0.31~0.49mGy/y			
		調整時間	時間	1	0	0	0	0	0	0	0	6	16	0	0	0	23	18~88h/y		

* 千鳥局は、川崎市千鳥町12-1から平成19年9月に川崎市千鳥1-1へ移設した。

平成26年度空間放射線量率測定結果

		データ取得年	平成26年度(H26.4.1~H27.3.31)													平成26年度 年間値	平成14~25年度 年間値(参考)
		測定項目・検出器	空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器														
測定局	集計項目	単位	平成26年										平成27年				
			4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月			
横須賀市	久里浜局*	1時間最大値	nGy/h	52.3	51.6	41.6	47.5	41.7	44.3	70.3	51.9	54.4	50.3	48.0	52.8	70.3	24.2~162
		1時間最小値	nGy/h	32.4	32.1	32.0	31.9	31.5	31.7	31.5	31.5	31.7	30.4	29.5	29.1	29.1	17.6~53.2
		月平均値	nGy/h	34.4	33.8	33.6	33.3	33.3	33.3	33.8	33.5	33.5	32.9	31.8	31.9	33.3	18.9~62.3
		積算値	nGy/m	24,716.0	25,161.0	24,183.7	24,800.3	24,746.3	23,974.4	25,139.7	24,006.5	24,922.0	23,748.3	20,638.0	23,700.5	0.29mGy/y	0.17~0.40mGy/y
	調整時間	時間	1	0	0	0	0	0	0	0	3	0	23	24	0	51	21~2138h/y
須賀市	舟倉局	1時間最大値	nGy/h	55.4	52.4	45.3	49.6	47.1	47.3	67.5	52.6	60.9	49.4	50.9	53.8	67.5	34.6~164.1
		1時間最小値	nGy/h	36.0	35.8	35.3	35.4	34.9	34.7	34.3	34.3	33.5	34.2	33.6	33.1	33.1	27.5~55.0
		月平均値	nGy/h	38.4	38.0	37.6	37.3	37.2	36.9	37.1	36.8	36.7	36.7	35.8	36.0	37.0	30.0~63.2
		積算値	nGy/m	27,577.9	28,264.0	27,078.5	27,739.7	27,665.4	26,569.6	27,591.7	26,445.7	27,275.9	26,735.8	24,084.0	26,768.4	0.32mGy/y	0.27~0.44mGy/y
	調整時間	時間	1	0	0	0	0	0	0	2	0	16	0	0	19	18~71h/y	
市内	佐原局	1時間最大値	nGy/h	52.3	51.0	42.5	47.9	44.4	44.4	65.7	52.5	57.6	49.6	49.8	54.7	65.7	30.0~184.9
		1時間最小値	nGy/h	34.1	33.7	33.6	33.6	33.5	33.5	33.1	33.3	33.3	32.7	32.2	31.9	31.9	24.0~54.8
		月平均値	nGy/h	35.8	35.4	35.2	35.2	35.7	35.0	35.3	35.0	34.8	34.5	33.8	33.8	35.0	25.4~64.5
		積算値	nGy/m	25,711.6	26,306.0	25,376.3	26,214.1	26,529.4	25,193.0	26,281.5	25,160.0	25,846.7	25,086.6	22,698.8	25,143.1	0.31mGy/y	0.22~0.42mGy/y
	調整時間	時間	1	0	0	0	0	0	0	2	2	16	0	0	21	19~81h/y	
縦	浦賀局	1時間最大値	nGy/h	50.9	48.0	41.7	44.9	44.9	43.0	56.6	49.3	51.4	48.6	48.3	48.1	56.6	28.2~161.7
		1時間最小値	nGy/h	35.5	35.0	34.7	34.7	34.8	34.8	34.5	34.5	34.5	34.0	32.9	33.0	32.9	24.1~64.5
		月平均値	nGy/h	36.9	36.4	36.1	35.9	35.9	35.9	36.3	35.9	35.8	35.6	34.6	34.4	35.8	25.0~75.5
		積算値	nGy/m	26,558.6	27,088.3	25,978.7	26,715.2	26,728.0	25,869.6	27,002.1	25,823.3	26,654.0	25,922.1	23,269.0	25,589.0	0.31mGy/y	0.22~0.48mGy/y
	調整時間	時間	1	0	0	0	0	0	0	1	0	16	0	0	18	18~95h/y	
GN	ハイランド局	1時間最大値	nGy/h	56.7	53.6	45.4	49.7	48.4	44.9	68.6	51.4	54.9	53.1	52.4	55.2	68.6	29.7~212.8
		1時間最小値	nGy/h	35.3	34.8	34.5	33.9	32.5	32.6	32.2	32.1	32.0	31.8	31.0	31.1	31.0	21.9~61.1
		月平均値	nGy/h	37.0	36.7	36.4	35.7	34.5	34.7	34.4	34.1	33.9	33.7	33.0	33.4	34.8	23.6~75.0
		積算値	nGy/m	26,611.4	27,271.3	26,192.8	26,577.0	25,688.5	24,950.9	25,624.7	24,514.8	25,233.6	24,532.0	22,195.1	24,832.6	0.30mGy/y	0.21~0.45mGy/y
	調整時間	時間	1	0	0	0	0	0	0	2	0	15	0	0	18	17~201h/y	
F	日の出町局	1時間最大値	nGy/h	41.9	41.3	38.1	40.6	39.7	39.0	58.6	40.5	42.6	43.8	40.3	42.1	58.6	32.2~123.1
		1時間最小値	nGy/h	32.5	32.3	32.2	32.2	32.0	31.9	31.9	32.5	32.5	32.3	31.5	31.4	31.4	26.4~41.6
		月平均値	nGy/h	33.6	33.4	33.2	33.1	32.9	33.1	33.5	33.4	33.5	33.3	32.6	32.5	33.2	27.8~46.3
		積算値	nGy/m	24,167.8	24,851.5	23,909.1	24,630.0	24,454.1	23,855.0	24,895.7	23,915.4	24,932.4	24,222.9	21,672.7	24,216.4	0.29mGy/y	0.26~0.34mGy/y
	調整時間	時間	1	0	0	0	0	0	0	4	0	16	8	0	29	18~71h/y	
J	西逸見局	1時間最大値	nGy/h	50.9	47.9	41.8	43.1	43.2	40.8	59.1	47.3	46.2	45.6	48.2	48.3	59.1	30.0~155.6
		1時間最小値	nGy/h	33.0	32.6	32.2	31.9	32.3	32.2	32.0	32.0	32.3	32.0	31.7	31.6	31.6	24.0~49.9
		月平均値	nGy/h	34.2	34.0	33.6	33.4	33.8	33.5	33.9	33.7	33.6	33.5	33.0	33.1	33.6	25.8~58.2
		積算値	nGy/m	24,615.4	25,281.6	24,219.8	24,854.5	25,115.5	24,111.5	25,240.7	24,166.8	25,002.1	24,914.0	21,696.1	24,650.0	0.29mGy/y	0.23~0.39mGy/y
	調整時間	時間	1	0	0	0	0	0	0	2	0	0	15	0	18	21~72h/y	
対象	長沢局	1時間最大値	nGy/h	50.7	49.6	42.6	47.0	46.0	44.5	54.3	49.1	49.2	48.2	47.8	51.3	54.3	35.8~142.3
		1時間最小値	nGy/h	35.9	35.8	35.6	35.9	35.9	36.0	35.9	36.0	36.2	35.8	34.8	34.3	34.3	31.2~42.6
		月平均値	nGy/h	37.5	37.1	37.2	37.3	37.6	37.3	37.5	37.6	37.4	37.2	36.1	36.1	37.2	32.6~49.7
		積算値	nGy/m	26,929.7	27,609.4	26,781.2	27,740.4	27,997.9	26,865.2	27,867.0	26,965.3	27,855.5	27,664.9	23,719.0	26,833.9	0.32mGy/y	0.29~0.36mGy/y
	調整時間	時間	1	0	0	0	0	0	0	2	0	0	15	0	18	19~96h/y	

* 久里浜局は、久里浜1-2-15から平成21年3月に内川2-4-10へ移設した。