

平成28年度空間放射線測定結果

		データ取得年	平成28年度(H28. 4. 1~H29. 3. 31)														
		測定項目・検出器	空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器														
	測定局	集計項目	単位	平成28年									平成29年			平成28年度年間値	平成25~27年度年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月		
川 崎 市 内 ▼ (株) 東 芝 刈 象	千鳥局	1時間最大値	nGy/h	42.5	44.7	36.7	63.8	37.0	39.9	45.6	49.8	55.0	36.6	48.1	38.2	63.8	40.7~94.2
		1時間最小値	nGy/h	27.1	27.0	27.0	27.0	26.8	26.6	26.9	27.5	27.1	27.0	27.0	26.9	26.6	27.3~34.9
		月平均値	nGy/h	29.1	28.8	28.6	28.6	28.5	28.7	28.9	29.5	28.7	28.6	28.8	28.7	28.8	29.4~36.8
		積算値	nGy/m	20,918.0	21,406.9	20,500.8	21,268.6	21,184.2	20,651.9	20,392.3	20,883.6	21,378.2	21,263.8	19,350.9	21,331.8	0.25mGy/y	0.26~0.31mGy/y
		調整時間	時間	0	0	2	0	0	0	39	11	0	0	0	0	52	31~45h/y
	浮島局	1時間最大値	nGy/h	54.5	58.8	224.0	67.3	56.9	53.1	56.1	59.5	77.5	48.2	57.8	65.9	224.0	52.2~140.7
		1時間最小値	nGy/h	38.2	37.9	38.1	38.2	37.9	38.0	38.1	38.4	38.3	38.2	38.2	38.0	37.9	38.4~48.0
		月平均値	nGy/h	40.2	40.1	41.3	39.9	39.7	39.9	40.0	40.7	40.2	39.7	39.7	39.8	40.1	40.5~50.0
		積算値	nGy/m	28,979.5	29,841.6	29,648.0	29,694.8	29,535.7	27,815.8	29,727.3	29,012.2	29,911.5	29,560.7	26,696.9	29,576.9	0.35mGy/y	0.36~0.42mGy/y
		調整時間	時間	0	0	2	0	0	22	0	7	0	0	0	0	31	25~74h/y
	殿町局	1時間最大値	nGy/h	38.6	45.4	40.9	49.9	34.6	36.9	39.6	42.7	48.1	34.8	42.5	35.2	49.9	35.9~88.9
		1時間最小値	nGy/h	29.3	28.9	29.0	28.5	28.3	28.4	28.5	29.0	28.8	28.8	28.8	28.9	28.3	28.8~32.3
		月平均値	nGy/h	30.8	30.7	29.9	29.8	29.3	29.7	29.9	30.4	30.1	29.9	29.8	29.9	30.0	30.2~33.5
		積算値	nGy/m	22,190.5	22,820.4	21,530.5	22,196.4	21,783.9	20,906.1	22,258.5	21,668.0	22,381.8	22,254.8	20,042.3	22,276.0	0.26mGy/y	0.27~0.28mGy/y
		調整時間	時間	0	0	1	0	0	15	0	8	0	0	0	0	24	18~26h/y
	塩浜局	1時間最大値	nGy/h	55.4	56.1	51.1	66.0	50.9	53.1	57.7	60.2	66.2	50.7	61.7	51.8	66.2	54.1~93.3
		1時間最小値	nGy/h	43.7	38.6	43.2	43.3	43.2	43.0	43.1	43.9	44.0	43.5	43.7	43.3	38.6	42.1~46.5
		月平均値	nGy/h	45.3	45.0	45.0	44.8	44.6	45.0	45.1	45.9	45.4	45.0	44.9	45.0	45.1	45.6~50.0
		積算値	nGy/m	32,582.5	33,452.5	32,334.8	33,343.6	33,154.5	32,373.1	32,905.5	32,744.8	33,814.4	33,503.9	30,185.1	33,442.7	0.39mGy/y	0.40~0.43mGy/y
		調整時間	時間	0	0	1	0	0	0	15	7	0	0	0	0	23	19~33h/y
大島局	1時間最大値	nGy/h	49.2	49.6	46.5	76.9	45.8	48.7	51.6	54.2	65.2	46.5	52.6	47.0	76.9	49.0~83.6	
	1時間最小値	nGy/h	35.3	36.7	37.2	37.3	36.7	36.6	36.6	37.3	36.9	37.0	37.2	36.9	35.3	34.6~44.0	
	月平均値	nGy/h	38.7	38.4	38.6	38.5	38.2	38.6	38.8	39.5	39.0	38.7	38.6	38.8	38.7	39.9~46.1	
	積算値	nGy/m	27,895.4	28,584.7	27,695.0	28,678.7	28,383.9	27,778.9	28,224.7	28,175.1	29,041.0	28,786.6	25,970.7	28,846.5	0.34mGy/y	0.36~0.39mGy/y	
	調整時間	時間	0	0	2	0	0	0	16	7	0	0	0	0	25	18~34h/y	

平成28年度空間放射線測定結果

データ取得年	平成28年度(H28. 4. 1～H29. 3. 31)
測定項目・検出器	空間線量率・2"φ×2"NaI(Tl)シンチレーション検出器

	測定局	集計項目	単位	平成28年												平成29年			平成28年度 年間値	平成25～27年度 年間値(参考)
				4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月					
横須賀市内(株)GNF J対象	久里浜局	1時間最大値	n Gy/h	46.8	47.2	41.0	60.1	40.2	41.3	51.4	63.9	46.7	40.8	55.3	40.4	63.9	38.7～70.3			
		1時間最小値	n Gy/h	28.4	28.1	28.0	28.0	27.3	27.9	27.9	28.4	28.3	28.2	28.4	28.2	27.3	27.6～34.6			
		月平均値	n Gy/h	30.0	29.6	29.6	29.4	29.2	29.4	29.8	30.6	29.8	29.6	29.6	29.7	29.7	30.1～37.5			
		積算値	n Gy/m	21,575.1	21,915.8	21,285.2	21,889.6	21,690.6	21,191.5	20,877.3	21,642.7	22,189.4	22,049.0	19,901.7	22,109.9	0.26mGy/y	0.27～0.31mGy/y			
		調整時間	時間	0	3	0	0	0	0	44	12	0	0	0	0	59	36～55h/y			
	舟倉局	1時間最大値	n Gy/h	49.8	50.9	45.1	58.5	44.3	45.9	55.1	65.1	49.4	44.4	58.6	44.0	65.1	40.4～67.5			
		1時間最小値	n Gy/h	32.6	32.1	32.0	31.8	31.6	31.9	32.2	32.2	31.5	31.5	32.0	31.1	31.1	32.3～38.3			
		月平均値	n Gy/h	34.9	34.4	34.4	34.2	34.0	34.3	34.6	35.0	34.0	34.0	34.1	34.2	34.3	34.9～41.4			
		積算値	n Gy/m	25,094.2	25,594.0	24,788.0	25,468.9	25,270.7	24,676.7	25,240.3	24,915.5	25,306.7	25,279.6	22,895.9	25,417.1	0.30mGy/y	0.31～0.35mGy/y			
		調整時間	時間	0	0	0	0	0	0	15	8	0	0	0	0	23	18～26h/y			
	佐原局	1時間最大値	n Gy/h	48.5	48.2	42.2	58.3	41.5	42.6	53.5	61.4	48.9	42.4	56.1	42.2	61.4	39.6～65.7			
		1時間最小値	n Gy/h	30.5	30.2	30.1	29.9	30.1	30.0	29.9	0.0	30.2	30.0	30.3	30.0	0.0	29.5～37.6			
		月平均値	n Gy/h	32.1	31.7	31.7	31.5	31.6	31.4	31.8	31.3	31.7	31.5	31.6	31.7	31.6	35.9～39.4			
		積算値	n Gy/m	23,090.1	23,519.4	22,764.6	23,458.7	23,494.5	22,604.2	23,074.4	21,907.2	23,592.6	23,453.3	21,230.6	23,550.8	0.28mGy/y	0.29～0.33mGy/y			
		調整時間	時間	0	2	1	0	0	0	18	20	0	0	0	0	41	19～25h/y			
	浦賀局	1時間最大値	n Gy/h	44.4	44.0	39.7	47.7	36.7	43.9	49.5	50.5	47.0	40.3	52.0	39.6	52.0	39.3～57.6			
		1時間最小値	n Gy/h	31.2	31.0	30.7	30.7	30.5	30.5	30.4	31.0	30.7	30.6	30.6	30.5	30.4	31.3～40.7			
		月平均値	n Gy/h	32.3	32.0	32.0	31.7	31.4	31.7	32.0	32.6	31.9	31.7	31.6	31.6	31.9	32.8～42.3			
		積算値	n Gy/m	23,283.6	23,728.8	23,038.2	23,601.3	23,355.8	22,850.6	23,823.6	22,717.8	23,721.2	23,599.1	21,232.3	23,538.5	0.28mGy/y	0.29～0.35mGy/y			
		調整時間	時間	0	3	0	0	0	0	0	24	0	0	0	0	27	18～42h/y			
ハイランド局	1時間最大値	n Gy/h	49.9	47.8	45.7	49.6	44.0	43.5	52.1	55.7	49.6	43.2	54.4	43.1	55.7	40.3～68.6				
	1時間最小値	n Gy/h	29.5	29.0	28.8	28.6	28.8	28.1	28.6	28.9	29.0	29.0	29.5	28.2	28.1	27.4～38.8				
	月平均値	n Gy/h	31.2	30.8	30.7	30.4	30.7	30.1	30.8	31.3	30.7	30.6	30.7	30.4	30.7	31.5～41.2				
	積算値	n Gy/m	22,468.2	22,833.9	22,071.6	22,640.3	22,807.4	21,680.0	22,916.1	21,836.6	22,808.5	22,793.0	20,491.7	22,589.2	0.27mGy/y	0.28～0.34mGy/y				
	調整時間	時間	0	2	0	0	0	0	0	23	0	0	5	1	31	17～24h/y				
日の出町局	1時間最大値	n Gy/h	40.9	38.9	39.4	40.3	43.7	36.8	40.2	41.6	39.2	35.6	40.6	38.1	43.7	37.2～58.6				
	1時間最小値	n Gy/h	30.8	30.5	30.4	30.2	30.1	30.2	30.2	30.7	31.0	31.0	30.8	31.0	30.1	30.8～33.6				
	月平均値	n Gy/h	31.7	31.5	31.4	31.2	31.0	31.2	31.5	32.0	31.8	31.8	31.8	31.9	31.6	33.6～34.7				
	積算値	n Gy/m	22,853.4	23,420.1	22,619.5	23,177.1	23,061.0	22,449.1	23,414.6	22,276.7	23,679.3	23,672.4	21,372.4	23,707.6	0.28mGy/y	0.28～0.30mGy/y				
	調整時間	時間	0	0	0	0	0	0	0	24	0	0	0	0	24	18～29h/y				
西逸見局	1時間最大値	n Gy/h	44.4	44.8	39.8	54.9	41.8	42.6	50.7	48.5	44.7	39.2	45.5	39.0	54.9	38.5～59.2				
	1時間最小値	n Gy/h	30.3	30.1	29.9	29.8	29.7	29.4	29.7	30.2	29.9	30.0	29.9	29.7	29.4	27.2～35.5				
	月平均値	n Gy/h	31.7	31.4	31.2	31.1	31.1	30.9	31.4	31.8	31.2	31.2	31.1	31.1	31.3	32.0～37.1				
	積算値	n Gy/m	22,847.9	23,291.6	22,458.0	23,122.2	23,122.9	22,244.0	23,075.7	22,081.3	23,229.8	23,239.6	20,745.4	23,104.8	0.27mGy/y	0.28～0.31mGy/y				
	調整時間	時間	0	2	0	0	0	0	8	26	0	0	5	0	41	18～22h/y				
長沢局	1時間最大値	n Gy/h	48.1	44.4	43.2	45.6	41.3	42.5	50.2	62.6	50.5	45.0	53.1	43.1	62.6	40.1～54.4				
	1時間最小値	n Gy/h	34.0	33.9	33.8	33.8	33.6	33.5	33.5	33.6	33.5	33.8	34.0	33.5	33.5	32.6～37.2				
	月平均値	n Gy/h	35.3	35.1	35.1	34.9	35.0	34.7	35.3	35.4	34.7	35.0	35.0	34.9	35.0	35.4～38.8				
	積算値	n Gy/m	25,428.3	26,110.8	25,264.4	25,965.4	26,044.2	25,016.7	26,243.9	24,727.0	25,850.4	26,009.6	23,517.9	25,953.4	0.31mGy/y	0.31～0.33mGy/y				
	調整時間	時間	0	0	0	0	0	0	0	22	0	0	0	0	22	18～24h/y				